
Majapidamis-ja muud taolised elektriseadmed. Ohutus. Osa 2-30: Erinõuded ruumikütteseadmetele

Household and similar electrical appliances - Safety - Part 2-30: Particular requirements for room heaters ei.



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60335-2-30:2003 sisaldab Euroopa standardi EN 60335-2-30:2003 ingliskeelset teksti.

Käesolev dokument on jõustatud 09.09.2003 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 60335-2-30:2003 consists of the English text of the European standard EN 60335-2-30:2003.

This document is endorsed on 09.09.2003 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

ICS 13.120, 97.100.10

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

a preview senerated b Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute Estonian Standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD

EN 60335-2-30

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2003

ICS 13.120; 97.100.10

Supersedes EN 60335-2-30:1997 + A1:2000

English version

Household and similar electrical appliances – Safety

Part 2-30: Particular requirements for room heaters (IEC 60335-2-30:2002, modified)

Appareils électrodomestiques et analogues – Sécurité
Partie 2-30: Règles particulières pour les appareils de chauffage des locaux (CEI 60335-2-30:2002, modifiée)

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke Teil 2-30: Besondere Anforderungen für Raumheizgeräte (IEC 60335-2-30:2002, modifiziert)

This European Standard was approved by CENELEC on 2003-03-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Lithuania, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 61/2166/FDIS, future fourth edition of IEC 60335-2-30, prepared by the IEC Technical Committee 61, was submitted to the IEC-CENELEC parallel vote.

As a result of the Kista meeting of CENELEC TC 61 in May 2002, a draft amendment prAA containing the relevant existing common modifications was submitted to the formal vote.

The texts of the FDIS and the prAA were approved by CENELEC as a new edition of EN 60335-2-30 on 2003-03-18.

This European Standard replaces EN 60335-2-30:1997 + A1:2000.

The following dates are applicable:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2004-03-01

 date on which national standards conflicting with the EN have to be withdrawn

(dow) 2006-03-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric room heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

Special national conditions causing a deviation from this European Standard are listed in annex ZA and are in addition to those in EN 60335-1.

National deviations from this European Standard are listed in Annex ZB and are in addition to those in EN 60335-1.

p NOTE In this document, p is used in the margin to indicate instructions for preparing the printed version.

Introduction

p Add:

An investigation by CENELEC TC 61 has shown that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. For products having mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 98/37/EC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

Endorsement notice

The text of the International Standard IEC 60335-2-30:2002 was approved by CENELEC as a European Standard with agreed common modifications as given below.

COMMON MODIFICATIONS

- 3 Definitions
- Replace "fireguard." by "within 50 mm of the boundary of a fireguard.".
 - 30 Resistance to heat and fire
- p 30.101 Add:

This test is not carried out on fan heaters that are also intended to be operated with the fan switched off.

Figures

p In Figure 102, replace "25" by "50" (in four places).

p Add:

Annex ZA (informative)

Special national conditions

Addition:

Clause Special national condition

25.3 France

Fixed room heaters shall be appliances intended to be permanently connected to fixed wiring.

Annex ZB (informative)

A-deviations

Addition:

<u>Clause</u> <u>Deviation</u>

11.8 **France** (Arrêté du 23 juin 1987 sur les installations destinées chauffage et à l'alimentation en eau chaude sanitaire de bâtiments d'habitation, de bureaux ou recevant du public)

For fixed heaters, other than those for mounting at high level, the limit is 115 K for metallic air-outlet grilles and their immediate surrounds.

Annex ZC (normative)

Normative references to international publications with their corresponding European publications

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60335-2-43	_1)	Household and similar electrical appliances – Safety – Part 2-43: Particular requirements for clothes dryers and towel rails	EN 60335-2-43	2003 ²⁾
ISO 2758	_1)	Paper – Determination of bursting strength	- '2	0

1) undated reference

²⁾ valid edition at date of issue

INTERNATIONAL STANDARD

IEC 60335-2-30

Fourth edition 2002-09

Household and similar electrical appliances – Safety –

Part 2-30:

Particular requirements for room heaters

Appareils électrodomestiques et analogues – Sécurité –

Partie 2-30:

Règles particulières pour les appareils de chauffage des locaux



Reference number IEC 60335-2-30:2002(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

cation c If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL **STANDARD**

IEC 60335-2-30

Fourth edition 2002-09

Household and similar electrical appliances -

Part 2-30:

Particular requirements for room heaters

Appareils électrodomestiques et analogues -Sécurité -

Partie 2-30:

Règles particulières pour les appareils de chauffage des locaux

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch



PRICE CODE



Commission Electrotechnique Internationale

CONTENTS

FΟ	REWORD	4
INT	RODUCTION	6
	2 .⋅	
1	Scope	7
2	Normative references	8
3	Definitions	8
4	General requirement	8
5	General conditions for the tests	8
6	Classification	9
7	Marking and instructions	9
8	Protection against access to live parts	
9	Starting of motor-operated appliances	.12
10	Power input and current	.12
11	Heating	.12
12	V0I0	.14
13	Leakage current and electric strength at operating temperature	.14
14	Transient overvoltages	.14
15	Moisture resistance	.14
16	Leakage current and electric strength	.14
17	Overload protection of transformers and associated circuits	.14
18	Endurance	.15
19	Abnormal operation	.15
20	Stability and mechanical hazards	
21	Mechanical strength	.18
22	Construction Internal wiring	.19
23	Internal wiring	.21
24		.21
25	Supply connection and external flexible cords	
26	Terminals for external conductors	.22
27	Provision for earthing	.22
28	Screws and connections	.22
29	Clearances, creepage distances and solid insulation	.22
30	Resistance to heat and fire	.22
31	Resistance to rusting	.23
32	Radiation, toxicity and similar hazards	.23
Anı	nexes	26
Rih	liography	26

Figure 101 – Examples of immediate surrounds of air-outlet grilles	24
Figure 102 – Examples of the immediate surrounds of fireguards	25
Table 101 – Temperature rises for surfaces	14

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-30: Particular requirements for room heaters

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 1996 and its amendment 1 (1999). It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following documents:

FDIS	Report on voting
61/2166/FDIS	61/2246/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric room heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- · reconfirmed:
- · withdrawn;
- · replaced by a revised edition, o
- amended.

The following differences exist in the countries indicated below.

- 3.105: The immediate surround of a fireguard is extended to 50 mm (Austria, Germany and United Kingdom).
- 7.1: All heaters, except those for mounting at high level, are to be marked with a warning against covering (Norway).
- 7.1: All heaters, except those for permanent connection to fixed wiring, are to be marked with the minimum distances to combustible surfaces (Norway).
- 7.1: Appliances are not required to be marked "Do not cover" (USA).
- 7.12: Some of the instructions specified are to be marked on the heater (Norway and USA).
- Clause 11: The test methods are different (USA).
- 11.8: For other metal surfaces accessible to the test rod, the limit is 95 K (Australia).
- 11.8: For all fixed heaters, other than those for mounting at high level, the limit is 115 K for metallic air-outlet grilles and their surrounds (France).
- 11.8: For heaters used in hygiene rooms of dwellings, nurseries or after-school centres, the temperatures of surfaces accessible to the test finger of Figure 1 are not to exceed 60 °C (Sweden).
- Clause 19: The tests are different (Canada and USA).
- 19.103: Visibly glowing radiant heaters, other than those for mounting at high level, have to withstand the test
 of this subclause (Sweden).
- 20.1: The test is different (USA).
- 22.7: The test is different (USA).
- 22.24: The test is different (USA).
- 22.101: The requirement is different (Canada and USA).
- 22.102: The requirement is different (Canada and USA).
- 22.103: The requirement is different (Canada and USA).
- 22.105: The requirement is different (USA).
- 22.108: The requirement is different (USA).
- 24.1.3: The number of cycles of operation is 6 000 (USA).
- 24.1.4: Thermal cut-outs that protect heating elements against overheating, incorporated in fan heaters and in stationary heaters intended to be mounted on or near to a wall, other than those for mounting at high level, are to be of the non-self-resetting type (Sweden).
- 25.3: Fixed appliances are to be appliances intended to be permanently connected to fixed wiring (France).

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-30: Particular requirements for room heaters

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric room heaters for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Examples of appliances that are within the scope of this standard are

- convector heaters;
- fan heaters;
- heaters for use in greenhouses
- liquid-filled radiators;
- panel heaters;
- radiant heaters;
- tubular heaters;

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in the shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances which are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities;
- for appliances intended to be used in the presence of combustible dust, for example in barns or stables, additional requirements may be necessary.

NOTE 103 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- heaters that are built into air conditioners (IEC 60335-2-40);
- clothes dryers and towel rails (IEC 60335-2-43);
- heaters for saunas (IEC 60335-2-53);
- thermal-storage room heaters (IEC 60335-2-61);
- heating appliances for breeding and rearing animals (IEC 60335-2-71);
- foot warmers and heating mats (IEC 60335-2-81);
- flexible sheet heating elements for room heating (IEC 60335-2-96);
- heated carpets;
- central heating systems;
- heating cables (IEC 60800).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-43, Household and similar electrical appliances – Safety – Part 2-43: Particular requirements for clothes dryers and towel rails

ISO 2758, Paper – Determination of bursting strength

3 Definitions

This clause of Part 1 is applicable except as follows.

3.101

visibly glowing radiant heater

heater incorporating at least one visibly glowing heating element

3.102

fan heater

heater in which the movement of the air over the heating element is assisted by a fan

3.103

heater for mounting at high level

heater intended to be fixed at a height of at least 1,8 m above the floor

3.104

fireguard

that part of the enclosure of a **visibly glowing radiant heater** through which the heating element is normally visible and which is intended to guard against direct access to the heating element

3.105

immediate surround

any surface within 25 mm of the boundary of an air-outlet grille or fireguard

NOTE Details of the way in which this distance is determined are shown in Figure 101 for air-outlet grilles and Figure 102 for **fireguards**.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

NOTE 101 If heaters are intended to be installed adjacent to each other, a sufficient number are required in order to determine the effects of adjacent heaters on the appliance under test.