This document Majapidamis-ja muude taoliste elektriseadmete ohutus. Osa 2-34: Erinõuded mootorkompressoritele

Safety of household and similar electrical appliances - Part 2-34: Particular requirements for motorel. Generalis de la constant de la c compressors



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60335-2-34:2003 sisaldab Euroopa standardi EN 60335-2-34:2002 ingliskeelset teksti.

Käesolev dokument on jõustatud 12.03.2003 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 60335-2-34:2003 consists of the English text of the European standard EN 60335-2-34:2002.

This document is endorsed on 12.03.2003 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian

ICS 23.140

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Eec st. This advantage of the state of the s Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute Estonian Standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD

EN 60335-2-34

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2002

ICS 97.040.30

Supersedes EN 60335-2-34:2000

English version

Household and similar electrical appliances - Safety

Part 2-34: Particular requirements for motor-compressors (IEC 60335-2-34:2002)

Appareils électrodomestiques et analogues - Sécurité Partie 2-34: Règles particulières pour les motocompresseurs (CEI 60335-2-34:2002)

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke Teil 2-34: Besondere Anforderungen für Motorverdichter (IEC 60335-2-34:2002)

This European Standard was approved by CENELEC on 2002-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 61C/214/FDIS, future fourth edition of IEC 60335-2-34, prepared by SC 61C of the IEC Technical Committee 61, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60335-2-34 on 2002-12-01.

This European Standard replaces EN 60335-2-34:2000.

The following dates are applicable:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2003-09-01

 date on which national standards conflicting with the EN have to be withdrawn

(dow) 2005-12-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric motor-compressors.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition" / "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause:
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

There are no special national conditions causing a deviation from this European Standard, other than those listed in Annex ZA to EN 60335-1.

There are no national deviations from this European Standard, other than those listed in Annex ZB to EN 60335-1.

p NOTE In this document, p is used in the margin to indicate instructions for preparing the printed version.

Introduction

p Add:

An investigation by CENELEC TC 61 has shown that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. For products having mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 98/37/EC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

Endorsement notice

The text of the International Standard IEC 60335-2-34:2002 was approved by CENELEC as a European Standard without any modification.

p Add:

Annex ZC (normative)

Normative references to international publications with their corresponding European publications

<u>Publication</u>	<u>Year</u>	<u>Title</u>		EN/HD	<u>Year</u>
IEC 60252-1	_1)	AC motor capacitors – Part 1: General – Perfor and rating – Safety requ Guide for installation and	irements -	EN 60252-1	2001 ²⁾
					5

¹⁾ undated reference

²⁾ valid edition at date of issue

INTERNATIONAL **STANDARD**

IEC 60335-2-34

Fourth edition 2002-10

Household and similar electrical appliances -Safety -

Part 2-34:

Particular requirements for motor-compressors

Appareils électrodomestiques et analogues -Sécurité -

Partie 2-34:

Règles particulières pour les motocompresseurs



Reference number IEC 60335-2-34:2002(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

cation c If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL **STANDARD**

IEC 60335-2-34

Fourth edition 2002-10

Household and similar electrical appliances -

Part 2-34:

Particular requirements for motor-compressors

Appareils électrodomestiques et analogues -Sécurité -

Partie 2-34:

Règles particulières pour les motocompresseurs

Commission Electrotechnique Internationale

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch



PRICE CODE



CONTENTS

INTRODUCTION 6 1 Scope 7 2 Normative references 8 3 Definitions 8 4 General requirement 9 5 General conditions for the tests 9 6 Classification 10 7 Marking and instructions 11 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 12				
2 Normative references83 Definitions84 General requirement95 General conditions for the tests96 Classification107 Marking and instructions118 Protection against access to live parts119 Starting of motor-operated appliances1110 Power input and current11				
3 Definitions84 General requirement95 General conditions for the tests96 Classification107 Marking and instructions118 Protection against access to live parts119 Starting of motor-operated appliances1110 Power input and current11				
4 General requirement 9 5 General conditions for the tests 9 6 Classification 10 7 Marking and instructions 11 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11				
5 General conditions for the tests 9 6 Classification 10 7 Marking and instructions 11 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11				
6 Classification				
7 Marking and instructions				
8 Protection against access to live parts				
9 Starting of motor-operated appliances				
10 Power input and current				
11 Heating 12				
12 Void				
13 Leakage current and electric strength at operating temperature				
14 Transient overvoltages				
15 Moisture resistance				
16 Leakage current and electric strength				
17 Overload protection of transformers and associated circuits				
18 Endurance				
19 Abnormal operation 12				
20 Stability and mechanical hazards				
21 Wedianical Strength				
22 Construction				
23 Internal wiring				
23 Internal wiring				
25 Supply connection and external flexible cords				
26 Terminals for external conductors				
27 Provision for earthing				
28 Screws and connections				
29 Clearances, creepage distances and solid insulation				
30 Resistance to heat and fire				
31 Resistance to rusting				
32 Radiation, toxicity and similar hazards				
Annexes 22				
Annex C (normative) Aging test on motors				
Annex D (normative) Alternative requirements for protected motor units22				
Annex AA (normative) Running overload tests for motor-compressors classified as				
tested with Annex AA				
Bibliography 26				

Figure 101 – Supply circuit for the locked-rotor test of a single-phase motor-compressor	.21
Figure AA.1 – Substitute refrigeration circuit	
λ	
Table 101 – High side test pressures	.16
Table 102 – Low side test pressures	
Table AA - Substitute refrigeration circuit conditions for operating under running	
overload conditions	.23
4	
`O	
d.	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-34: Particular requirements for motor-compressors

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61C: Household appliances for refrigeration, of IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 1999. It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following documents

FDIS	Report on voting
61C/214/FDIS	61C/217/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electrical motor-compressors.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2. The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications; in italic type;
- notes: in smaller roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication will be

- · reconfirmed;
- withdrawn:
- · replaced by a revised edition, or
- · amended.

The following differences exist in the countries indicated below.

- 7.1: The locked-rotor current marking is required for some motor-compressors (USA).
- 22.7: Different test pressures are used (Japan, USA).

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product tamily standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

For **motor-compressors**, testing in accordance with this standard is an option and cannot be required as a precondition for testing the complete appliance, for example by reference in Clause 24 of a part 2 of IEC 60335. However, testing of the appliance should be reduced if an incorporated **motor-compressor** including its protection system or control system, if any, complies with this standard.

If testing of the **motor-compressor** includes testing in accordance with Annex AA, temperatures of the **motor-compressor** windings, **housing** and other parts related to the **motor-compressor**, such as terminals, internal wiring and insulating materials, are not measured when the complete appliance in which the **motor-compressor** is used is tested.

These requirements apply to sealed (hermetic and semi-hermetic type) **motor-compressors** with their associated starting, cooling capacity control and protection systems, tested separately under the most severe conditions of the refrigerating system operation which, within reasonable limits, could occur in the applications for which they are used.

In particular, the construction detail inspection and locked-rotor testing may be done separately on the **motor-compressor**, thereby eliminating the need for inspection and testing when the **motor-compressor** is applied to many different appliances and factory-built assemblies.

Operational tests may also be conducted on the **motor-compressor** separately in certain circumstances. The specification for this type testing is provided in Annex AA. However, the tests of the existing standards relevant to the given kind of application, such as IEC 60335-2-24 and IEC 60335-2-40, may need to be conducted on the final application and used as the final determination of acceptability.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-34: Particular requirements for motor-compressors

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of sealed (hermetic and semi-hermetic type) **motor-compressors**, their protection and control systems, if any, which are intended for use in equipment for household and similar purposes and which conform with the standards applicable to such equipment. It applies to **motor-compressors** tested separately, under the most severe conditions that may be expected to occur in normal use, their **rated voltage** being not more than 250 V for single-phase **motor-compressors** and 480 V for other **motor-compressors**.

NOTE 101 Examples of equipment which contain motor-compressors are

- refrigerators, food freezers and ice makers (IEC 60335-2-24);
- air-conditioners, electric heat pumps and dehumidifiers (IEC 60335-2-40);
- commercial dispensing appliances and vending machines (IEC 60335-2-75);
- factory-built assemblies for transferring heat in applications for refrigerating, air-conditioning or heating purposes or a combination of such purposes.

NOTE 102 This standard does not supersede the requirements of standards relevant to the particular appliance in which the **motor-compressor** is used. However, if the **motor-compressor** type used complies with this standard, the tests for the **motor-compressor** specified in the particular appliance standard may not need to be made in the particular appliance or assembly. If the **motor-compressor control system** is associated with the particular appliance control system, additional tests may be necessary on the final appliance.

So far as is practical, this standard deals with the common hazards presented by **motor-compressors** used in appliances which are encountered by all persons in and around the home. However, it does not in general take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliances by young children.

NOTE 103 Attention is drawn to the fact that

- for motor-compressors intended to be used in appliances in vehicles or on board ships, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 104 This standard does not apply to

- motor-compressors designed exclusively for industrial purposes;
- motor-compressors used in appliances intended to be used in locations where special conditions prevail, such
 as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

NOTE 105 This standard does not take into consideration failure of software. If the safety of the **motor-compressor** is dependent on the correct functioning of software, this hazard is addressed by the necessary software analysis. Requirements for this analysis are under consideration.

2 Normative references

This clause of Part 1 is applicable except as follows.

Modification:

Replace IEC 60252, AC Motor capacitors by IEC 60252-1, AC motor capacitors – Part 1: General – Performance, testing and rating – Safety requirements – Guide for installation and operation

3 Definitions

This clause of Part 1 is applicable, except as follows.

3.101

motor-compressor

appliance consisting of the mechanical mechanism of the compressor and the motor, both of which are enclosed in the same sealed **housing**, with no external shaft seals, and with the motor operating in a refrigerant atmosphere with or without oil. The **housing** may be permanently sealed, such as by welding or brazing (**hermetic motor-compressor**), or may be sealed by gasketted joints (**semi-hermetic motor-compressor**). A terminal box, a terminal box cover, and other electrical components or an electronic control system may be included. Hereafter, the term **motor-compressor** will be used to designate either a **hermetic motor-compressor** or **semi-hermetic motor-compressor**

3.102

housing

sealed enclosure for the **motor-compressor**, which contains the compressor mechanism and the motor, and which is subjected to refrigerant pressures

3.103

thermal motor-protector

automatic control, built-in or fitted on a **motor-compressor** that is specifically intended to protect the **motor-compressor** against over-heating due to running overload and failure to start. This control carries **motor-compressor** current and is sensitive to one or both of the following:

- motor-compressor temperature;
- motor-compressor current

NOTE The control is capable of being reset (either manually or automatically) when its temperature falls to the reset value.

3.104

motor-compressor protection system

thermal motor protector and associated components, if any, or electronic protection system fully or partly separate or integrated into the **motor-compressor control system** and which is specifically intended to protect the **motor-compressor** against over-heating due to running overload or failure to start. The control carries **motor-compressor** current and is sensitive to one or both of the following:

- motor-compressor temperature;
- motor-compressor current