
International Standard



7065/1

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Information processing — Data interchange on 200 mm (8 in) flexible disk cartridges using modified frequency modulation recording at 13 262 ftprad, 1,9 tpmm (48 tpi), on both sides —

Part 1: Dimensional, physical and magnetic characteristics

Traitement de l'information — Échange de données sur cartouches à disquette de 200 mm (8 in) utilisant un enregistrement à modulation de fréquence modifiée à 13 262 ftprad, 1,9 tpmm (48 tpi), sur deux faces — Partie 1: Caractéristiques dimensionnelles, physiques et magnétiques

Second edition — 1985-04-01

UDC 681.327.63

Ref. No. ISO 7065/1-1985 (E)

Descriptors : data processing, information interchange, data recording devices, magnetic disks, flexible disks, specifications, dimensions, physical properties, magnetic properties.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 7065/1 was prepared by Technical Committee ISO/TC 97, *Information processing systems*.

ISO 7065/1 was first published in 1982. This second edition cancels and replaces the first edition, the following clauses of the previous edition have been technically revised: 6.3.4, 7.5.2 and annex C.

Contents

	Page
0 Introduction	1
1 Scope and field of application	1
2 References	1
3 Definitions	1
4 General description	2
5 General requirements	2
6 Dimensional characteristics	3
7 Physical characteristics	5
8 Magnetic characteristics	5
Annexes	
A Measurement of the cartridge thickness	11
B Measurement of light transmittance	13
C Method for measuring the effective track width	15
D Write-inhibit notch	16

This document is a preview generated by EVS

This page intentionally left blank

Information processing — Data interchange on 200 mm (8 in) flexible disk cartridges using modified frequency modulation recording at 13 262 ftprad, 1,9 tpmm (48 tpi), on both sides —

Part 1: Dimensional, physical and magnetic characteristics

0 Introduction

ISO 7065 specifies the characteristics of 200 mm (8 in) flexible disk cartridges recorded at 13 262 ftprad, 1,9 tpmm (48 tpi), on both sides using modified frequency modulation recording.

ISO 7065/2 specifies the quality of recorded signals, the track layout, and the track format to be used on a 200 mm (8 in) flexible disk cartridge, recorded at 13 262 ftprad, 1,9 tpmm (48 tpi), on both sides, using modified frequency modulation recording, which is intended for data interchange between data processing systems.

Together with the labelling scheme specified in ISO 7665, ISO 7065/1 and ISO 7065/2 provide for full data interchange between data processing systems.

1 Scope and field of application

This part of ISO 7065 specifies the dimensional, physical and magnetic characteristics of the cartridge, so as to provide physical interchangeability between data processing systems.

NOTE — Numeric values in the SI and/or Imperial measurement systems in this International Standard may have been rounded and therefore are consistent with, but not exactly equal to, each other. Either system may be used, but the two should be neither intermixed nor reconverted. The original design was made using the Imperial measurement system.

2 References

ISO 646, *Information processing — ISO 7-bit coded character set for information interchange*.

ISO 2022, *Information processing — ISO 7-bit and 8-bit coded character sets — Code extension techniques*.

ISO 4873, *Information processing — 8-bit code for information interchange — Structure and rules for implementation*.

ISO 7665, *Information processing — File structure and labelling of flexible disc cartridges for information interchange*.

3 Definitions

For the purpose of this International Standard the following definitions apply:

3.1 flexible disk: A flexible disk which accepts and retains on the specified side or sides magnetic signals intended for input/output and storage purposes of information data processing and associated systems.

3.2 reference flexible disk cartridge: A flexible disk cartridge arbitrarily selected for a given property for calibrating purposes.

3.3 secondary reference flexible disk cartridge: A flexible disk cartridge intended for routine calibrating purposes, the performance of which is known and stated in relation to that of the reference flexible disk cartridge.

3.4 signal amplitude reference flexible disk cartridge: A reference flexible disk cartridge selected as a standard for recording field and signal amplitude.

On side 0 of this cartridge track 00, having a radius of 91,754 mm (3.612 4 in) and track 76, having a radius of 51,537 mm (2,029 0 in) are declared as reference tracks. To provide a standard for side 1 the same surface is used by turning the disk over in the jacket. Under these conditions track 00 has now a radius of 89,637 mm (3.529 0 in) and is not a reference track. However, its correlation with the reference track having a radius of 91,754 mm (3.612 4 in) is sufficiently close for the purpose of this International Standard. Track 72 having a radius of 51,537 mm (2,029 0 in) is a reference track and is therefore used instead of track 76.

NOTE — A master standard for signal amplitudes, reference fields, overwrite and resolution characteristics has been established by the Physikalisch-Technische Bundesanstalt (PTB), Bundesallee 100 in Braunschweig, Germany, F.R. Secondary reference flexible disk cartridges can be ordered from PTB, Lab 5.11, under part number RM 5654 as long as available.