Electric traction - Rotating electrical machines for rail and road vehicles - Part 2: Electronic convertert mo. fed alternating current motors



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60349-2:2010 sisaldab Euroopa standardi 60349-2:2010 ingliskeelset teksti.

This Estonian standard EVS-EN 60349-2:2010 consists of the English text of the European standard 60349-2:2010.

Standard on kinnitatud Eesti Standardikeskuse 31.12.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.12.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 03.12.2010.

Date of Availability of the European standard text 03.12.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

ICS 45.060

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

EUROPEAN STANDARD

EN 60349-2

NORME EUROPÉENNE EUROPÄISCHE NORM

December 2010

ICS 45.060

Supersedes EN 60349-2:2001

English version

Electric traction Rotating electrical machines for rail and road vehicles Part 2: Electronic converter-fed alternating current motors (IEC 60349-2:2010)

Traction électrique Machines électriques tournantes des véhicules ferroviaires et routiers Partie 2: Moteurs à courant alternatif alimentés par convertisseurs électroniques (CEI 60349-2:2010)

Elektrische Zugförderung -Drehende elektrische Maschinen für Bahn- und Straßenfahrzeuge -Teil 2: Umrichtergespeiste Wechselstrommotoren (IEC 60349-2:2010)

This European Standard was approved by CENELEC on 2010-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 9/1416/FDIS, future edition 3 of IEC 60349-2, prepared by IEC TC 9, Electrical equipment and systems for railways, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60349-2 on 2010-12-01.

This European Standard supersedes EN 60349-2:2001.

The main technical changes with regard to EN 60349-2:2001 are as follows:

- As the limits of vibration velocities have been changed in EN 60034-14, the limits valid for traction motors are now directly stated in this standard.
- In addition to the existing method for measuring and calculating the sound power level, the methods described in EN ISO 3741, EN ISO 3743 (series), EN ISO 3744, ISO 3745, EN ISO 9614 (series) are also allowed. However the maximum sound power levels and the correction for pure tones remain unchanged in C.7 and C.8.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

2011-09-01 (dop)

latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2013-12-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60349-2:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60034-1	NOTE	Harmonized as EN 60034-1.
IEC 60034-2-1	NOTE	Harmonized as EN 60034-2-1.
IEC 60034-5	NOTE	Harmonized as EN 60034-5.
IEC 60034-14	NOTE	Harmonized as EN 60034-14.
IEC 61260	NOTE	Harmonized as EN 61260.
IEC 61287 series	NOTE	Part 1 harmonized as EN 61287-1
IEC 61373	NOTE	Harmonized as EN 61373.
IEC 61377-1	NOTE	Harmonized as EN 61377-1.
IEC 61377-3	NOTE	Harmonized as EN 61377-3.
ISO 3741	NOTE	Harmonized as EN ISO 3741.
ISO 3743-1	NOTE	Harmonized as EN ISO 3743-1.

			EVS-EN 60349-2:2010
ISO 3743-2	NOTE	Harmonized as EN ISO 3743-2.	
ISO 3744		Harmonized as EN ISO 3744.	
ISO 3746		Harmonized as EN ISO 3746.	
ISO 9614-1		Harmonized as EN ISO 9614-1.	
ISO 9614-2		Harmonized as EN ISO 9614-2.	
		O O CO CO	

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60034-1 (mod)	-	Rotating electrical machines - Part 1: Rating and performance	EN 60034-1	-
IEC 60034-8	-	Rotating electrical machines - Part 8: Terminal markings and direction of rotation	EN 60034-8	-
IEC 60034-9 (mod)	-	Rotating electrical machines - Part 9: Noise limits	EN 60034-9	-
IEC 60034-17 ¹⁾	-	Rotating electrical machines - Part 17: Cage induction motors when fed from converters - Application guide	-	-
IEC 60050-131	-	International Electrotechnical Vocabulary (IEV) - Part 131: Circuit theory	-	-
IEC 60050-151	-	International Electrotechnical Vocabulary (IEV) - Part 151: Electrical and magnetic devices	-	-
IEC 60050-411	-	International Electrotechnical Vocabulary (IEV) - Chapter 411: Rotating machinery	-	-
IEC 60050-811	-	International electrotechnical vocabulary (IEV) - Chapter 811: Electric traction	5	-
IEC 60085	-	Electrical insulation - Thermal evaluation and designation	EN 60085	-
IEC 61672	Series	Electroacoustics - Sound level meters	EN 61672	Series
IEC 62498-1	-	Railway applications - Environmental conditions for equipment - Part 1: Equipment on board rolling stock	- 2	-

 $^{^{1)}}$ IEC 60034-17 is superseded by IEC/TS 60034-17:2002, which is harmonized as CLC/TS 60034-17:2004.

CONTENTS

FO	REWO	ORD	4
1	Scop	e and object	6
2	Norm	native references	7
3	Term	is and definitions	7
4	Fnvir	onmental conditions	9
5		acteristics	
J		Exchange of information	
	5.1 5.2	Reference temperature	
	5.2 5.3	Specified characteristics	
	5.4	Declared characteristics	
	5.5	Efficiency characteristics	
	5.6	Traction motor characteristics	
	5.7	Auxiliary motor characteristics	
6		ing	
Ū	6.1	Nameplate	
	6.2	Terminal and lead marking	
7	-	categories	
'		Test categories	
	7.1	7.1.1 General	
		7.1.1 General	
		7.1.2 Type tests	
	7.2	7.1.4 Investigation tests	
8		tests	
U	8.1	Temperature-rise tests	
	0.1	8.1.1 General	
		8.1.2 Ventilation during rating tests	
		8.1.3 Measurement of temperature	
		8.1.4 Judgement of results	
		8.1.5 Limits of temperature rise	
	8.2	Characteristic tests and tolerances	
	0.2	8.2.1 General	
		8.2.2 Tolerances	
	8.3	Overspeed test	
	8.4	Vibration tests	
9		ine tests	
J	9.1	General	
	9.1	Short-time heating run	
	9.2	Characteristic tests and tolerances	
	9.3		
		9.3.1 Asynchronous motors	
	0.4	9.3.2 Synchronous motors	
	9.4	Overspeed tests	
	9.5	Dielectric tests	
Λ,	9.6	Vibration tests (imbalance)	
Anr	iex A	(normative) Measurement of temperature	20

EVS-EN 60349-2:2010

Annex B (normative) Conventional values of traction motor transmission losses	23
Annex C (informative) Noise measurement and limits	24
Annex D (normative) Supply voltages of traction systems	33
Annex E (normative) Agreement between user and manufacturer	34
Bibliography	35
Figure B.1 – Conventional values of traction motor transmission losses	23
Figure C.1 – Limiting mean sound power level for airborne noise emitted by traction motors	30
Figure C.2 – Location of measuring points and prescribed paths for horizontal machines	31
Figure C.3 – Location of measuring points and prescribed paths for vertical machines	32
Fable 4. Cummany of tools	40
Γable 1 – Summary of tests	
Fable 2 – Limits of temperature rise for continuous and other ratings	
Fable 3 – Temperature rises for short-time overload ratings	
Γable 4 – Dielectric test voltages Γable C.1 – Corrections	
Table C.2 – Corrections	
Fable C.3 – Corrections	

ELECTRIC TRACTION – ROTATING ELECTRICAL MACHINES FOR RAIL AND ROAD VEHICLES –

Part 2: Electronic converter-fed alternating current motors

1 Scope and object

This part of IEC 60349 applies to converter-fed alternating current motors forming part of the equipment of electrically propelled rail and road vehicles.

The object of this part is to enable the performance of a motor to be confirmed by tests and to provide a basis for assessment of its suitability for a specified duty and for comparison with other motors.

Where further testing is to be undertaken in accordance with IEC 61377-1 and IEC 61377-3, it may be preferable, to avoid duplication, that some type and investigation tests be carried out on the combined test bed.

Particular attention is drawn to the need for collaboration between the designers of the motor and its associated converter as detailed in 5.1.

NOTE 1 This part also applies to motors installed on trailers hauled by powered vehicles.

NOTE 2 The basic requirements of this part may be applied to motors for special purpose vehicles such as mine locomotives but this part does not cover flameproof or other special features that may be required.

NOTE 3 It is not intended that this part should apply to motors on small road vehicles, such as battery-fed delivery vehicles, factory trucks, etc. This part also does not apply to minor machines such as windscreen wiper motors, etc. that may be used on all types of vehicles.

NOTE 4 Industrial type motors complying with IEC 60034 may be suitable for some auxiliary drives, providing that it is demonstrated that operation on a converter supply will meet the requirements of the particular application.

The rating of traction motors fed in parallel by a common converter has to take into account the effect on load-sharing of differences of wheel diameter and of motor characteristics as well as weight transfer when operating at high coefficients of adhesion. The user is to be informed of the maximum permissible difference in wheel diameter for the particular application.

The electrical input to motors covered by this part comes from an electronic converter.

NOTE 5 At the time of drafting, only the following combinations of motors and converters had been used for traction applications, but it may also apply to other combinations which may be used in the future:

- asynchronous motors fed by voltage source converters;
- asynchronous motors fed by current source converters;
- synchronous motors fed by current source converters.

The motors covered by this part are classified as follows:

- a) Traction motors Motors for propelling rail or road vehicles.
- b) Auxiliary motors not covered by IEC 60034 Motors for driving compressors, fans, auxiliary generators or other auxiliary machines.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, Rotating electrical machines – Part 1: Rating and performance

IEC 60034-8, Rotating electrical machines – Part 8: Terminal markings and direction of rotation

IEC 60034-9, Rotating electrical machines – Part 9 – Noise limits

IEC 60034-17, Rotating electrical machines – Part 17: Cage induction motors when fed from convertors – Application guide

IEC 60050-131, International Electrotechnical Vocabulary – Part 131: Circuit theory

IEC 60050-151, International Electrotechnical Vocabulary – Part 151: Electrical and magnetic devices

IEC 60050-411, International Electrotechnical Vocabulary – Part 411: Rotating machinery

IEC 60050-811, International Electrotechnical Vocabulary – Part 811: Electric traction

IEC 60085, Thermal evaluation and designation

IEC 61672, Electroacoustics – Sound level meters

IEC 62498-1, Railway applications – Environmental conditions for equipment – Part 1: Equipment on board rolling stock

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-131, IEC 60050-411 and IEC 60050-811, as well as the following, apply.

3.1

rating of a motor

combination of simultaneous values of electrical and mechanical quantities, with their duration and sequence, assigned to the motor by the manufacturer

3.2

rated value

numerical value of any quantity included in a rating

3.3

continuous rating

mechanical output that the motor can deliver on the test bed for an unlimited time under the conditions specified in 8.1 without exceeding the limits of temperature rise given in Table 2, all other appropriate requirements in this part also being satisfied

NOTE Several continuous ratings may be specified.