

Additive manufacturing - Design - Part 2: Laser-based powder bed fusion of polymers (ISO/ASTM 52911-2:2019)

## ESTI STANDARDI EESSÖNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO/ASTM 52911-2:2019 sisaldb Euroopa standardi EN ISO/ASTM 52911-2:2019 ingliskeelset teksti.	This Estonian standard EVS-EN ISO/ASTM 52911-2:2019 consists of the English text of the European standard EN ISO/ASTM 52911-2:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 23.10.2019.	Date of Availability of the European standard is 23.10.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 25.030

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Kodulehte [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN ISO/ASTM 52911-2

October 2019

ICS 25.030

English Version

Additive manufacturing - Design - Part 2: Laser-based  
powder bed fusion of polymers (ISO/ASTM 52911-2:2019)

Fabrication additive - Conception - Partie 2: Fusion  
laser sur lit de poudre polymère (ISO/ASTM 52911-  
2:2019)

Additive Fertigung - Konstruktion - Teil 2:  
Laserbasierte Pulverbettfusion von Polymeren  
(ISO/ASTM 52911-2:2019)

This European Standard was approved by CEN on 8 September 2019.

This European Standard was corrected and reissued by the CEN-CENELEC Management Centre on 6 November 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

This document (EN ISO/ASTM 52911-2:2019) has been prepared by Technical Committee ISO/TC 261 "Additive manufacturing" in collaboration with Technical Committee CEN/TC 438 "Additive Manufacturing" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO/ASTM 52911-2:2019 has been approved by CEN as EN ISO/ASTM 52911-2:2019 without any modification.

# Contents

	Page
<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Symbols and abbreviated terms</b>	<b>2</b>
4.1 Symbols	2
4.2 Abbreviated terms	3
<b>5 Characteristics of powder bed fusion (PBF) processes</b>	<b>3</b>
5.1 General	3
5.2 Size of the parts	3
5.3 Benefits to be considered in regard to the PBF process	4
5.4 Limitations to be considered in regard to the PBF process	4
5.5 Economic and time efficiency	5
5.6 Feature constraints (islands, overhang, stair-step effect)	5
5.6.1 General	5
5.6.2 Islands	5
5.6.3 Overhang	6
5.6.4 Stair-step effect	6
5.7 Dimensional, form and positional accuracy	6
5.8 Data quality, resolution, representation	6
<b>6 Design guidelines for laser-based powder bed fusion of polymers (LB-PBF/P)</b>	<b>7</b>
6.1 General	7
6.2 Material and structural characteristics	7
6.3 Anisotropy of the material characteristics	8
6.4 Build orientation, positioning and arrangement	9
6.4.1 General	9
6.4.2 Powder coating	9
6.4.3 Part location in the build chamber	9
6.4.4 Oversintering	9
6.4.5 Packing parts efficiently in the build chamber	9
6.5 Surface roughness	10
6.6 Post-production finishing	10
6.7 Design considerations	11
6.7.1 Allowing for powder removal	11
6.7.2 Reducing warpage	11
6.7.3 Wall thickness	11
6.7.4 Gaps, cylinders and holes	11
6.7.5 Lattice structures	12
6.7.6 Fluid channels	12
6.7.7 Springs and elastic elements	13
6.7.8 Connecting elements and fasteners	13
6.7.9 Static assemblies	14
6.7.10 Movable assemblies	15
6.7.11 Bearings	15
6.7.12 Joints	15
6.7.13 Integrated markings	16
6.7.14 Cutting and joining	16
6.8 Example applications	17
6.8.1 Functional toy car with integrated spring	17
6.8.2 Robot gripper	18
<b>7 General design consideration</b>	<b>19</b>

<b>Bibliography .....</b>	<b>20</b>
---------------------------	-----------

This document is a preview generated by EVS

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the aim to create a common set of ISO/ASTM standards on additive manufacturing.

A list of all parts in the ISO 52911 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

Laser-based powder bed fusion of polymers (LB-PBF/P) describes an additive manufacturing (AM) process and offers an additional manufacturing option alongside established processes. LB-PBF/P has the potential to reduce manufacturing time and costs, and increase part functionality. Practitioners are aware of the strengths and weaknesses of conventional, long-established manufacturing processes, such as cutting, joining and shaping processes (e.g. by machining, welding or injection moulding) and of giving them appropriate consideration at the design stage and when selecting the manufacturing process. In the case of LB-PBF/P and AM in general, design and manufacturing engineers only have a limited pool of experience. Without the limitations associated with conventional processes, the use of LB-PBF/P offers designers and manufacturers a high degree of freedom and this requires an understanding about the possibilities and limitations of the process.

The ISO 52911 series provides guidance for different powder bed fusion (PBF) technologies. It is intended that the series will include ISO 52911-1 on laser-based powder bed fusion of metals (LB-PBF/M), this document on LB-PBF/P, and ISO 52911-3<sup>1)</sup> on electron beam powder bed fusion of metals (EB-PBF/M). [Clauses 1 to 5](#), where general information including terminology and the PBF process is provided, are similar throughout the series. The subsequent clauses focus on the specific technology.

This document is based on VDI 3405-3:2015<sup>[8]</sup>. It provides support to technology users, such as design and production engineers, when designing parts that need to be manufactured by means of LB-PBF/P. It will help practitioners to explore the benefits of LB-PBF/P and to recognize the process-related limitations when designing parts. It also builds on ISO/ASTM 52910<sup>[4]</sup> to extend the requirements, guidelines and recommendations for AM design to include the PBF process.

---

1) Under preparation.

# Additive manufacturing — Design —

## Part 2: Laser-based powder bed fusion of polymers

### 1 Scope

This document specifies the features of laser-based powder bed fusion of polymers (LB-PBF/P) and provides detailed design recommendations.

Some of the fundamental principles are also applicable to other additive manufacturing (AM) processes, provided that due consideration is given to process-specific features.

This document also provides a state-of-the-art review of design guidelines associated with the use of powder bed fusion (PBF) by bringing together relevant knowledge about this process and by extending the scope of ISO/ASTM 52910.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/ASTM 52900, *Additive manufacturing — General principles — Fundamentals and vocabulary*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/ASTM 52900 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

#### 3.1

##### **downskin area**

*D*

(sub-)area where the normal vector  $\vec{n}$  projection on the z-axis is negative

Note 1 to entry: See [Figure 1](#).

#### 3.2

##### **downskin angle**

$\delta$

angle between the plane of the build platform and the *downskin area* ([3.1](#))

Note 1 to entry: The angle lies between 0° (parallel to the build platform) and 90° (perpendicular to the build platform).

Note 2 to entry: See [Figure 1](#).