




Edition 1.0 2017-11





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

JEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 1.0 2017-11



ICS 43.120; 29.060.20

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 General purpose cables	6
4.1 Ordinary duty flexible cables	6
4.1.1 Oode designation	
4.1.2 Rated voltage	6
4.1.3 Construction	
4.1.4 Requirements	
4.2 Heavy duty flexible cables	
4.2.1 Code designation	
4.2.2 Rated voltage4.2.3 Construction	
4.2.4 Requirements	o ع
Annex A (normative) Tests for completed cables	
Annex B (normative) Tables for cable dimensions and insulation resistance	
Bibliography	
Bibliography	15
Table 1 Intended use of charging cables for $\mathbf{F}($ (any ironmental conditions)	0
Table 1 – Intended use of charging cables for EV (environmental conditions)	
Table 2 – Recommended use of charging cables for EV Table 1 – Recommended use of charging cables for EV	
Table A.1 – Tests for cable types 62893 IEC 121, 122, 123, 124 and 125	
Table B.1 – General data for type 121 (EVM-1)	
Table B.2 – General data for type 122 (EVM-2)	12
Table B.3 – General data for type 123 (EVM-1)	
Table B.4 – General data for type 124 (EVM-2) and type 125 (EVM-3)	14
0,	
	0
	J '

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CHARGING CABLES FOR ELECTRIC VEHICLES OF RATED VOLTAGES UP TO AND INCLUDING 0,6/1 kV – Part 3: Cables for AC charging according to modes 1, 2 and 3 of IEC 61851-1 of rated voltages up to and including 450/750 V FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62893-3 has been prepared by IEC technical committee 20: Electric cables.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
20/1762/FDIS	20/1775/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This document is to be read in conjunction with IEC 62893-1:2017.

A list of all parts in the IEC 62893 series, published under the general title Charging cables for electric vehicles of rated voltages up to and including 0,6/1 kV, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed •
- withdrawn,
- replaced by a revised edition, or
- amended.

A Application. The Drewie of Connection of A bilingual version of the publication may be issued at a later date.

Part 3: Cables for AC charging according to modes 1, 2 and 3 of IEC 61851-1 of rated voltages up to and including 450/750 V

Scope 1

This part of IEC 62893 applies to cables for AC charging according to modes 1, 2 and 3 of IEC 61851-1. The cables are of rated voltages U_0/U up to and including 450/750 V. Ordinary duty cables with rated voltage 300/500 V are only permitted for charging mode 1 of IEC 61851-1.

Maximum conductor operating temperature for the cables in this document is 90 °C.

The test methods specified are given in IEC 62893-2, IEC 60245-2, IEC 60332-1-2, IEC 62821-1:2015, Annex B and in the relevant parts of IEC 60811.

IEC 62440 is intended to be used as guidance on the safe use of cables in this document together with specific guidance in Clause 5 of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60245-2:1994, Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 2: Test methods

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW premixed flame

IEC 60811-401:2012, Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven

IEC 60811-505, Electric and optical fibre cables – Test methods for non-metallic materials – Part 505: Mechanical tests – Elongation at low temperature for insulations and sheaths

IEC 61851-1, Electric vehicle conductive charging system – Part 1: General requirements

IEC 62440:2008, Electric cables with a rated voltage not exceeding 450/750 V – Guide to use

IEC 62821-1:2015, Electric cables – Halogen-free, low smoke, thermoplastic insulated and sheathed cables of rated voltages up to and including 450/750 V – Part 1: General requirements

IEC 62893-1:2017, Charging cables for electric vehicles of rated voltages up to and including 0,6/1 kV – Part 1: General requirements

IEC 62893-2:2017, Charging cables for electric vehicles of rated voltages up to and including 0,6/1 kV - Part 2: Test methods

- 6 -

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62893-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses.

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

4 General purpose cables

4.1 Ordinary duty flexible cables

4.1.1 Code designation

The code designation is 62893 IEC 121 for halogen free cables with sheath compound EVM-1 and 62893 IEC 122 for halogen free cables with sheath compound EVM-2.

orevie

4.1.2 Rated voltage

300/500 V

4.1.3 Construction

4.1.3.1 Sizes of cable

The sizes of cable shall be:

 $1,5 \text{ mm}^2$ and $2,5 \text{ mm}^2 - 3 \text{ power cores}$

4.1.3.2 Insulation

The insulation of the power cores shall be compound of type EVI-2 to IEC 62893-1.

4.1.3.3 Assembly

The cores shall be twisted together.

A tape may be applied around the core assembly before application of the sheath.

4.1.3.4 Sheath

The sheath shall be compound of type EVM-1 to IEC 62893-1 for cable type 62893 IEC 121 and EVM-2 to IEC 62893-1 for cable type 62893 IEC 122.

The sheath shall not adhere to the cores. The assembly of cores may be surrounded by a separator and/or filler which shall not adhere to the cores.

The application of the sheath shall give the finished cable a practically circular shape.

4.1.3.5 Marking

The cable shall be marked with the corresponding code designation.