

Edition 2.0 2017-12

# INTERNATIONAL STANDARD



Components for low-voltage surge protective devices –
Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

prote (seand te.)



### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

#### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 2.0 2017-12

# INTERNATIONAL

colour

Components for low-voltage surge protective devices –
Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

ICS 31.040.20

Warning! Make sure that you obtained this publication from an authorized distributor.

#### CONTENTS

C	OIN I EIN	15	2
F	OREWO	PRD	5
1	Scop	.e	7
2		ative references	
3		s, definitions, symbols and abbreviated terms	
J		Ratings	
	3.1		
	3.2	Characteristics	
	3.3	SymbolsAbbreviated terms	
4	3.4	ice conditions	
4			
	4.1	Operating and storage temperature ranges	
	4.2	Altitude or atmospheric pressure range	
_	4.3	Relative Humidity	
5		nanical requirements and materials	
	5.1	Robustness of terminations	
	5.2	Solderability	12
	5.3	Marking	
6	Gene	eral	
	6.1	Failure rates	
	6.2	Test standard atmospheric conditions	
7	Elect	rical requirements	12
	7.1	Nominal varistor voltage	12
	7.2	Maximum AC (DC) continuous operating voltage	
	7.3	Standby current I <sub>DC</sub>	13
	7.4	Capacitance	13
	7.5	Clamping voltage	
	7.6	Electrostatic discharge (ESD) (for SMD type MQV only)	15
	7.7	Rated impulse energy (W <sub>TM</sub> )	15
	7.8	Nominal discharge current $I_{N}$	15
	7.9	Ellutrance	10
	7.10	Limited current temporary overvoltage	15
8	Stan	dard design test criteria	15
	8.1	General Ratings	15
	8.2	Ratings	15
	8.2.1	Single-impulse maximum current (I <sub>TM</sub> )	15
	8.2.2	Next Impulse	16
	8.2.3	3 ( IVI)	16
	8.3	Electrical characteristics	16
	8.3.1	Clamping voltage $(V_{f C})$	16
	8.3.2	, ( <u>D</u> /	7
	8.3.3	O ( 14)	
	8.3.4	· · · · · · · · · · · · · · · · · · ·	
	8.4	Endurance	18
	8.5	ESD Test Method	
9	Nom	inal discharge current and limited current temporary overvoltage	18

9.1	Thermally protected varistors – Sequence of tests	18
9.2	Temperature and humidity cycle conditioning	18
9.3	Nominal discharge current <i>I</i> (n) test description	19
9.3.1	General	19
9.3.2	Pass/fail criteria	21
9.4	Limited current temporary overvoltage test description and procedure for	
O	thermally protected varistors	
9.4.1		
9.4.2		
9.4.3		
9.4.4		
9.5	Dielectric testing	
9.5.1		
9.5.2	• (3)	
9.5.3		24
	(informative) MOV testing according to IEC 61643-11:2011 – Surge	0.5
·	ctive devices for the Class I, II and III	
A.1	General	
A.2	MOV selection	
A.3	Cross reference list of abbreviations, descriptions and definitions	
A.4	Operating duty test	
A.4.1		
A.4.2	99	
A.4.3		
A.4.4		
A.4.5		32
A.4.6	for test class I	33
A.4.7	additional duty tests	33
A.4.8	Preferred values of impulse discharge current $I_{fl}$ used for Class I and Class II residual voltage and operating duty tests	33
A.4.9	Preferred values of combination waveshape used for Class III tests	34
Annex B (	informative) IEC 61051 Varistors for use in electronic equipment	36
Annex C (	(informative) Accelerated endurance screening test	37
C.1	Accelerated endurance screening test	
C.2	Preparation of sample	
C.3	Test conditions	
C.4	Pass criteria	38
Annex D (	(informative) Proposed test method for determination of mean time to failure	39
D.1	Sampling plans	39
D.2	Total test hours	
D.3	Samples	.39
D.4	Intermediate measurements	40
D.5	Failure criteria	_
D.6	Acceptance criteria	
Ribliograp	·	11

igure 1 – <i>V-I</i> characteristic of a MOV	10
igure 2 – Symbol for MOV	10
Figure 3 – Symbol for thermally protected MOV	11
igure 4 – Test circuit for impulse peak current clamping voltage ( $V_{f C}$ ) at peak impuls current ( $I_{f P}$ )	
igure 5 – Test circuit for measuring leakage current	17
igure 6 – Test circuit for measuring nominal varistor voltage ( $V_{ m V}$ )	
igure 7 – Nominal Discharge Current Flowchart	20
igure 8 – Sequence of the I <sub>n</sub> Test	21
igure 9 – Temporary Overvoltage Limited Current test procedure Flowchart	23
igure A.1 – Flow chart of the operating duty test	27
igure A.2 – Test set-up for operating duty test	
igure A.3 – Flow chart of testing to determine the measured limiting voltage	30
igure A.4 – Operating duty test timing diagram for test classes I and II	31
igure A.5 – Additional duty test timing diagram for test class I	
igure A.6 – Operating duty test timing diagram for test class III	32
igure C.1 – Circuit of accelerated ageing test	37
igure D.1 – Test Circuit of MTTF	40
able 1 – Voltage ratings for disc types	13
able 2 – Typical Voltage Ratings for SMD types	14
able A.1 – Comparison of IEC 61643-11 and IEC 61643-311	26
able A.2 – Preferred parameters for class I test	33
able A.3 – Preferred values for class I and class II tests	34
able A.4 – Preferred values for class III tests	35
able D.1 – Sampling plans	39

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTIVE DEVICES -

## Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61643-331 has been prepared by subcommittee 37B: Specific components for surge arresters and surge protective devices, of IEC technical committee 37: Surge arresters.

This second edition cancels and replaces the first edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Update of the nominal varistor voltage test method;
- b) Addition of thermally protected varistors component symbol and test methods;
- c) Addition of nominal discharge current test methods;
- d) Addition of voltage ratings for disc types (Table 1);

- e) Addition of test currents for clamping voltage of disc types (Table 2);
- f) Addition of typical voltage ratings of SMD types (Table 3); and
- g) Addition of Limited current and temporary overvoltage tests for thermally protected varistors.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
37B/160/FDIS	37B/164/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEO 61643 series, under the general title *Components for low-voltage* surge protective devices, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEO website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTIVE DEVICES -

# Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

#### 1 Scope

This part of IEC 61643 is a test specification for metal oxide varistors (MOV), which are used for applications up to 1 000 V AC or 1 500 V DC in power line, or telecommunication, or signalling circuits. They are designed to protect apparatus or personnel, or both, from high transient voltages.

This specification applies to MOVs having two electrodes and hybrid overvoltage protection components. This specification also does not apply to mountings and their effect on the MOV's characteristics. Characteristics given apply solely to the MOV mounted only in the ways described for the tests.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, Environmental testing – Part 1, General and guidance

IEC 60068-2-20:2008, Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads

IEC 60068-2-21:2006, Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices

IEC 60068-2-78:2012, Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state

IEC 61643-11:2011, Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods

IEC 61000-4-2:2008, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test

#### 3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the following terms, definitions, symbols and abbreviated terms apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp