Road vehicles - Vehicle to grid communication interface - Part 1: General information and use-case definition (ISO 15118-1:2019)



#### EESTI STANDARDI EESSÕNA

#### NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 15118-1:2019 sisaldab Euroopa standardi EN ISO 15118-1:2019 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 15118-1:2019 consists of the English text of the European standard EN ISO 15118-1:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.05.2019.	Date of Availability of the European standard is 01.05.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

#### ICS 43.120

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <a href="www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

# EUROPEAN STANDARD NORME EUROPÉENNE

### **EN ISO 15118-1**

EUROPÄISCHE NORM

May 2019

ICS 43.120

Supersedes EN ISO 15118-1:2015

#### **English Version**

# Road vehicles - Vehicle to grid communication interface - Part 1: General information and use-case definition (ISO 15118-1:2019)

Véhicules routiers - Interface de communication entre véhicule et réseau électrique - Partie 1: Informations générales et définition de cas d'utilisation (ISO 15118-1:2019) Straßenfahrzeuge - Kommunikationsschnittstelle zwischen Fahrzeug und Ladestation - Teil 1: Allgemeine Informationen und Festlegungen der Anwendungsfälle (ISO 15118-1:2019)

This European Standard was approved by CEN on 16 March 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

#### **European foreword**

This document (EN ISO 15118-1:2019) has been prepared by Technical Committee ISO/TC 22 "Road vehicles" in collaboration with Technical Committee CEN/TC 301 "Road vehicles" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2019, and conflicting national standards shall be withdrawn at the latest by November 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15118-1:2015.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 15118-1:2019 has been approved by CEN as EN ISO 15118-1:2019 without any modification.

Co	Contents					
Fore	word		v			
Intr	oductio	on	vi			
1	Scon	ne	1			
2		native references				
3		Terms and definitions				
	3.1	General terms				
	3.2	Control modes				
	3.3	Architecture channel				
	3.4	Forward and reverse power transfer				
	3.5 3.6	Minimum and maximum energy request limits				
4	Abbı	reviated terms	14			
5	Requ	uirements				
	5.1	List of requirements				
	5.2	General communication requirements				
	5.3	User-specific requirements				
		5.3.1 Reliability, availability, error handling and error reporting				
		5.3.2 Private data protection				
	<b>5</b> 4	5.3.3 Ease of use				
	5.4	OEM-specific requirements				
	5.5	Utility-specific requirements 5.5.1 Power limiting for grid control or local energy control				
		<ul><li>5.5.1 Power limiting for grid control or local energy control</li><li>5.5.2 Current and voltage limits for EV supply equipment protection</li></ul>				
		5.5.3 Current and voltage limits for EV protection	10			
		5.5.4 Authorization of charging services	19			
		5.5.5 Authorization of energy transfer from the EV to the EV supply equipment.	20			
		5.5.6 Retrofitting	20			
	5.6	Wireless communication requirements				
		5.6.1 General	20			
		5.6.2 Communication infrastructure requirements				
	5.7	RPT description				
		5.7.1 General				
		5.7.2 General information and requirements	22			
	5.8	Traceability requirements				
6	Acto	rs	23			
7	Use	case elements	24			
-	7.1	General	24			
	7.2	Task groups	25			
	7.3	Task groups description	26			
		7.3.1 Start of communication process [A]	26			
		7.3.2 Plug-in and forced HLC	28			
		7.3.3 WA1: discovery with reservation	29			
		7.3.4 Plug-in with concurrent IEC 61851-1 and HLC	29			
	7.4	7.3.5 WA2: discovery without reservation				
	7.4	Communication set-up [B]				
		7.4.1 EVCC/SECC conductive communication set-up				
	7.5	7.4.2 WB1: EVCC/SECC wireless communication set-up				
	7.5	7.5.1 Certificate update				
		7.5.2 Certificate update				
	7.6	Identification and authorization [D]				
	0	7.6.1 Overview				

	7.6.2	Authorization using contract certificates performed at the EV supply equipment	36
	7.6.3	Authorization using contract certificates performed with the help of an SA	37
	7.6.4	Authorization at the EV supply equipment using external credentials	
	7.0.1	performed at the EV supply equipment	39
	7.6.5	Authorization at the EV supply equipment using external credentials	
	7.0.0	performed with the help of an SA	40
	7.6.6	WD1: Authentication with prior reservation	
7.7		and fine positioning	42
		WP1: WPT fine positioning	
	7.7.2	WP2: WPT fine positioning without communication support	
	7.7.3	WP3: Conductive energy transfer pairing	
	7.7.4	WP4: WPT pairing	44
7.8	Target s	etting and energy transfer scheduling [E]	45
	7.8.1	AC charging with load levelling based on HLC	45
	7.8.2	WE1: WPT target setting and charge scheduling	46
	7.8.3	Optimized charging with scheduling from secondary actors	46
	7.8.4	DC charging with load levelling based on HLC	48
	7.8.5	Resume to authorized charging schedule	49
	7.8.6	Reverse power transfer with load levelling based on HLC	50
	7.8.7	Reverse power transfer on stand-alone operation	
	7.8.8	Fast responding energy transfer services based on dynamic control mode	
	7.8.9	Managed bidirectional power transfer into the grid and/or into the home	
7.9		transfer controlling and re-scheduling [F]	56
	7.9.1	Energy transfer loop	
	7.9.2	Energy transfer loop with metering information exchange	57
	7.9.3	WF1: WPT charging loop	58
	7.9.4	Energy transfer loop with interrupt from the SECC	59
	7.9.5	Energy transfer loop with interrupt from the EVCC or USER	59
7.40	7.9.6	Energy transfer control based on dynamic control mode	
7.10	Value-a	dded services [G]	62
	7.10.1	Value-added services	62
	7.10.2	WG1: ACD System status check	63
711	/.10.3 End of a	WG1: ACD system status check Energy transfer details energy transfer process [H]	64
7.11	End of 6	General	64
	7.11.1 7.11.2	End of energy transfer process	
7.12		d of charge WH1d	05
7.12	7 1 2 1	Conoral	66
	7.12.1	General WPT end of charge WH1	66
7.13	/.12.2 ACD cor	nnect/disconnect WI	60 68
7.13	7 13 1	ACD connect/disconnect WI	68
Annex A (info		Conductive charging infrastructure architecture	
Annex B (info	ormative)	) Security	82
Annex C (info	rmative)	Examples of charging scenarios derived from the use case elements	88
Annex D (info	ormative]	) Typical RPT system	106
Annex E (nor	mative) l	Requirement list	108
Bibliography	7		116

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared jointly by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*, and Technical Committee IEC/TC 69, *Electric road vehicles and electric industrial trucks*. The draft was circulated for voting to the national bodies of both ISO and IEC.

This second edition cancels and replaces the first edition (ISO 15118-1:2013) which has been technically revised. The main changes compared to the previous edition are as follows:

- new use cases and requirements for wireless communication, wireless power transfer, automatic connection devices and bidirectional power transfer have been added; and
- as usage of private data and cyber security are becoming an important concern for users, requirements for more traceability and data privacy have also been added.

A list of all parts in the ISO 15118 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

2/5

#### Introduction

The pending energy crisis and the necessity to reduce greenhouse gas emissions have led vehicle manufacturers to make a very significant effort to reduce the energy consumption of their vehicles. They are presently developing vehicles partly or completely propelled by electric energy. Those vehicles will reduce the dependency on oil, improve global energy efficiency and reduce the total  $\text{CO}_2$  emissions for road transportation if the electricity is produced from renewable sources. To charge the batteries of such vehicles, specific charging infrastructure is required.

Much of the standardisation work on dimensional and electrical specifications of the charging infrastructure and the vehicle interface is already treated in the relevant ISO or IEC groups. However, the question of the interoperability of information transfer between the vehicle, the local installation and the grid is also of the upmost importance.

Such communication is beneficial for the optimisation of energy resources and energy production systems as vehicles can charge or discharge at the most economic or most energy-efficient instants. It is also required to develop efficient and convenient payment systems in order to cover the resulting micro-payments. The necessary communication channel can serve in the future to contribute to the stabilisation of the electrical grid as well as to support additional information services required to operate electric vehicles efficiently.

The requirements of this document form the basic framework for all use cases descriptions and related t is t. remente. documents in the ISO 15118 series. This document is the result of a large consensus among all the actors of the electro mobility and is a guideline for implementers of the ISO 15118 series.

# Road vehicles — Vehicle to grid communication interface —

#### Part 1:

## General information and use-case definition

#### 1 Scope

This document, as a basis for the other parts of the ISO 15118 series, specifies terms and definitions, general requirements and use cases for conductive and wireless HLC between the EVCC and the SECC.

This document is applicable to HLC involved in conductive and wireless power transfer technologies in the context of manual or automatic connection devices.

This document is also applicable to energy transfer either from EV supply equipment to charge the EV battery or from EV battery to EV supply equipment in order to supply energy to home, to loads or to the grid.

This document provides a general overview and a common understanding of aspects influencing identification, association, charge or discharge control and optimisation, payment, load levelling, cybersecurity and privacy. It offers an interoperable EV-EV supply equipment interface to all e-mobility actors beyond SECC.

The ISO 15118 series does not specify the vehicle internal communication between battery and other internal equipment (beside some dedicated message elements related to the energy transfer).

NOTE 1 Electric road vehicles specifically are vehicles in categories M (used for carriage of passengers) and N (used for carriage of goods) (compare ECE/TR ANS/WP.29/78 ev.2). This does not prevent vehicles in other categories from adopting the ISO 15118 series as well.

NOTE 2 This document is destined to orientate the message set of ISO 15118-2 and ISO 15118-20<sup>1)</sup>. The absence of any particular use case in this document does not imply that it will not be put into practice, with the required messages.

NOTE 3 This document, ISO 15118-2 and ISO 15118-20 are designed to work independent of data transfer medium used. However, the ISO 15118 series is made for fitting the specified data link layers in the corresponding documents in this series.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 8713, Electrically propelled road vehicles — Vocabulary

ISO 15118-2, Road vehicles — Vehicle to grid communication interface — Part 2: Network and application protocol requirements

ISO 15118-3, Road vehicles — Vehicle to grid communication interface — Part 3: Physical and data link layer requirements

-

<sup>1)</sup> Under preparation. Stage at the time on publication: ISO/DIS 15118-20:2019.

ISO 15118-8, Road vehicles — Vehicle to grid communication interface — Part 8: Physical layer and data link layer requirements for wireless communication

ISO 15118-20<sup>2)</sup>, Road vehicles — Vehicle to grid communication interface — Part 20: 2nd generation network and application protocol requirements

EN 50549-1, Requirements for generating plants to be connected in parallel with distribution networks — Part 1: Connection to a LV distribution network — Generating plants up to and including Type B

IEC 61851-1, Electric vehicle conductive charging system — Part 1: General requirements

IEC 61980-2, Electric vehicle wireless power transfer (WPT) systems — Part 2 specific requirements for communication between electric road vehicle (EV) and infrastructure with respect to wireless power transfer (WPT) systems

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 8713 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 3.1 General terms

#### 3.1.1

#### actor

entity which characterizes a role played by a user or any other system that interacts with the subject

#### 3.1.2

#### ancillary services

services necessary for the operation of an electric power system provided by the system operator and/ or by power system users

[SOURCE: IEC IEV Electropedia, 617-3-9, modified — The Note has been removed.]

#### 3.1.3

#### association

procedure to establish the wireless communication between the SECC (3.1.68) controlling the charging infrastructure [e.g. coils for WPT (3.1.76)] and the EVCC (3.1.31)

#### 3.1.4

#### authentication

procedure between the EVCC (3.1.31) and the SECC (3.1.68) or between the USER and the EV (3.1.30) supply equipment or the SA, to prove that the provided information [see *identification* (3.1.49)] is either correct, valid, or it belongs to the EVCC, the USER or the SECC

#### 3.1.5

#### authorization

procedure to verify if an EV(3.1.30) is allowed to charge (3.1.12) or discharge (3.1.22)

#### 3.1.6

#### automatic connection device

#### **ACD**

components supporting the automatic connection and disconnection process for conductive energy transfer between an EV(3.1.30) and the EV supply equipment (3.1.33) and (3.1.34)

<sup>2)</sup> Under preparation. Stage at the time of publication: ISO/DIS 15118-20:2019.