

IEC PAS 61076-3-126

Edition 1.0 2018-01

PUBLICLY AVAILABLE SPECIFICATION

Connectors for electrical and electronic equipment – Product requirements – Part 3-126: Rectangular connectors – Detail specification for 5 pole power connectors for industrial environments with push-pull locking





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.



IEC PAS 61076-3-126

Edition 1.0 2018-01

PUBLICLY AVAILABLE SPECIFICATION

Connectors for electrical and electronic equipment – Product requirements – Part 3-126: Rectangular connectors – Detail specification for 5 pole power connectors for industrial environments with push-pull locking

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 978-2-8322-5235-2

ICS 31.220.10

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWO	DRD	5
ΙŃ	TRODU	JCTION	7
1	Scop	oe	8
2	Norm	native references	8
3		ns and definitions	
4		nnical information	
•	4.1	Systems of levels	
	4.1.1		
	4.1.2		
	4.1.2	Classification into climatic categories	
	4.3	Clearance and creepage distances	
	4.4	Current-carrying capacity	
	4.5	Marking	
5		ensional information	
•	5.1	Common features	
	5.2	Reference system	
	5.3	Engagement (mating) information	
	5.3.1		
	5.3.2		
	5.3.3		
	5.4	Fixed connectors	14
	5.4.1	Fixed connectors	14
	5.4.2		16
	5.5	Free connectors	
	5.5.1	1 Dimensions	16
	5.5.2	2 Electrical terminations	18
	5.6	Accessories	18
	5.7	Mounting information for connectors	19
	5.8	Gauges	19
	5.8.1	1 Sizing gauges and retention force gauges	19
	5.8.2	gauges	20
	5.8.3		20
	5.8.4		
	5.8.5		
	5.8.6	Test panel (for EMC/crosstalk, etc.)	20
6	Char	racteristics	20
	6.1	General	20
	6.2	Pin assignment and other definitions	21
	6.3	Classification into climatic categories	21
	6.4	Electrical characteristics	21
	6.4.1	1 Creepage and clearance distances	21
	6.4.2	3 1	
	6.4.3	, , ,	
	6.4.4		
	6.4.5	5 Insulation resistance	23

able 4 – Mounting dimensions	19
able 5 – Gauge dimensions	20
able 6 – Ratings of connectors	21
Table 7 – Rated impulse voltage – Pollution degree	22
Гable 8 – Voltage proof	22
Fable 9 – Number of mechanical operations	
Table 10 – Total insertion force	25
Γable 11 – Basic tests	29
Table 12 – Number of test specimens and contacts	30
Table 13 – Test group P	
Γable 14 –Test group AP	
Гable 15 – Test group BP	
Гable 16 – Test group CP	36
Table 17 –Test group DP	
Гable 18 – Test group EP	
Гable 19 – Test group FP	
Гable 20 – Test group GP	
Гable 21 – Test group JP	
Table 22 – Test group KP	41
Table 22 – Test group KP	
	Ó
	Q [*]
	Ó.
	O_{λ}

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRICAL AND ELECTRONIC **EQUIPMENT - PRODUCT REQUIREMENTS -**

Part 3-126: Rectangular connectors – Detail specification for 5 pole power connectors for industrial environments with push-pull locking

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and nongovernmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC PAS 61076-3-126 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

> The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
48B/2593/PAS	48B/2612/RVC

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

AS sh, at the e. be withdrawn. This PAS shall remain valid for an initial maximum period of 3 years starting from the publication date. The validity may be extended for a single period up to a maximum of

INTRODUCTION

IEC SC 48B – Electrical connectors	IEC 61076-3-126 Ed.1
Specification available from:	
IEC General secretariat	
or from the addresses shown on the inside cover.	
ELECTRONIC COMPONENTS	
DETAIL SPECIFICATION in accordance with IEC 61076-1	
	Rectangular connectors Detail specification for power connectors for industrial environments with push-pull locking
	Male and female connectors
	Male and female contacts
	Rewirable – Non-rewirable
	Free cable connectors
	Straight and right angle connectors
	Fixed connectors
	Flange mounting
	Single hole mounting
	6

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 3-126: Rectangular connectors – Detail specification for 5 pole power connectors for industrial environments with push-pull locking

1 Scope

This document covers rectangular IP65/IP67 connectors with 5 poles for electric power supply up to 16 A. These connectors consist of fixed and free connectors, either rewirable or non-rewirable (for both portions). It uses the general function principles of the push-pull connector housing system described in IEC 61076-3-117 with IP65/IP67 degree of protection according to IEC 60529 for harsh applications.

Male connectors have 5 square 1 mm electric contacts, with 16 A rated current. Connectors according this document are without breaking capacity COC according to IEC 61984, therefore they are not intended to be engaged or disengaged in normal use when live or under load, if not otherwise specified by the manufacturer.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581:2008, International Electrotechnical Vocabulary – Chapter 581: Electromechanical components for electronic equipment

IEC 60068-1, Environmental testing – Part 1: General and guidance

IEC 60068-2-30, Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)

IEC 60352-1, Solderless connections – Part 1: Wrapped connections – General requirements, test methods and practical guidance

IEC 60352-2, Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance

IEC 60352-3, Solderless connections – Part 3: Solderless accessible insulation displacement connections – General requirements, test methods and practical guidance

IEC 60352-4, Solderless connections – Part 4: Solderless non-accessible insulation displacement connections – General requirements, test methods and practical guidance

IEC 60352-5, Solderless connections – Part 5: Press-in connections – General requirements, test methods and practical guidance

IEC 60352-6, Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance

requirements, test methods and practical guidance

requirements, test methods and practical guidance

- IEC 60352-7, Solderless connections Part 7: Spring clamp connections General
- IEC 60352-8. Solderless connections Part 8: Compression mount connections General
- IEC 60512-1-1, Connectors for electronic equipment Tests and measurements Part 1-1: General examination Test 1a: Visual examination
- IEC 60512-1-2, Connectors for electronic equipment Tests and measurements Part 1-2: General examination Test 1b: Examination of dimension and mass
- IEC 60512-2-1, Connectors for electronic equipment Tests and measurements Part 2-1: Electrical continuity and contact resistance tests Test 2a: Contact resistance Millivolt level method
- IEC 60512-2-2, Connectors for electronic equipment Tests and measurements Part 2-2: Electrical continuity and contact resistance tests Test 2b: Contact resistance Specified test current method
- IEC 60512-2-5, Connectors for electronic equipment Tests and measurements Part 2-5: Electrical continuity and contact resistance tests Test 2e: Contact disturbance
- IEC 60512-2-6, Connectors for electronic equipment Tests and measurements Part 2-6: Electrical continuity and contact resistance tests Test 2f: Housing (shell) electrical continuity
- IEC 60512-3-1, Connectors for electronic equipment Tests and measurements Part 3-1: Insulation tests Test 3a: Insulation resistance
- IEC 60512-4-1, Connectors for electronic equipment Tests and measurements Part 4-1: Voltage stress tests Test 4a: Voltage proof
- IEC 60512-5-2, Connectors for electronic equipment Tests and measurements Part 5-2: Current-carrying capacity tests Test 5b: Current-temperature derating
- IEC 60512-6-1, Connectors for electronic equipment Tests and measurements Part 6-1: Dynamic stress tests Test 6a: Acceleration, steady state
- IEC 60512-6-2, Connectors for electronic equipment Tests and measurements Part 6-2: Dynamic stress tests Test 6b: Bump
- IEC 60512-6-3, Connectors for electronic equipment Tests and measurements Part 6-3: Dynamic stress tests Test 6c: Shock
- IEC 60512-6-4, Connectors for electronic equipment Tests and measurements Part 6-4: Dynamic stress tests Test 6d: Vibration (sinusoidal)
- IEC 60512-6-5, Electromechanical components for electronic equipment Basic testing procedures and measuring methods Part 6: Dynamic stress tests Section 5: Test 6e: Random vibration
- IEC 60512-8-1, Connectors for electronic equipment Tests and measurements Part 8-1: Static load tests (fixed connectors) Test 8a: Static load, transverse
- IEC 60512-8-2, Connectors for electronic equipment Tests and measurements Part 8-2: Static load tests (fixed connectors) Test 8b: Static load, axial

- IEC 60512-9-1, Connectors for electronic equipment Tests and measurements Part 9-1: Endurance tests Test 9a: Mechanical operation
- IEC 60512-9-2, Connectors for electronic equipment Tests and measurements Part 9-2: Endurance tests Test 9b: Electrical load and temperature
- IEC 60512-11-1, Electromechanical components for electronic equipment Basic testing procedures and measuring methods Part 11: Climatic tests Section 1: Test 11a Climatic sequence
- IEC 60512-11-3, Connectors for electronic equipment Tests and measurements Part 11-3: Climatic tests Test 11c: Damp heat, steady state
- IEC 60512-11-4, Connectors for electronic equipment Tests and measurements Part 11-4: Climatic tests Test 11d: Rapid change of temperature
- IEC 60512-11-9, Connectors for electronic equipment Tests and measurements Part 11-9: Climatic tests Test 11i: Dry heat
- IEC 60512-11-10, Connectors for electronic equipment Tests and measurements Part 11-10: Climatic tests Test 11j: Cold
- IEC 60512-11-13, Connectors for electronic equipment Tests and measurements Part 11-13: Climatic tests Test 11n: Gas tightness, solderless wrapped connections
- IEC 60512-12-4, Connectors for electronic equipment Tests and measurements Part 12-4: Soldering tests Test 12d: Resistance to soldering heat, solder bath method
- IEC 60512-12-5, Connectors for electronic equipment Tests and measurements Part 12-5: Soldering tests Test 12e: Resistance to soldering heat, soldering iron method
- IEC 60512-13-1, Connectors for electronic equipment Tests and measurements Part 13-1: Mechanical operation tests Test 13a: Engaging and separating forces
- IEC 60512-13-2, Connectors for electronic equipment Tests and measurements Part 13-2: Mechanical operation tests Test 13b: Insertion and withdrawal forces
- IEC 60512-13-5, Connectors for electronic equipment Tests and measurements Part 13-5: Mechanical operation tests Test 13e: Polarizing and keying method
- IEC 60512-14-7, Electromechanical components for electronic equipment Basic testing procedures and measuring methods Part 14: Sealing tests Section 7: Test 14g: Impacting water
- IEC 60512-15-1, Connectors for electronic equipment Tests and measurements Part 15-1: Connector tests (mechanical) Test 15a: Contact retention in insert
- IEC 60512-16-5, Connectors for electronic equipment Tests and measurements Part 16-5: Mechanical tests on contacts and terminations Test 16e: Gauge retention force (resilient contacts)
- IEC 60512-15-6, Connectors for electronic equipment Tests and measurements Part 15-6: Connector tests (mechanical) Test 15f: Effectiveness of connector coupling devices
- IEC 60512-17-3, Connectors for electronic equipment Tests and measurements Part 17-3: Cable clamping tests Test 17c: Cable clamp resistance to cable pull (tensile)

IEC 60512-17-4, Connectors for electronic equipment – Tests and measurements – Part 17-4: Cable clamping tests – Test 17d: Cable clamp resistance to cable torsion

IEC 60512-19-3, Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 19: Chemical resistance tests – Section 3: Test 19c - Fluid resistance

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60998-2-1:2002, Connecting devices for low-voltage circuits for household and similar purposes – Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units

IEC 60999-1:1999, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm2 up to 35 mm² (included)

IEC 60999-2, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 2: Particular requirements for clamping units for conductors above 35 mm2 up to 300 mm2 (included)

IEC 61076-1:2006, Connectors for electronic equipment – Product requirements – Part 1: Generic specification

IEC 61076-3:2008, Connectors for electronic equipment – Product requirements – Part 3: Sectional specification for rectangular connectors

IEC 61984:2008, Connectors - Safety requirements and tests

IEC 62430:2009, Environmentally conscious design for electrical and electronic products

IEC GUIDE 109, Environmental aspects – Inclusion in electrotechnical product standards

ISO 128-30:2001, Technical drawings – General principles of presentation – Part 30: Basic conventions for views

ISO 1302:2002, Geometrical Product Specifications (GPS) – Indication of surface texture in technical product documentation

ISO 11469:2016, Plastics – Generic identification and marking of plastics products

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-581 as well as the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

IEC Electropedia: available at http://www.electropedia.org/