

Connectors for electrical and electronic equipment -  
Product requirements - Part 3-124: Rectangular  
connectors - Detail specification for 10-way, shielded,  
free and fixed connectors for I/O and data transmission  
with frequencies up to 500 MHz

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 61076-3-124:2019 sisaldab Euroopa standardi EN IEC 61076-3-124:2019 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 61076-3-124:2019 consists of the English text of the European standard EN IEC 61076-3-124:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 03.05.2019.	Date of Availability of the European standard is 03.05.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 31.220.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

## English Version

Connectors for electrical and electronic equipment - Product requirements - Part 3-124: Rectangular connectors - Detail specification for 10-way, shielded, free and fixed connectors for I/O and data transmission with frequencies up to 500 MHz  
(IEC 61076-3-124:2019)

Connecteurs pour équipements électriques et électroniques  
- Exigences de produit - Partie 3-124: Connecteurs rectangulaires - Spécification particulière pour les fiches et les embases écrantées à 10 voies pour les entrées/sorties et la transmission de données à des fréquences jusqu'à 500 MHz  
(IEC 61076-3-124:2019)

Steckverbinder für elektronische Einrichtungen - Produktanforderungen - Teil 3-124: Rechteckige Steckverbinder - Bauartspezifikation für 10-polige geschirmte freie und feste Steckverbinder für E/A und Datenübertragung mit Frequenzen bis zu 500 MHz  
(IEC 61076-3-124:2019)

This European Standard was approved by CENELEC on 2019-04-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

The text of document 48B/2711/FDIS, future edition 1 of IEC 61076-3-124, prepared by SC 48B "Electrical connectors" of IEC/TC 48 "Electrical connectors and mechanical structures for electrical and electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61076-3-124:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-01-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-04-15

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 61076-3-124:2019 was approved by CENELEC as a European Standard without any modification.

## Annex ZA

(normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-581	-	International Electrotechnical Vocabulary (IEV) - - Chapter 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-38	-	Environmental testing - Part 2-38: Tests - Test Z/AD: Composite temperature/humidity cyclic test	EN 60068-2-38	-
IEC 60352	series	Solderless connections	EN 60352	series
IEC 60512-1	-	Connectors for electrical and electronic equipment - Tests and measurements - Part 1: Generic specification	EN IEC 60512-1	-
IEC 60512-1-1	-	Connectors for electronic equipment - Tests and measurements - Part 1-1: General examination - Test 1a: Visual examination	EN 60512-1-1	-
IEC 60512-1-2	-	Connectors for electronic equipment - Tests and measurements - Part 1-2: General examination - Test 1b: Examination of dimension and mass	EN 60512-1-2	-
IEC 60512-2-1	-	Connectors for electronic equipment - Tests and measurements - Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method	EN 60512-2-1	-
IEC 60512-2-5	-	Connectors for electronic equipment - Tests and measurements - Part 2-5: Electrical continuity and contact resistance tests - Test 2e: Contact disturbance	EN 60512-2-5	-
IEC 60512-3-1	-	Connectors for electronic equipment - Tests and measurements - Part 3-1: Insulation tests - Test 3a: Insulation resistance	EN 60512-3-1	-
IEC 60512-4-1	-	Connectors for electronic equipment - Tests and measurements - Part 4-1: Voltage stress tests - Test 4a: Voltage proof	EN 60512-4-1	-
IEC 60512-5-2	-	Connectors for electronic equipment - Tests and measurements - Part 5-2: Current-carrying capacity tests - Test 5b: Current-temperature derating	EN 60512-5-2	-

IEC 60512-6-3	-	Connectors for electronic equipment - Tests and measurements - Part 6-3: Dynamic stress tests - Test 6c: Shock	EN 60512-6-3	-
IEC 60512-6-4	-	Connectors for electronic equipment - Tests and measurements - Part 6-4: Dynamic stress tests - Test 6d: Vibration (sinusoidal)	EN 60512-6-4	-
IEC 60512-9-1	-	Connectors for electronic equipment - Tests and measurements - Part 9-1: Endurance tests - Test 9a: Mechanical operation	EN 60512-9-1	-
IEC 60512-11-3	-	Connectors for electronic equipment - Tests and measurements - Part 11-3: Climatic tests - Test 11c: Damp heat, steady state	EN 60512-11-3	-
IEC 60512-11-4	-	Connectors for electronic equipment - Tests and measurements - Part 11-4: Climatic tests - Test 11d: Rapid change of temperature	EN 60512-11-4	-
IEC 60512-11-7	-	Connectors for electronic equipment - Tests and measurements - Part 11-7: Climatic tests - Test 11g: Flowing mixed gas corrosion test	EN 60512-11-7	-
IEC 60512-11-9	-	Connectors for electronic equipment - Tests and measurements - Part 11-9: Climatic tests - Test 11i: Dry heat	EN 60512-11-9	-
IEC 60512-11-10	-	Connectors for electronic equipment - Tests and measurements - Part 11-10: Climatic tests - Test 11j: Cold	EN 60512-11-10	-
IEC 60512-13-2	-	Connectors for electronic equipment - Tests and measurements - Part 13-2: Mechanical operation tests - Test 13b: Insertion and withdrawal forces	EN 60512-13-2	-
IEC 60512-13-5	-	Connectors for electronic equipment - Tests and measurements - Part 13-5: Mechanical operation tests - Test 13e: Polarizing and keying method	EN 60512-13-5	-
IEC 60512-15-6	-	Connectors for electronic equipment - Tests and measurements - Part 15-6: Connector tests (mechanical) - Test 15f: Effectiveness of connector coupling devices	EN 60512-15-6	-
IEC 60512-25-7	-	Connectors for electronic equipment - Tests and measurements - Part 25-7: Test 25g - Impedance, reflection coefficient, and voltage standing wave ratio (VSWR)	EN 60512-25-7	-
IEC 60512-27-100	-	Connectors for electronic equipment - Tests and measurements - Part 27-100: Signal integrity tests up to 500 MHz on 60603-7 series connectors - Tests 27a to 27g	EN 60512-27-100	-
IEC 60603-7	2008	Connectors for electronic equipment - Part 7: Detail specification for 8-way, unshielded, free and fixed connectors	EN 60603-7	2009
IEC 60664-1	-	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	-
IEC 61076-1	2006	Connectors for electronic equipment - Product requirements - Part 1: Generic specification	EN 61076-1	2006
IEC 61076-3	2008	Connectors for electronic equipment - Product requirements - Part 3: Rectangular connectors - Sectional specification	EN 61076-3	2008

## CONTENTS

FOREWORD .....	5
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	10
4 Technical information .....	10
4.1 Systems of levels – Compatibility levels, according to IEC 61076-1:2006 .....	10
4.1.1 Performance level .....	10
4.1.2 Compatibility levels according to IEC 61076 .....	10
4.2 Classification into climatic categories .....	10
4.3 Clearance and creepage distances .....	11
4.4 Current carrying capacity .....	11
4.5 Marking .....	11
5 Dimensional information .....	11
5.1 General .....	11
5.2 Isometric view and common features .....	11
5.2.1 Common features .....	11
5.2.2 Reference system .....	11
5.3 Mating information – Contacts – mating conditions .....	12
5.4 Fixed connector .....	14
5.5 Free connector .....	20
5.6 Accessories .....	25
5.7 Mounting information for connectors .....	25
5.8 Gauges .....	25
6 Characteristics .....	26
6.1 General .....	26
6.2 Pin and pair grouping assignment .....	26
6.3 Classification into climatic category .....	28
6.4 Electrical characteristics .....	28
6.4.1 Voltage rating .....	28
6.4.2 Creepage and clearance distances .....	28
6.4.3 Voltage proof .....	29
6.4.4 Current-carrying capacity .....	29
6.4.5 Contact and shield resistance .....	30
6.4.6 Initial insulation resistance .....	30
6.4.7 Impedance .....	30
6.5 Mechanical characteristics .....	31
6.5.1 Mechanical operation .....	31
6.5.2 Insertion and withdrawal forces .....	31
6.5.3 Polarization and coding method .....	31
6.5.4 Effectiveness of connector coupling devices .....	31
6.6 Transmission performance .....	32
6.6.1 General .....	32
6.6.2 Insertion loss .....	32
6.6.3 Return loss .....	32
6.6.4 Near-end crosstalk .....	32
6.6.5 Far-end crosstalk .....	33

6.6.6	Transverse conversion loss .....	33
6.6.7	Transverse conversion transfer loss .....	33
6.6.8	Transfer impedance .....	33
6.6.9	Propagation delay .....	33
6.6.10	Delay skew .....	33
7	Test schedule .....	34
7.1	General .....	34
7.2	Test procedures and measuring methods .....	34
7.3	Mounting of specimens .....	34
7.3.1	General .....	34
7.3.2	Arrangement for contact resistance measurement .....	34
7.3.3	Arrangement for dynamic stress tests .....	35
7.3.4	Wiring of specimens .....	36
7.4	Test schedules .....	36
7.4.1	Basic (minimum) test schedule .....	36
7.4.2	Full test schedule .....	36
Figure 1 – View showing typical fixed and free connectors .....		11
Figure 2 – Contact interface dimensions with terminated free connector .....		12
Figure 3a – Fixed connector Type A .....		14
Figure 3b – Fixed connector Type B .....		16
Figure 3c – Fixed connector Type C .....		18
Figure 3 – Fixed connectors .....		18
Figure 4a – Free connector Type A .....		20
Figure 4b – Free connector Type B .....		22
Figure 4c – Free connector Type C .....		24
Figure 4 – Free connectors .....		24
Figure 5a – Fixed connector pin assignment for Type A, front view of connector .....		26
Figure 5b – Free connector pin assignment for Type A, front view of connector .....		26
Figure 5c – Fixed connector pin assignment for Type B, front view of connector .....		26
Figure 5d – Free connector pin assignment for Type B, front view of connector .....		27
Figure 5e – Fixed connector pin assignment for Type C, front view of connector .....		27
Figure 5f – Free connector pin assignment for Type C, front view of connector .....		27
Figure 5 – Connector pin assignment .....		27
Figure 6 – Derating diagram .....		30
Figure 7 – Contact resistance arrangement .....		35
Figure 8 – Arrangement for vibration test .....		36
Table 1 – Dimensions for Figure 2 .....		12
Table 2 – Dimensions for Figure 3a .....		15
Table 3 – Dimensions for Figure 3b .....		17
Table 4 – Dimensions for Figure 3c .....		19
Table 5 – Dimensions for Figure 4a .....		21
Table 6 – Dimensions for Figure 4b .....		23
Table 7 – Dimensions for Figure 4c .....		25



Table 8 – Board connector pin assignment for 10/100 Mbit/s Ethernet (Type A connectors of Figure 5a and Figure 5b and Type C connectors of Figure 5e and Figure 5f) .....	27
Table 9 – Board connector pin assignment for 1/10 Gbit/s Ethernet: (Type A connectors of Figure 5a and Figure 5b and Type C connectors of Figure 5e and Figure 5f) .....	28
Table 10 – Climatic category.....	28
Table 11 – Creepage and clearance distances.....	29
Table 12 – Preferred values for the number of mating cycles .....	31
Table 13 – Test group P .....	37
Table 14 – Test group AP .....	38
Table 15 – Test group BP .....	40
Table 16 – Test group CP .....	41
Table 17 – Test group DP .....	42
Table 18 – Test group EP .....	43
Table 19 – Test group FP .....	44

Document is a preview generated by EVS

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –  
PRODUCT REQUIREMENTS –****Part 3-124: Rectangular connectors – Detail specification for 10-way,  
shielded, free and fixed connectors for I/O and data transmission  
with frequencies up to 500 MHz**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This International Standard IEC 61076-3-124 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2711/FDIS	48B/2726/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.


This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61076 series, published under the general title *Connectors for electrical and electronic equipment – Product requirements*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

<p><b>IEC SC 48B – Electrical connectors</b></p> <p>Specification available from: IEC General secretariat Or from the addresses shown on the inside cover.</p>	IEC 61076-3-124 Ed. 1
<p><b>ELECTRONIC COMPONENTS</b></p> <p>DETAIL SPECIFICATION in accordance with IEC 61076-1</p>	
	<p>10-way, shielded rectangular connectors</p> <p>male and female connectors</p> <p>for data transmission with frequencies up to 500 MHz</p> <p>solderless terminations, solder or printed board connections upon agreement between manufacturer and user</p> <p>rewirable – non-rewirable</p>
<p><b>NOTE</b> The above axonometric view shows a Type A connector pair (male fixed, printed board connector style, female free connector style) with coding edge on lower left corner viewed on the fixed connector mating side</p>	<p>free cable connectors</p> <p>straight and right-angle connectors</p> <p>fixed connectors are mounted on printed circuit board by means of soldering or press-in, the free connector is attached to wires by means of soldering, crimping, IDC or other termination technology.</p> <p>locking means to avoid unintended disengagement of mated connectors</p>
	<p>Performance levels:</p> <p>MPL 750 = 500 mating cycles</p> <p>MPL 2 500 = 2 500 mating cycles</p> <p>MPL 5 000 = 5 000 mating cycles</p> <p>other MPL upon agreement between manufacturer and user</p>

## CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

### Part 3-124: Rectangular connectors – Detail specification for 10-way, shielded, free and fixed connectors for I/O and data transmission with frequencies up to 500 MHz

#### 1 Scope

This part of IEC 61076 covers 10-way, shielded, free and fixed rectangular connectors for data transmission with frequencies up to 500 MHz and specifies the common dimensions, mechanical, electrical and transmission characteristics and environmental requirements as well as test specifications respectively.

Connectors covered in this document are provided in three codings that differ only for the position of the polarization key and keyway, in view of their differently intended use:

- Connectors Type A and C are intended for 10/100 Mbit/s as well as for 1/ 2,5 / 5 /10 Gbit/s Ethernet communication.
- Connectors Type B are intended for all other non-Ethernet applications such as signalling, serial or other industrial bus communication systems.

A-coding: The 45° cut corner used as polarization key and keyway system is located on the lower left corner of the male fixed connector (viewed from mating face) (Figures 5a, 5b).

B-coding: The 45° cut corner is located on the upper left corner of the male fixed connector (Figures 5c, 5d).

C-coding: There are two 45° corners located at the upper left and lower left corner (Figures 5e, 5f).

In this document, the three codings, A, B, and C are designated as “Type A”, “Type B” and “Type C”.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, *International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-38, *Environmental testing – Part 2-38: Tests – Test Z/AD: Composite temperature/humidity cyclic test*

IEC 60352 (all parts), *Solderless connections*

IEC 60512-1, *Connectors for electronic equipment – Tests and measurements – Part 1: General*