Optical fibres - Part 2-50: Product specifications -Sectional specification for class B single-mode fibres



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60793-2-50:2019 sisaldab Euroopa standardi EN IEC 60793-2-50:2019 ingliskeelset teksti.	
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.03.2019.	Date of Availability of the European standard is 01.03.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 33.180.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60793-2-50

March 2019

ICS 33.180.10

Supersedes EN 60793-2-50:2016

English Version

Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres (IEC 60793-2-50:2018)

Fibres optiques - Partie 2-50: Spécifications de produits - Spécification intermédiaire pour les fibres unimodales de classe B
(IEC 60793-2-50:2018)

Lichtwellenleiter - Teil 2-50: Produktspezifikationen -Rahmenspezifikation für Einmodenfasern der Kategorie B (IEC 60793-2-50:2018)

This European Standard was approved by CENELEC on 2019-01-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 86A/1884/FDIS, future edition 6 of IEC 60793-2-50, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60793-2-50:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-01-18

This document supersedes EN 60793-2-50:2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60793-2-50:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60793-1-1 NOTE Harmonized as EN 60793-1-1
IEC 60794-3 NOTE Harmonized as EN 60794-3

5

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60793-1	series	Optical fibres	EN 60793-1	series
IEC 60793-1-20	-	Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry	EN 60793-1-20	-
IEC 60793-1-21	-	Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry	EN 60793-1-21	-
IEC 60793-1-22	-	Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement	EN 60793-1-22	-
IEC 60793-1-30	-	Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test	EN 60793-1-30	-
IEC 60793-1-31	-	Optical fibres - Part 1-31: Measurement methods and test procedures - Tensile strength	EN 60793-1-31	-
IEC 60793-1-32	-	Optical fibres - Part 1-32: Measurement methods and test procedures - Coating strippability	EN IEC 60793-1-32	-
IEC 60793-1-33	-	Optical fibres - Part 1-33: Measurement methods and test procedures - Stress corrosion susceptibility	EN 60793-1-33	-
IEC 60793-1-34	-	Optical fibres - Part 1-34: Measurement methods and test procedures - Fibre curl	EN 60793-1-34	-
IEC 60793-1-40	-	Optical fibres - Part 1-40: Measurement methods and test procedures - Attenuation	EN 60793-1-40	1
IEC 60793-1-42	-	Optical fibres - Part 1-42: Measurement methods and test procedures - Chromatic dispersion	EN 60793-1-42	_

IEC 60793-1-44 -	Optical fibres - Part 1-44: Measurement methods and test procedures - Cut-off wavelength	EN 60793-1-44 -
IEC 60793-1-45 -	Optical fibres - Part 1-45: Measurement methods and test procedures - Mode field diameter	EN IEC 60793-1-45 -
IEC 60793-1-46 -	Optical fibres - Part 1-46: Measurement methods and test procedures - Monitoring of changes in optical transmittance	EN 60793-1-46 -
IEC 60793-1-47 -	Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss	EN IEC 60793-1-47 -
IEC 60793-1-48 -	Optical fibres - Part 1-48: Measurement methods and test procedures - Polarization mode Dispersion	EN 60793-1-48 -
IEC 60793-1-50 -	Optical fibres - Part 1-50: Measurement methods and test procedures - Damp heat (steady state) tests	EN 60793-1-50 -
IEC 60793-1-51 -	Optical fibres - Part 1-51: Measurement methods and test procedures - Dry heat (steady state) tests	EN 60793-1-51 -
IEC 60793-1-52 -	Optical fibres - Part 1-52: Measurement methods and test procedures - Change of temperature tests	EN 60793-1-52 -
IEC 60793-1-53 -	Optical fibres - Part 1-53: Measurement methods and test procedures - Water immersion tests	EN 60793-1-53 -
IEC 60793-2 -	Optical fibres - Part 2: Product specifications - General	EN 60793-2 -
IEC 60794-2 -	Optical fibre cables - Part 2: Indoor cables - Sectional specification	EN 60794-2 -
4		

CONTENTS

FOREW	/ORD	5
1 Sc	ope	7
2 No	rmative references	8
3 Te	rms and definitions	9
	breviated terms and symbols	
	ecifications	
5.1	General	
5.2	Dimensional requirements	
5.3	Mechanical requirements	
5.4	Transmission requirements	
5.5	Environmental requirements	
5.5 5.5		
5.5		
5.5		
	A (normative) Family specification for category B-652 Dispersion unshifted	14
	node fibres	16
A.1	General	
A.2	Dimensional requirements	
A.3	Mechanical requirements	
A.4	Transmission requirements	
A.5	Hydrogen ageing for sub-category B-652 D	
A.6	Environmental requirements	
Annex I	B (normative) Family specification for category B-653 Dispersion shifted node fibres	
_		
B.1	General	
B.2	Dimensional requirements	
B.3	Transmission requirements	
B.3		21
B.3	fibres	21
В.3	1	<u>.</u> -
	fibres	22
B.4	Environmental requirements	22
	C (normative) Family specification for category B-654 cut-off shifted single- bres	23
C.1	General	23
C.2	Dimensional requirements	23
C.3	Mechanical requirements	23
C.4	Chromatic dispersion parameters for B-654.E fibres	
C.5	Environmental requirements	
Annex I	O (normative) Family specification for category B-655 non-zero dispersion	0
	single-mode fibres	26
D.1	General	26
D.2	Dimensional requirements	26
D.3	Mechanical requirements	
D.4	Transmission requirements	27
D.4	·	

D.4.3		21
	Chromatic dispersion coefficient limits for sub-category B-655.D fibres	28
D.4.4	Chromatic dispersion coefficient limits for sub-category B-655.E fibres	28
D.5	Environmental requirements	28
	(normative) Family specification for category B-656 Wideband non-zero	29
E.1	General	29
E.2	Dimensional requirements	29
E.3	Mechanical requirements	29
E.4	Transmission requirements	30
E.4.′	General	30
E.4.2		
E.5	Environmental requirements	31
	(normative) Family specification for category B-657 Bending loss insensitive ode fibres	
F.1	General	
F.2	Dimensional requirements	
F.3	Mechanical requirements	
F.4	Transmission requirements	
F.5	Environmental requirements	35
	(informative) System design information for category B-655 non-zero shifted single-mode fibres	36
G.1	General	36
G.2	One standard deviation limits for sub-category B-655.D fibres	36
G.3	One standard deviation limits for sub-category B-655.E fibres	
Bibliogram	bhy	20
	4_	38
	1 – Sub-category B-655.D chromatic dispersion coefficient limits	
Figure G.	1 – Sub-category B-655.D chromatic dispersion coefficient limits	37
Figure G.	2	37
Figure G. Figure G. Table 1 –	1 - Sub-category B-655.D chromatic dispersion coefficient limits 2 - Sub-category B-655.E chromatic dispersion coefficient limits Map of IEC designation to ITU-T Recommendations and IEC 60793-2-	37 38
Figure G. Figure G. Table 1 – 50:2015	1 – Sub-category B-655.D chromatic dispersion coefficient limits	37 38
Figure G. Figure G. Table 1 – 50:2015 G	1 – Sub-category B-655.D chromatic dispersion coefficient limits	37 38 8
Figure G. Figure G. Table 1 – 50:2015 (Table 2 – Table 3 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits	888
Figure G. Figure G. Table 1 – 50:2015 c Table 2 – Table 3 – Table 4 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits	8111
Figure G. Figure G. Table 1 – 50:2015 c Table 2 – Table 3 – Table 4 – Table 5 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits	81111
Figure G. Figure G. Table 1 – 50:2015 c Table 2 – Table 3 – Table 4 – Table 5 – Table 6 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits	85111112
Figure G. Figure G. Table 1 – 50:2015 c Table 2 – Table 3 – Table 4 – Table 5 – Table 6 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits	85111112
Figure G. Figure G. Table 1 – 50:2015 c Table 2 – Table 3 – Table 4 – Table 5 – Table 6 – Table 7 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits	8511111213
Figure G. Figure G. Table 1 – 50:2015 c Table 2 – Table 3 – Table 4 – Table 5 – Table 6 – Table 7 – Table 8 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits	811111213
Figure G. Figure G. Table 1 – 50:2015 o Table 2 – Table 3 – Table 5 – Table 6 – Table 7 – Table 8 – Table 9 –	1 – Sub-category B-655.D chromatic dispersion coefficient limits 2 – Sub-category B-655.E chromatic dispersion coefficient limits Map of IEC designation to ITU-T Recommendations and IEC 60793-2-designation Dimensional attributes and measurement methods Dimensional requirements common to all category B fibres Mechanical attributes and test methods Mechanical requirements common to all class B fibres Transmission attributes and measurement methods Transmission, requirements common to all class B fibres	811121313
Figure G. Figure G. Table 1 – 50:2015 o Table 2 – Table 3 – Table 4 – Table 5 – Table 6 – Table 7 – Table 8 – Table 9 – Table 10	1 – Sub-category B-655.D chromatic dispersion coefficient limits 2 – Sub-category B-655.E chromatic dispersion coefficient limits Map of IEC designation to ITU-T Recommendations and IEC 60793-2- designation Dimensional attributes and measurement methods Dimensional requirements common to all category B fibres Mechanical attributes and test methods Mechanical requirements common to all class B fibres Transmission attributes and measurement methods Transmission, requirements common to all class B fibres Additional transmission attributes required in the family specifications Environmental exposure tests Attributes measured in environmental exposure tests	81112121313
Figure G. Figure G. Table 1 – 50:2015 o Table 2 – Table 3 – Table 5 – Table 6 – Table 7 – Table 8 – Table 9 – Table 10 Table 11	1 – Sub-category B-655.D chromatic dispersion coefficient limits 2 – Sub-category B-655.E chromatic dispersion coefficient limits Map of IEC designation to ITU-T Recommendations and IEC 60793-2-designation Dimensional attributes and measurement methods Dimensional requirements common to all category B fibres Mechanical attributes and test methods Mechanical requirements common to all class B fibres Transmission attributes and measurement methods Transmission, requirements common to all class B fibres Additional transmission attributes required in the family specifications Environmental exposure tests Attributes measured in environmental exposure tests Change in attenuation for environmental tests	81112131313
Figure G. Figure G. Table 1 – 50:2015 o Table 2 – Table 3 – Table 5 – Table 6 – Table 7 – Table 8 – Table 9 – Table 10 Table 11 Table 12	1 – Sub-category B-655.D chromatic dispersion coefficient limits	81112131313
Figure G. Figure G. Table 1 – 50:2015 o Table 2 – Table 3 – Table 4 – Table 5 – Table 6 – Table 7 – Table 8 – Table 9 – Table 10 Table 11 Table 12 Table 13	1 – Sub-category B-655.D chromatic dispersion coefficient limits 2 – Sub-category B-655.E chromatic dispersion coefficient limits Map of IEC designation to ITU-T Recommendations and IEC 60793-2-designation Dimensional attributes and measurement methods Dimensional requirements common to all category B fibres Mechanical attributes and test methods Mechanical requirements common to all class B fibres Transmission attributes and measurement methods Transmission, requirements common to all class B fibres Additional transmission attributes required in the family specifications Environmental exposure tests Attributes measured in environmental exposure tests Change in attenuation for environmental tests Tensile strength for environmental tests	3781112131313
Figure G. Figure G. Table 1 – 50:2015 o Table 2 – Table 3 – Table 5 – Table 6 – Table 7 – Table 8 – Table 9 – Table 10 Table 11 Table 12 Table 13 Table 14	1 – Sub-category B-655.D chromatic dispersion coefficient limits	37 38 11 12 13 13 13 14 14 15

Table A.3 – Mechanical requirements specific to category B-652 fibres	17
Table A.4 – Transmission requirements specific to sub-category B-652.B fibres	18
Table A.5 – Transmission requirements specific to sub-category B-652.D Fibres	18
Table A.6 – Chromatic dispersion properties for sub-category B-652.D fibres	19
Table B.1 – Dimensional requirements specific to category B-653 fibres	20
Table B.2 – Mechanical requirements specific to category B-653 fibres	21
Table B.3 – Transmission requirements specific to category B-653 fibres	21
Table C.1 – Dimensional requirements specific to category B-654 fibres	23
Table C.2 – Mechanical requirements specific to category B-654 fibres	24
Table C.3 – Transmission requirements specific to category B-654 fibres	24
Table D.1 – Dimensional requirements specific to category B-655 fibres	26
Table D.2 – Mechanical requirements specific to category B-655 fibres	27
Table D.3 – Transmission requirements specific to category B-655 fibres	27
Table E.1 – Dimensional requirements specific to category B-656 fibres	29
Table E.2 – Mechanical requirements specific to category B-656 fibres	30
Table E.3 – Transmission requirements specific to category B-656 fibres	30
Table F.1 – Dimensional requirements specific to category B-657 fibres	33
Table F.2 – Mechanical requirements specific to category B-657 fibres	33
Table F.3 – Transmission requirements specific to category B-657 fibres	
Table G.1 – Examples for λ_{min} = 1 530 nm and λ_{max} = 1 565 nm	36
Table G.1 – Examples for λ_{min} = 1 530 nm and λ_{max} = 1 565 nm	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRES -

Part 2-50: Product specifications – Sectional specification for class B single-mode fibres

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-2-50 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

The sixth edition cancels and replaces the fifth edition published in 2015. This edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- a) Introduction of a revised naming convention which better matches with those found in ITU-T Recommendations G.652, G.653, G.654, G.655, G.656, and G.657. These changes are outlined in the scope of this document along with a cross reference table for the new names. Annexes have been rearranged to improve clarity based on the new naming;
- b) Further details on the requirements for 200 micron coated single-mode fibre;
- c) Harmonization with the following ITU-T Recommendations published in November 2016: G.652, G.654, G.657 including revised chromatic dispersion specifications, new categories and new application spaces for these fibre categories;

d) Descriptions of fibre types have been added to the titles of Annexes A to F.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1884/FDIS	86A/1898/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn.
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPTICAL FIBRES -

Part 2-50: Product specifications – Sectional specification for class B single-mode fibres

1 Scope

This part of IEC 60793 is applicable to optical fibre categories B-652, B-653, B-654, B-655, B-656 and B-657. A map illustrating the connection of IEC designations to ITU-T designations is shown in Table 1. These fibres are used or can be incorporated in information transmission equipment and optical fibre cables.

Three types of requirements apply to these fibres:

- general requirements, as defined in IEC 60793-2;
- specific requirements common to the class B single-mode fibres covered in this document and which are given in Clause 5;
- particular requirements applicable to individual fibre categories or specific applications, which are defined in Annexes A to F.

For some fibre categories (shown in the relevant family specifications), there are sub-categories that are distinguished on the basis of difference in transmission attribute specifications. The designations for these sub-categories are documented in the individual family specifications.

Table 1 shows a map from the IEC designations to the ITU-T recommendations. The table also provides the normative annex in this document that contains the detailed specification as well as the name used to describe this fibre type in IEC 60793-2-50:2015. The ITU-T recommendations as well as the IEC categories/sub-categories within each recommendation are given. In some cases, as for Recommendation G.652, a given IEC designation maps to multiple categories in the ITU-T because the ITU-T categories are distinguished by cabled fibre attribute $(PMD_{\rm Q})$ performance which are not distinguished in the IEC fibre specifications.