Expression of performance of electrochemical analyzers



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60746-2:2003 sisaldab Euroopa standardi EN 60746-2:2003 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 08.05.2003 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 07.02.2003.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 60746-2:2003 consists of the English text of the European standard EN 60746-2:2003.

This standard is ratified with the order of Estonian Centre for Standardisation dated 08.05.2003 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 07.02.2003.

The standard is available from Estonian standardisation organisation.

ICS 19.040, 71.040

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute Estonian Standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD

EN 60746-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2003

ICS 71.040; 19.040

English version

Expression of performance of electrochemical analyzers Part 2: pH value

(IEC 60746-2:2003)

Expression des qualités de fonctionnement des analyseurs électrochimiques
Partie 2: Mesure du pH
(CEI 60746-2:2003)

Angabe zum Betriebsverhalten von elektrochemischen Analysatoren Teil 2: pH-Wert (IEC 60746-2:2003)

This European Standard was approved by CENELEC on 2003-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65D/90A/FDIS, future edition 2 of IEC 60746-2, prepared by SC 65D, Analysing equipment, of IEC TC 65, Industrial-process measurement and control, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60746-2 on 2003-02-01.

This Part 2 of EN 60746 shall be used in conjunction with EN 60746-1.

The following dates were fixed:

latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2003-11-01

latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2006-02-01

Annexes designated "normative" are part of the body of the standard. Annexes designated "informative" are given for information only. In this standard, annexes C and ZA are normative and annexes A and B are informative. Annex ZA has been added by CENELEC.

Endersement notice

The text of the International Standard IEC 60746-2:2003 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60746-1	2003	Expression of performance of electrochemical analyzers Part 1: General	EN 60746-1	2003
ISO 9001	_ 1)	Quality management systems - Requirements	EN ISO 9001	2000 2)
ISO 9002	_ 1)	Quality systems - Model for quality assurance in production, installation and servicing	EN ISO 9002	1994 ²⁾
ISO 9003	_ 1)	Quality systems - Model for quality assurance in final inspection and test	EN ISO 9003	1994 ²⁾
		9		
			d),	
			9	
				0,
Undated reference Valid edition at data				

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

INTERNATIONAL Expression of performance of electrochemical analyzers –

IEC 60746-2

Second edition 2003-01

tés troch. Expression des qualités de fonctionnement des analyseurs électrochimiques –

Partie 2: Mesure du pH



Reference number IEC 60746-2:2003(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (www.iec.ch)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/ip_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

reation c If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60746-2

Second edition 2003-01

Expression of performance of electrochemical analyzers –

Part 2: pH value

Expression des qualités de fonctionnement des analyseurs électrochimiques –

Partie 2: Mesure du pH

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE

S

CONTENTS

FOI	REWC)RD		4
	6			_
1				
2	Norm	ative re	ference	6
3	Defin	itions		6
4	Proce	edure fo	r specification	8
	4.1	Additio	nal statements on sensor units and analyzers	9
	4.2	Additio	nal statements on electronic units	9
	4.3	Statem	ients on sensors	10
		4.3.1	General	10
		4.3.2	Reference electrodes	10
		4.3.3	pH sensor	10
		4.3.4	Temperature compensator	10
		4.3.5	Auxiliary devices for sensor unit	10
5			ed standard values and ranges of influence quantities affecting the	4.4
_	perio	mance	of electronic unitsof values	
6				
	6.1		al aspects	
	6.2		rocedures for electronic units	11
		6.2.1	pH scalingIsopotential pH, pH _i	11
		6.2.2	isopotentiai pri, pri _l	1 🚄
		6.2.3	Temperature compensation	12
	6.3		ocedures for sensor units	12
		6.3.1	Zero point pH Percentage theoretical slope, <i>PTS</i>	12
		6.3.2	Percentage theoretical slope, P1S	12
	0.4	6.3.3	Isopotential pH , pH _i	12
	6.4	l est pr	rocedures for analyzers	12
			Intrinsic uncertainty	13
		6.4.2	Linearity uncertaintyRepeatability	13
		6.4.3 6.4.4	, , , , , , , , , , , , , , , , , , , ,	
		6.4.5	Output fluctuation	۱۵ م
		6.4.6	Warm-up time	
		6.4.7		13 13
		6.4.8	Sample temperature	13 13
		6.4.9	7)	13 13
		0.4.3	1 military initidence quantities	. 13
Bib	liograp	ohy		21
	_		`	4
		•	ative)	. 15
		•	ative) Reference buffer solutions: pH as a function of temperature	16
			tive) Alternative procedures for measuring response times: delay (T _{r .} T _f) and 90% (T ₉₀) times	19

Figure C.1 – Relation between T ₁₀ , T _r (T _f) and T ₉₀				
Table A.1 – Values of the slope factor, k = 2,3026 R.T/F				
Table B.1 – Values of reference pH buffer solutions at various temperatures	17			
Table B 2 – Composition of reference pH buffer solutions	18			

1-V
8.1-Val.

8.2-Comp.

Obcumbent is a previous general dead by the second sec

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPRESSION OF PERFORMANCE OF ELECTROCHEMICAL ANALYZERS –

Part 2: pH value

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60746-2 has been prepared by subcommittee 65D: Analysing equipment, of IEC technical committee 65: Industrial-process measurement and control.

This second edition cancels and replaces the first edition published in 1982 and constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
65D/90A/FDIS	65D/94/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The contents of this second edition remain substantially unchanged.

The major change is that Annex B has been updated in line with recent IUPAC Recommendations for the measurement of pH.

This part of IEC 60746 shall be used in conjunction with IEC 60746-1, which includes further definition of the scope and provides for the general aspects of all electrochemical analyzers.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until 2007. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

of the c. Ocument is a preview denotated by tills The contents of the corrigendum of May 2003 and July 2003 have been included in this copy.

EXPRESSION OF PERFORMANCE OF ELECTROCHEMICAL ANALYZERS –

Part 2: pH value

1 Scope

This International Standard is intended:

- to specify terminology, definitions and requirements for statements by manufacturers for analyzers, sensor units and electronic units used for the determination of the pH of aqueous solutions;
- to establish performance tests for such analyzers, sensor units and electronic units;
- to provide basic documents to support the applications of quality assurance standards ISO 9001, ISO 9002 and ISO 9003.

2 Normative reference

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60746-1:2002, Expression of performance of electrochemical analyzers – Part 1: General

ISO 9001, Quality management systems - Requirements

ISO 9002, Quality systems – Model for quality assurance in production, installation and servicing

ISO 9003, Quality systems – Model for quality assurance in final inspection and test