
**Information technology — Open Systems
Interconnection — Connection-mode
protocol for the Application Service Object
Association Control Service Element**

*Technologies de l'information — Interconnexion des systèmes ouverts —
Protocole en mode connexion pour l'élément de service de contrôle
d'association des objets de service d'application*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references.....	1
2.1 Identical Recommendations International Standards.....	1
2.2 Paired Recommendations International Standards equivalent in technical content.....	3
2.3 Additional references	3
3 Definitions	3
3.1 Reference Model definitions	3
3.1.1 Basic Reference Model definitions	3
3.1.2 Security architecture definitions.....	4
3.1.3 Naming and addressing definitions	4
3.2 Service conventions definitions.....	4
3.3 Presentation service definitions.....	4
3.4 Application Layer Structure definitions	5
3.5 ACSE service definitions	5
3.6 Association Control protocol specification definitions	5
4 Abbreviations	6
4.1 Data units.....	6
4.2 Types of application-protocol-data-units	6
4.3 Other abbreviations	6
5 Conventions.....	7
6 Overview of the protocol.....	7
6.1 Service provision.....	7
6.2 Functional units.....	7
6.3 Use of supporting services	9
6.4 Model	10
6.5 User summary mechanism.....	10
7 Elements of procedure	11
7.1 Association establishment	11
7.1.1 Purpose	11
7.1.2 APDUs used	11
7.1.3 Association establishment procedure	11
7.1.4 Use of the AARQ APDU fields	14
7.1.5 Use of the AARE APDU fields.....	18
7.1.6 Collisions and interactions	20
7.2 Normal release of an association.....	21
7.2.1 Purpose	21
7.2.2 APDUs used	21
7.2.3 Normal release procedure.....	21
7.2.4 Use of the RLRQ APDU fields	23
7.2.5 Use of the RLRE APDU fields.....	23
7.2.6 Collisions and disruptions	24
7.3 Abnormal release of an association.....	24
7.3.1 Purpose	24
7.3.2 APDUs used	24
7.3.3 Abnormal release procedure.....	24
7.3.4 Use of the ABRT APDU fields	25
7.3.5 Collisions and interactions	26

	<i>Page</i>
7.4 A-DATA	26
7.4.1 Purpose	26
7.4.2 APDUs used	26
7.4.3 A-DATA procedure	26
7.4.4 Use of the A-DT APDU fields	26
7.5 A-ALTER-CONTEXT	27
7.5.1 Purpose	27
7.5.2 APDUs used	27
7.5.3 A-ALTER-CONTEXT procedure	27
7.5.4 A-ALTER-CONTEXT-REQUEST procedure	27
7.5.5 Use of the ACRQ fields	28
7.5.6 Use of the ACRP fields	28
7.6 Rules for extensibility	29
8 Supporting Service Definition assumed by ACSE	29
8.1 IA-BIND	30
8.1.1 IA-BIND request	30
8.1.2 IA-BIND-REQUEST.deliver	30
8.1.3 IA-BIND request Parameters	31
8.1.4 IA-BIND response	31
8.1.5 IA-BIND-RESPONSE.deliver	32
8.1.6 IA-BIND response Parameters	32
8.2 IA-DATA	32
8.2.1 IA-DATA.submit	32
8.2.2 IA-DATA.deliver	32
8.2.3 IA-DATA Parameters	32
8.3 IA-ALTER-CONTEXT (optional)	32
8.3.1 IA-ALTER-CONTEXT-REQUEST.submit	32
8.3.2 IA-ALTER-CONTEXT-REQUEST.deliver	33
8.3.3 IA-ALTER-CONTEXT-RESPONSE.submit	33
8.3.4 IA-ALTER-CONTEXT-RESPONSE.deliver	33
8.3.5 IA-ALTER-CONTEXT Parameters	33
8.4 IA-ABORT	33
8.4.1 IA-ABORT.submit	33
8.4.2 IA-ABORT.deliver	33
8.4.3 IA-ABORT Parameters	34
8.5 IA-RELEASE	34
8.5.1 IA-RELEASE-REQUEST.submit	34
8.5.2 IA-RELEASE-REQUEST.deliver	34
8.5.3 IA-RELEASE-ACCEPT.submit	34
8.5.4 IA-RELEASE-REFUSE.submit	34
8.5.5 IA-RELEASE-ACCEPT.deliver	34
8.5.6 IA-RELEASE-REFUSE.submit	35
8.6 IA-UNBIND	35
8.6.1 IA-UNBIND.submit	35
8.6.2 IA-UNBIND.deliver	35
8.6.3 IA-UNBIND Parameters	35
9 Syntax of ACSE	35
9.1 Structure of ACSE APDUs	35
10 Conformance	41
10.1 Statement requirements	41
10.2 Static requirements	41
10.3 Dynamic requirements	42
11 Precedence	42

	<i>Page</i>
12 Registration requirements.....	42
12.1 Application titles	42
12.2 ASO-context.....	43
12.3 Authentication-mechanism.....	43
12.4 Upper-layer context specifications	43
Annex A – ACPM state table.....	44
A.1 General	44
A.2 Conventions.....	44
A.3 Actions to be taken by the ACPM.....	44
A.3.1 Invalid intersections	45
A.3.2 Valid intersections.....	45
A.4 Relationship to Presentation and other ASEs	45
Annex B – Authentication mechanism using password	48
B.0 Introduction	48
B.1 Assigned name	48
B.2 Authentication-value ASN.1 datatype.....	48
B.3 Processing specification	48
B.3.1 Requesting authentication	48
B.3.2 Performing authentication	48
Annex C – Definition of the IA-service mapping to the Presentation service.....	50
C.1 Procedures for Lower Boundary Mapping the Presentation service	50
C.2 Use of the Presentation service	50
C.2.1 General	50
C.2.2 Nested associations.....	50
C.3 Use of the Session service.....	50
C.3.1 General	50
C.3.2 Disruption of A-RELEASE by external event	51
C.4 Mapping to Presentation service	51
C.4.1 IA-BIND-REQUEST.submit	51
C.4.2 IA-BIND-REQUEST.deliver (P-CONNECT indication)	51
C.4.3 IA-BIND-RESPONSE.submit	51
C.4.4 IA-BIND-RESPONSE.deliver	51
C.4.5 IA-DATA.submit	51
C.4.6 IA-DATA.deliver (P-DATA indication, P-RESYNCHRONIZE, P-U-EXCEPTION REPORT, P-P-EXCEPTION REPORT).....	52
C.4.7 A-ALTER-CONTEXT-REQUEST.submit.....	52
C.4.8 IA-ALTER-CONTEXT-REQUEST.deliver (P-ALTER-CONTEXT indication)	52
C.4.9 IA-ALTER-CONTEXT-RESPONSE.submit	52
C.4.10 IA-ALTER-CONTEXT-RESPONSE.deliver (P-ALTER-CONTEXT confirm).....	52
C.4.11 IA-ABORT.submit.....	52
C.4.12 IA-ABORT.deliver (P-U-ABORT indication).....	52
C.4.13 IA-RELEASE-REQUEST.submit (P-RELEASE request).....	52
C.4.14 IA-RELEASE-REQUEST.deliver (P-RELEASE indication)	52
C.4.15 IA-RELEASE-ACCEPT.submit [P-RELEASE (result = affirmative) response]	52
C.4.16 IA-RELEASE-ACCEPT.deliver [P-RELEASE confirm (accepted)]	52
C.4.17 IA-RELEASE-REFUSE.submit [P-RELEASE (result = negative) response].....	53
C.4.18 IA-RELEASE-REFUSE.deliver [P-RELEASE confirm (accepted)].....	53
C.4.19 A-UNBIND.submit	53
C.4.20 IA-UNBIND.deliver (P-P-ABORT indication).....	53
Annex D – Definition of the IA-service mapping to ACSE	54
D.1 Procedures for lower boundary mapping to ACSE or the Presentation service	54
D.2 IA-BIND-REQUEST.submit	54
D.2.1 When Invoked	54
D.2.2 Action upon Receipt.....	54
D.3 IA-BIND-REQUEST.deliver (A-ASSOCIATE indication).....	55
D.3.1 When Invoked	55
D.3.2 Action upon Receipt.....	55

	<i>Page</i>
D.4 IA-BIND-RESPONSE.submit	55
D.4.1 When Invoked	55
D.4.2 Action upon Receipt.....	55
D.5 IA-BIND-RESPONSE.deliver (A-ASSOCIATE confirm).....	56
D.5.1 When Invoked	56
D.5.2 Action upon Receipt.....	56
D.6 IA-DATA.submit.....	56
D.6.1 When Invoked	56
D.6.2 Action upon Receipt.....	56
D.7 IA-DATA.deliver (A-DATA.deliver)	56
D.7.1 When Invoked	56
D.7.2 Action upon Receipt.....	56
D.8 IA-ALTER-CONTEXT-REQUEST.submit	56
D.8.1 When Invoked	56
D.8.2 Action upon Receipt.....	56
D.9 IA-ALTER-CONTEXT-REQUEST.deliver (A-ALTER-CONTEXT-REQUEST.deliver)	56
D.9.1 When Invoked	56
D.9.2 Action upon Receipt.....	57
D.10 IA-ALTER-CONTEXT-RESPONSE.submit	57
D.10.1 When Invoked	57
D.10.2 Action upon Receipt.....	57
D.11 IA-ALTER-CONTEXT-RESPONSE.deliver (A-ALTER-CONTEXT-RESPONSE.deliver)	57
D.11.1 When Invoked	57
D.11.2 Action upon Receipt.....	57
D.11.3 IA-ALTER-CONTEXT Parameters.....	57
D.12 IA-ABORT.submit.....	57
D.12.1 When Invoked	57
D.12.2 Action upon Receipt.....	57
D.13 IA-ABORT.deliver (A-ABORT indication)	57
D.13.1 When Invoked	57
D.13.2 Action upon Receipt.....	58
D.14 IA-RELEASE-REQUEST.submit.....	58
D.14.1 When Invoked	58
D.14.2 Action upon Receipt.....	58
D.15 IA-RELEASE-ACCEPT.submit	58
D.15.1 When Invoked	58
D.15.2 Action upon Receipt.....	58
D.16 IA-RELEASE-REFUSE.submit.....	58
D.16.1 When Invoked	58
D.16.2 Action upon Receipt.....	58
D.17 IA-UNBIND.submit.....	58
D.17.1 When Invoked	58
D.17.2 Action upon Receipt.....	58
D.18 IA-UNBIND.deliver.....	59
D.18.1 When Invoked	59
D.18.2 Action upon Receipt.....	59
Annex E – Guidance on the use of Higher Level Association functional units.....	60
E.1 The application layer structure.....	60
E.2 Support for association establishment by an embedded ASO.....	60
E.2.1 Lower Boundary Service definitions.....	61
E.2.2 Requests for the establishment of associations.....	61
E.2.3 The Use of the Higher Level Association functional unit.....	62
E.3 Concept of operations.....	62
E.3.1 The ACSE Model.....	63
E.3.2 The A-DATA APDU	64
E.3.3 Syntax Negotiation.....	64
E.3.4 ASO-context.....	66
E.3.5 Naming and Addressing in the Application Layer	66

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 15954 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.227 bis.

This first edition of ISO/IEC 15954 cancels and replaces ISO/IEC 8650-1:1999 and its Amendment 1:1997 and Amendment 2:1998, of which it constitutes a technical revision.

Annexes A to D form a normative part of this International Standard. Annex E is for information only.

Introduction

This Recommendation | International Standard is one of a set of ITU-T Recommendations | International Standards produced to facilitate the interconnection of information processing systems. It is related to other ITU-T Recommendations and International Standards in the set as defined by the Reference Model for Open Systems Interconnection (see ITU-T Rec. X.200 | ISO/IEC 7498-1). The Reference model subdivides the area of standardization for interconnection into a series of layers of specification, each of manageable size.

The goal of Opens Systems Interconnection is to allow, with a minimum of technical agreement outside the interconnection standards, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different technologies.

This Recommendation | International Standard specifies the connection-mode protocol for the application service element for ASO-association control: the Association Control Service Element (ACSE). The protocol for ACSE connectionless mode service (A-UNIT-DATA) is specified in ITU-T Rec. X.237 *bis* | ISO/IEC 15955. The ACSE provides services for establishing and releasing associations. The ACSE protocol includes three optional functional units. One functional unit supports the exchange of information in support of authentication during association establishment. The second functional unit supports the negotiation of ASO-context during association establishment. The optional Higher Level Association functional unit provides for the facility to identify ASO-associations and transparently pass data to child ASOs and allows the ASO-context or the presentation context on an ASO-association to be modified during the lifetime of the association.

The fast-associate mechanism allows a session connection, including its embedded presentation connection and application association, to be established using a compressed form of the information that would otherwise be sent on the S-CONNECT exchange. The compressed form, called the upper-layer context identifier, is a reference to an upper-layer context specification, which is a definition of the fields of the application, ACSE, presentation, and session protocols that would be sent on the full-form connect messages. The upper-layer context identifier may be parameterized to include values for variable fields allowed by the full form protocols for the upper layers.

Within the ACSE protocol, the addition is the definition of the construction of the User summary parameter of the P-CONNECT primitives from the semantics of the AARQ fields and the User summary parameter of the corresponding A-ASSOCIATE primitive.

This Recommendation | International Standard maintains compatibility with earlier editions of ACSE. This Recommendation | International Standard does not support X.410 mode nor Session Version 1.

This Recommendation | International Standard includes an annex that describes the protocol machine of ACSE in terms of a state table. This protocol machine is referred to as the Association Control Protocol Machine (ACPM).

The protocol defined in this Recommendation | International Standard is also governed by the use of the Presentation service (see ITU-T Rec. X.216 | ISO/IEC 8822).

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
CONNECTION-MODE PROTOCOL FOR THE APPLICATION SERVICE
OBJECT ASSOCIATION CONTROL SERVICE ELEMENT**

1 Scope

The ACSE supports two modes of communication: connection-mode and connectionless-mode. The ACSE service definition (see ITU-T Rec. X.217 *bis* | ISO/IEC 15953) includes both modes of communication. This Recommendation | International Standard only includes the connection mode of communication. This Recommendation | International Standard for the connectionless mode of communication is contained in ITU-T Rec. X.237 *bis* | ISO/IEC 15955.

This Recommendation | International Standard defines procedures that are applicable to instances of communication between systems which wish to interconnect in an open systems interconnection environment in a connection mode. This Recommendation | International Standard includes the Kernel functional unit that is used to establish and release ASO-associations. The Authentication functional unit provides additional facilities for exchanging information in support of authentication during association establishment without adding new services. The ACSE authentication facilities can be used to support a limited class of authentication methods. The ASO-context negotiation functional unit provides the additional facility for the recipient to select the ASO-context from a list offered by the initiator during association establishment. The optional Higher Level Association functional unit provides for the facility to identify ASO-associations and transparently pass data to child ASOs and allows the ASO-context or the presentation context on an ASO-association to be modified during the lifetime of the association.

This Recommendation | International Standard specifies:

- a) procedures for the transfer of information for ASO-association control and the authentication of ASOs and application-entities; and
- b) the abstract syntax for the representation of the ACSE APDUs.

The ACSE procedures are defined in terms of:

- a) the interactions among peer ACSE protocol machines through the use of Presentation services or supporting ACSE services; and
- b) the interaction between an ACSE protocol machine and its service user.

This Recommendation | International Standard also specifies conformance requirements for systems implementing these procedures. It does not contain tests which can be used to demonstrate conformance.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At this time of publication the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*.
- ITU-T Recommendation X.207 (1993) | ISO/IEC 9545:1994, *Information technology – Open Systems Interconnection – Application layer structure*.

- ITU-T Recommendation X.210 (1993) | ISO/IEC 10731:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: Conventions for the definition of OSI services.*
- ITU-T Recommendation X.215 (1995) | ISO/IEC 8326:1996, *Information technology – Open Systems Interconnection – Session service definition.*
- ITU-T Recommendation X.215 (1995)/Amd.1 (1997) | ISO/IEC 8326:1996/Amd.1:1998, *Information technology – Open Systems Interconnection – Session service definition – Amendment 1: Efficiency enhancements.*
- ITU-T Recommendation X.215 (1995)/Amd.2 (1997) | ISO/IEC 8326:1996/Amd.2:1998, *Information technology – Open Systems Interconnection – Session service definition – Amendment 2: Nested connections functional unit.*
- ITU-T Recommendation X.216 (1994) | ISO/IEC 8822:1994, *Information technology – Open Systems Interconnection – Presentation service definition.*
- ITU-T Recommendation X.216 (1994)/Amd.1 (1997) | ISO/IEC 8822:1994/Amd.1:1998, *Information technology – Open Systems Interconnection – Presentation service definition – Amendment 1: Efficiency enhancements.*
- ITU-T Recommendation X.216 (1994)/Amd.2 (1997) | ISO/IEC 8822:1994/Amd.2:1998, *Information technology – Open Systems Interconnection – Presentation service definition – Amendment 2: Nested connections functional unit.*
- ITU-T Recommendation X.217 bis (1998) | ISO/IEC 15953:1999, *Information technology – Open Systems Interconnection – Service definition for the application service object – Association control service element.*
- ITU-T Recommendation X.225 (1995) | ISO/IEC 8327-1:1996, *Information technology – Open Systems Interconnection – Connection-oriented session protocol: Protocol specification.*
- ITU-T Recommendation X.225 (1995)/Amd.1 (1997) | ISO/IEC 8327-1:1996/Amd.1:1998, *Information technology – Open Systems Interconnection – Connection-oriented session protocol: Protocol specification – Amendment 1: Efficiency enhancements.*
- ITU-T Recommendation X.225 (1995)/Amd.2 (1998) | ISO/IEC 8327-1:1996/Amd.2:1998, *Information technology – Open Systems Interconnection – Connection-oriented session protocol: Protocol specification – Amendment 2: Nested connections functional unit.*
- ITU-T Recommendation X.226 (1994) | ISO/IEC 8823-1:1994, *Information technology – Open Systems Interconnection – Connection-oriented presentation protocol: Protocol specification.*
- ITU-T Recommendation X.226 (1994)/Amd.1 (1997) | ISO/IEC 8823-1:1994/Amd.1:1998, *Information technology – Open Systems Interconnection – Connection-oriented presentation protocol: Protocol specification – Amendment 1: Efficiency enhancements.*
- ITU-T Recommendation X.226 (1994)/Amd.2 (1997) | ISO/IEC 8823-1:1994/Amd.2:1998, *Information technology – Open Systems Interconnection – Connection-oriented presentation protocol: Protocol specification – Amendment 2: Nested connections functional unit.*
- ITU-T Recommendation X.237 bis (1998) | ISO/IEC 15955:1999, *Information technology – Open Systems Interconnection – Connectionless protocol for the application service object-Association control service element.*
- ITU-T Recommendation X.501 (1993) | ISO/IEC 9594-2:1995, *Information technology – Open Systems Interconnection – The Directory: Models.*
- ITU-T Recommendation X.650 (1996) | ISO/IEC 7498-3:1997, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing.*
- CCITT Recommendation X.660 (1992) | ISO/IEC 9834-1:1993, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures.*
- CCITT Recommendation X.665 (1992) | ISO/IEC 9834-6 (1993), *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: Application processes and application entities.*
- ITU-T Recommendation X.680 (1994) | ISO/IEC 8824-1:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*

- ITU-T Recommendation X.680 (1994)/Amd.1 (1995) | ISO/IEC 8824-1:1995/Amd.1:1996 *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation – Amendment 1: Rules of extensibility.*
- ITU-T Recommendation X.681 (1994) | ISO/IEC 8824-2:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- ITU-T Recommendation X.681 (1994)/Amd.1 (1995) | ISO/IEC 8824-2:1995/Amd.1:1996, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification – Amendment 1: Rules of extensibility.*
- ITU-T Recommendation X.682 (1994) | ISO/IEC 8824-3:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- ITU-T Recommendation X.683 (1994) | ISO/IEC 8824-4:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- ITU-T Recommendation X.691 (1995) | ISO/IEC 8825-2:1996, *Information technology – ASN.1 Encoding Rules: Specification of Packed Encoding Rules (PER).*

2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.209 (1988), *Specification of basic encoding rules for Abstract Syntax Notation One (ASN.1).*
ISO/IEC 8825:1990, *Information technology – Open Systems Interconnection – Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1).*
- CCITT Recommendation X.800 (1991), *Security architecture for Open Systems Interconnection for CCITT applications.*
ISO 7498-2:1989, *Information processing systems – Open Systems Interconnection – Basic Reference Model – Part 2: Security Architecture*

2.3 Additional references

- ISO 6523:1984, *Data interchange – Structures for the identification of organizations.*

3 Definitions

3.1 Reference Model definitions

3.1.1 Basic Reference Model definitions

This Recommendation | International Standard is based on the concepts developed in ITU-T Rec. X.200 | ISO/IEC 7498-1 and makes use of the following terms defined in it:

- a) Application Layer;
- b) application-process;
- c) application-entity;
- d) application-service-element;
- e) application-protocol-data-unit;
- f) application-protocol-control-information;
- g) presentation-service;
- h) presentation-connection;
- i) concrete syntax;
- j) session-service;
- k) session-protocol; and
- l) session-connection.