

Optical fibres - Part 2-40: Product specifications
Sectional specification for category A4 multimode fibres

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 60793-2-40:2011 sisaldab Euroopa standardi EN 60793-2-40:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.03.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 18.02.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 60793-2-40:2011 consists of the English text of the European standard EN 60793-2-40:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.03.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 18.02.2011.

The standard is available from Estonian standardisation organisation.

ICS 33.180.10

design, dimensions, electrical engineering, fibre optics, general section, multimode fibres, optical fibres, optical waveguides, optoelectronics, sectional specification, specification

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

English version

**Optical fibres -
Part 2-40: Product specifications -
Sectional specification for category A4 multimode fibres
(IEC 60793-2-40:2009)**

Fibres optiques -
Partie 2-40: Spécifications de produits -
Spécification intermédiaire pour les fibres
multimodales de la catégorie A4
(CEI 60793-2-40:2009)

Lichtwellenleiter -
Teil 2-40: Produktspezifikationen -
Rahmenspezifikation für
Mehrmodenfasern der Kategorie A4
(IEC 60793-2-40:2009)

This European Standard was approved by CENELEC on 2011-01-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 86A/1237/CDV, future edition 3 of IEC 60793-2-40, prepared by SC 86A, Fibres and cables, of IEC TC 86, Fibre optics, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60793-2-40 on 2011-01-02.

This European Standard supersedes EN 60793-2-40:2006.

This EN 60793-2-40:2011 defines an enhanced A4a fibre named A4a.2 while the existing A4a fibre has been renamed A4a.1.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-10-02 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2014-01-02 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60793-2-40:2009 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60793-1-21:2001 NOTE Harmonized as EN 60793-1-21:2002 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60793-1	Series	Optical fibres	EN 60793-1	Series
IEC 60793-1-20	2001	Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry	EN 60793-1-20	2002
IEC 60793-1-22	2001	Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement	EN 60793-1-22	2002
IEC 60793-1-40 (mod)	2001	Optical fibres - Part 1-40: Measurement methods and test procedures - Attenuation	EN 60793-1-40	2003
IEC 60793-1-41	2001	Optical fibres - Part 1-41: Measurement methods and test procedures - Bandwidth	EN 60793-1-41 ¹⁾	2002
IEC 60793-1-42	2007	Optical fibres - Part 1-42: Measurement methods and test procedures - Chromatic dispersion	EN 60793-1-42	2007
IEC 60793-1-43	2001	Optical fibres - Part 1-43: Measurement methods and test procedures - Numerical aperture	EN 60793-1-43	2002
IEC 60793-1-46	2001	Optical fibres - Part 1-46: Measurement methods and test procedures - Monitoring of changes in optical transmittance	EN 60793-1-46	2002
IEC 60793-1-47	2009	Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss	EN 60793-1-47	2009
IEC 60793-1-50	2001	Optical fibres - Part 1-50: Measurement methods and test procedures - Damp heat (steady state)	EN 60793-1-50	2002
IEC 60793-1-51	2001	Optical fibres - Part 1-51: Measurement methods and test procedures - Dry heat	EN 60793-1-51	2002

¹⁾ EN 60793-1-41 is superseded by EN 60793-1-41:2003, which is based on IEC 60793-1-41:2003.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-1-52	2001	Optical fibres - Part 1-52: Measurement methods and test procedures - Change of temperature	EN 60793-1-52	2002
IEC 60793-2	-	Optical fibres - Part 2: Product specifications - General	EN 60793-2	-
IEC 60794-2-41	-	Optical fibre cables - Part 2-41: Indoor cables - Product specification for simplex and duplex buffered A4 fibres	EN 60794-2-41	-

This document is a preview generated by EVS

CONTENTS

FOREWORD.....	4
1 Scope and object.....	6
2 Normative references	7
3 Specifications	7
3.1 Dimensional requirements	7
3.2 Mechanical requirements.....	8
3.2.1 Tensile load test	9
3.3 Transmission requirements	10
3.4 Environmental requirements	11
3.4.1 Mechanical environmental requirement.....	12
3.4.2 Transmission environmental requirements	12
Annex A (normative) Family specifications for A4a multimode fibres	14
Annex B (normative) Family specifications for A4b multimode fibres	16
Annex C (normative) Family specifications for A4c multimode fibres	18
Annex D (normative) Family specifications for A4d multimode fibres	20
Annex E (normative) Family specifications for A4e multimode fibres	22
Annex F (normative) Family specifications for A4f multimode fibres	24
Annex G (normative) Family specifications for A4g multimode fibres.....	26
Annex H (normative) Family specifications for A4h multimode fibres.....	28
Annex I (normative) Mode Scramblers for A4a to A4d Fibres (based on IEC 794-1-1, 1999).....	30
Annex J (informative) Additional transmission requirements for A4a multimode fibres for wavelengths below 650 nm	31
Figure 1 – Tensile Load versus Elongation for a plastic optical fibre.	10
Figure I.1 – Mode Scrambler for A4 fibre	30
Table 1 – Characteristics and applications of category A4 Fibres	6
Table 2 – Dimensional attributes and measurement methods.....	8
Table 3 – Requirements common to all category A4 fibres	8
Table 4 – Additional attributes required in A4a through A4e family specifications	8
Table 5 – Additional attributes required in A4f through A4h family specifications.....	8
Table 6 – Mechanical attributes and test methods.....	9
Table 7 – Requirements common to category A4 fibres.....	9
Table 8 – Additional attributes required in family specification for categories A4a through A4e fibres	9
Table 9 – Additional attributes required in family specification for categories A4f through A4h fibres	9
Table 10 – Transmission attributes and measurement methods	11
Table 11 – Attributes required in family specifications.....	11
Table 12 – Environmental exposure tests.....	11
Table 13 – Attributes measured	12
Table 14 – Requirement for tensile strength.....	12

Table 15 – Requirement for change in attenuation for A4a through A4e fibre	12
Table 16 – Requirement for change in attenuation for A4f through A4h fibre	13
Table A.1 – Dimensional requirements specific to A4a fibres	14
Table A.2 – Mechanical requirements specific to A4a fibres	14
Table A.3 – Transmission requirements specific to A4a fibres	15
Table B.1 – Dimensional requirements specific to A4b fibres	16
Table B.2 – Mechanical requirements specific to A4b fibres	16
Table B.3 – Transmission requirements specific to A4b fibres	17
Table C.1 – Dimensional requirements specific to A4c fibres	18
Table C.2 – Mechanical requirements specific to A4c fibres	18
Table C.3 – Transmission requirements specific to A4c fibres	19
Table D.1 – Dimensional requirements specific to A4d fibres	20
Table D.2 – Mechanical requirements specific to A4d fibres	20
Table D.3 – Transmission requirements specific to A4d fibres	21
Table E.1 – Dimensional requirements specific to A4e fibres	22
Table E.2 – Mechanical requirements specific to A4e fibres	22
Table E.3 – Transmission requirements specific to A4e fibres	23
Table F.1 – Dimensional requirements specific to A4f fibres	24
Table F.2 – Mechanical requirements specific to A4f fibres	24
Table F.3 – Transmission requirements specific to A4f fibres	25
Table G.1 – Dimensional requirements specific to A4g fibres	26
Table G.2 – Mechanical requirements specific to A4g fibres	26
Table G.3 – Transmission requirements specific to A4g fibres	27
Table H.1 – Dimensional requirements specific to A4h fibres	28
Table H.2 – Mechanical requirements specific to A4h fibres	28
Table H.3 – Transmission requirements specific to A4h fibres	29
Table I.1 – Mode Scrambler parameters	30
Table J.1 – Transmission requirements specific to A4a.2 fibre	31

OPTICAL FIBRES –

Part 2-40: Product specifications – Sectional specification for category A4 multimode fibres

1 Scope

This part of IEC 60793-2 is applicable to optical fibre categories A4a, A4b, A4c, A4d, A4e, A4f, A4g and A4h. These fibres have a plastic core and plastic cladding and may have step-index, multi-step index, or graded-index profiles. The fibres are used in information transmission equipment and optical fibre cables. Table 1 summarizes some of the salient characteristics and applications of these fibres.

Table 1 – Characteristics and applications of category A4 Fibres

	A4a	A4b	A4c	A4d	A4e	A4f	A4g	A4h
Core diameter (µm)	See Note 1	See Note 1	See Note 1	See Note 1	≥500	200	120	62,5
Cladding diameter (µm)	1000	750	500	1000	750	490	490	245
Numerical aperture	0,50 ^t	0,50 ^t	0,50 ^t	0,30 ^t	0,25 ^t	0,190 ^e	0,190 ^e	0,190 ^e
Operating wavelength(s) (nm)	650 See Note 2	650	650	650	650	650, 850, 1300	650, 850, 1300	850, 1300
Applications	Digital audio interface, automobile, industrial and sensor Data transmission	Industrial and sensor	sensor	Digital audiovisual interface and data transmission	Digital audiovisual interface and data transmission	Industrial and mobile; compatible with A3 transmission equipment	Data transmission	Data transmission; primarily used in ribbon structures
NOTE 1 Typically 15µm to 35 µm smaller than the cladding diameter.								
NOTE 2 Other potential wavelengths for A4a fibre are described in Annex J.								
^t Theoretical.								
^e Measured effective.								

In addition to the applications shown in Table 1, other applications for A4 fibres include, but are not restricted to, the following: support for short reach high bit-rate systems in telephony, distribution and local networks, carrying data, voice and/or video services and on-premises intrabuilding and interbuilding fibre installations, including LANs, PBXs, video, various multiplexing uses, and miscellaneous related uses, such as consumer electronics and industrial and mobile networks.

Three types of requirements apply to A4 fibres:

- general requirements, as defined in IEC 60793-2;
- specific requirements common to category A4 multimode fibres covered in this standard and that are given in Clause 3;
- particular requirements applicable to individual fibre types or specific applications and that are defined in this standard in the normative family specification annexes.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60793-1 (all parts), *Optical fibres – Part 1: Measurement methods and test procedures*

IEC 60793-1-20:2001, *Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry*

IEC 60793-1-22:2001, *Optical fibres – Part 1-22: Measurement methods and test procedures – Length measurement*

IEC 60793-1-40:2001, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-41:2001, *Optical fibres – Part 1-41: Measurement methods and test procedures – Bandwidth*

IEC 60793-1-42:2007, *Optical fibres – Part 1-42: Measurement methods and test procedures – Chromatic dispersion*

IEC 60793-1-43:2001, *Optical fibres – Part 1-43: Measurement methods and test procedures – Numerical aperture*

IEC 60793-1-46:2001, *Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance*

IEC 60793-1-47: 2009, *Optical fibres – Part 1-47: Measurement methods and test procedures – Macrobending loss*

IEC 60793-1-50:2001, *Optical fibres – Part 1-50: Measurement methods and test procedures – Damp heat (steady state)*

IEC 60793-1-51:2001, *Optical fibres – Part 1-51: Measurement methods and test procedures – Dry heat*

IEC 60793-1-52:2001, *Optical fibres – Part 1-52: Measurement methods and test procedures – Change of temperature*

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 60794-2-41, *Optical fibre cables – Part 2-41: Product specification for simplex and duplex buffered A4 fibres.*

3 Specifications

3.1 Dimensional requirements

Relevant dimensional attributes and measurement methods are given in Table 2.

Requirements common to all category A4 fibres are indicated in Table 3.