

TECHNICAL REPORT

IEC
TR 60870-6-505

First edition
2002-08

Telecontrol equipment and systems –

Part 6-505:

**Telecontrol protocols compatible with
ISO standards and ITU-T recommendations –
TASE.2 User guide**



Reference number
IEC/TR 60870-6-505:2002(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur_fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

TECHNICAL REPORT

IEC
TR 60870-6-505

First edition
2002-08

Telecontrol equipment and systems –

Part 6-505:

Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE.2 User guide

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XA

For price, see current catalogue

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
1.1 Intended users	7
1.2 Organization	8
1.3 TASE.2 Version	8
2 Reference documents	8
3 Definitions	8
4 Abbreviations	10
5 TASE.2 background	11
6 TASE.2 Overview	12
6.1 TASE.2 Concepts	12
6.2 TASE.2 Specification Organization	17
7 TASE.2 Server Objects	20
7.1 Association	20
7.2 Data Value	20
7.3 Data Set	21
7.4 Transfer Set	22
7.5 Account	24
7.6 Device	24
7.7 Program	25
7.8 Event	25
8 Conformance Blocks and Associated Objects	26
8.1 Block 1 (Periodic Power System Data)	26
8.2 Block 2 (Extended Data Set Condition Monitoring)	31
8.3 Block 3 (Block Data Transfer)	31
8.4 Block 4 (Information Messages)	33
8.5 Block 5 (Device Control)	34
8.6 Block 6 (Program Control)	35
8.7 Block 7 (Event Reporting)	35
8.8 Block 8 (Additional User Objects)	36
8.9 Block 9 (Time Series Data)	43
9 Mapping Utility Data to Conformance Blocks and Control Center Data Objects	44
10 Definition of New Data Objects	44
11 Using the PICS	45
12 Bilateral Table Issues	45
13 User Interface Issues	46
14 Other Local Implementation Issues	46
14.1 Client Server Association Management	47
14.2 Local Implementation Setup Issues	47
14.3 Specific Conformance Block Issues	47
15 Network Configuration	52
16 Security	54

17	Profiles	54
17.1	OSI	54
17.2	TCP/IP	54
18	Procurement of TASE.2	55
18.1	Preparing a Procurement Specification	55
18.2	Network Interface Control Document	56
19	Management of a TASE.2 Network	56
19.1	Configuration Management	56
19.2	Performance Management	57
19.3	Fault Management	57
20	Inter-Operability	57
20.1	Summary of Interoperability Tests	58
20.2	Version Compatibility	59
20.3	User Object Compatibility	59
	Bibliography	60
	Figure 1 – TASE.2 Protocol Architecture	12
	Figure 2 – Application Program Interface (API)	13
	Figure 3 – TASE.2 Client/Server Model with Multiple Associations	15
	Figure 4 – TASE.2 Object Models	16
	Figure 5 – Transfer Account Data Object Model Structure	38
	Figure 6 – Example of Transfer Account Data Object Use	39
	Figure 7 – Example of AGC Regulation Capacity Report using the General Data Report Object	42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TELECONTROL EQUIPMENT AND SYSTEMS –

**Part 6-505: Telecontrol protocols compatible with
ISO standards and ITU-T recommendations –
TASE.2 User guide**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this technical report may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example “state of the art”.

Technical reports do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful by the maintenance team.

IEC 60870-6-505, which is a technical report, has been prepared by IEC technical committee 57: Power system control and associated communications.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
57/548/CDV	57/580/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This document, which is purely informative, is not to be regarded as an International Standard.

The committee has decided that the contents of this publication will remain unchanged until 2007.
At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

INTRODUCTION

A large number of utilities use the Telecontrol Application Service Element.2 (TASE.2), an international standard protocol for communication of real-time data. TASE.2 provides a common means for all utilities to exchange data between not only control centers, but power plants and substations as well. The adoption of TASE.2 has lead to the availability of competitively priced data communication products based on TASE.2 from multiple vendors at a fraction of the cost of a proprietary system. This report provides guidance for utility users who are evaluating, procuring, and configuring TASE.2, as well as aid to vendors implementing TASE.2 in their products. The individual server and data objects comprising TASE.2 are described, with cross references to the specification. This provides the reader the basic understanding needed to use the TASE.2 specifications in an informed manner. The guide then addresses practical issues that arise in connection with TASE.2 use.

TELECONTROL EQUIPMENT AND SYSTEMS –

Part 6-505: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE.2 User guide

1 Scope

This technical report provides a set of guidelines on the use of the following TASE.2 international standards:

IEC 60870-6-503

IEC 60870-6-702

IEC 60870-6-802

These standards specify a method of exchanging time-critical control center data through wide- and local-area networks using a full ISO compliant protocol stack. They contain provisions for supporting both centralized and distributed architectures. These standards include the exchange of real-time indications, control operations, time series data, scheduling and accounting information, unstructured ASCII or binary files, remote program control, and event notification.

However, the style of the TASE.2 standards may make them somewhat difficult to read for someone either not familiar with the precise syntax of the language used to describe the protocol or with all the background leading up to the development of these specifications. Furthermore, certain types of information that may be very useful to a user of TASE.2 but not necessary for specifying the protocol or services provided by TASE.2 have been omitted. Thus the need for this User Guide.

1.1 Intended users

This User Guide is intended for a broad audience of readers from an end user trying to decide if TASE.2 is appropriate for their data transfer needs to a vendor planning to implement TASE.2, with the goal of offering a TASE.2 product. In particular, this guide should be helpful to the following:

- An end user, such as an electric utility, with the need to transfer real-time data to another utility or utilities or to another internal control center, who is trying to evaluate which protocol is the most appropriate.
- An end user who has already decided to use TASE.2 and now needs guidance in how to procure TASE.2.
- An end user who has procured TASE.2 and is now concerned about how to map their actual data into TASE.2 data objects exactly.
- An end user who is looking for conventions and answers to practical questions regarding configuring TASE.2 software and networks.
- A vendor with a project to implement the TASE.2 specification either as a special project or to offer a standard product.

1.2 Organization

This guide first introduces the background and concepts of TASE.2 to provide a framework for understanding the TASE.2 specification. Then the individual server and data objects comprising TASE.2 are described with cross references into the specification. At this point, (i.e., Clauses 1-8) the reader should have all the necessary basic understanding to use the TASE.2 specifications intelligently. The remainder of the guide (Clauses 9-20) address practical issues that arise in connection with the use of TASE.2.

1.3 TASE.2 Version

This edition of the TASE.2 User Guide was prepared using the Second Edition of the TASE.2 standards, which at the time of the preparation of this report was the 2000 edition.

2 Reference documents

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60870-5-101:1995, *Telecontrol equipment and systems – Part 5: Transmission protocols - Section 101: Companion standard for basic telecontrol tasks*

IEC 60870-6-503:2002, *Telecontrol equipment and systems – Part 6-503: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE.2 Services and protocol*

IEC 60870-6-702:1998, *Telecontrol equipment and systems – Part 6-702: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Functional profile for providing the TASE.2 application service in end systems*

IEC 60870-6-802:2002, *Telecontrol equipment and systems – Part 6-802: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE.2 Object models*

ISO/IEC 8802-2:1998, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 2: Logical link control*

ISO/IEC 9506 (all parts), *Industrial automation systems – Manufacturing message specification*

3 Definitions

For the purposes of this technical report, the following definitions apply.

3.1 action

activity performed by the TASE.2 server triggered by some local predefined stimulus or set of circumstances

3.2 accounting information

set of information which describes an account for a utility. See IEC 60870-6-802 for more details