

INTERNATIONAL STANDARD

IEC
62330-2

First edition
2003-05

**Helical-scan digital video cassette recording
system using 12,65 mm (0,5 in) magnetic tape –
Format HD-D5 –**

**Part 2:
Compression format**



Reference number
IEC 62330-2:2003(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur_fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 62330-2

First edition
2003-05

Helical-scan digital video cassette recording system using 12,65 mm (0,5 in) magnetic tape – Format HD-D5 –

Part 2: Compression format

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

X

For price, see current catalogue

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Acronyms	6
4 Video processing	8
4.1 Overview	8
4.2 Video signal	9
4.3 Block formation	11
4.4 SMBG distribution	16
4.5 DCT	19
4.6 Categorization and weighting	20
4.7 CG shuffling	24
4.8 RMB shuffling	27
4.9 Quantization	29
4.10 Rate control	29
4.11 VLC	29
4.12 Packing	33
 Annex A (normative) Overlapped block DCT coding for robustness	 44
 Figure 1 – Block diagram of outline about video processing	 9
Figure 2 – Transmitting samples of 1 080i system	10
Figure 3 – Transmitting samples of 720p system	11
Figure 4 – Overlapped blocking of luminance (Y) pixels	12
Figure 5 – Overlapped blocking of colour difference C_B/C_R pixels	13
Figure 6 – Macro block structure in 1 080i system and 720p systems	13
Figure 7 – Super macro block structure in 1 080i system and 720p systems	14
Figure 8 – Pixel arrangement for blocking of 1 080i system	15
Figure 9 – The arrangement of SMBs in one field for 1 080i system	16
Figure 10 – The arrangement of SMBs in one frame for 720p system	16
Figure 11 – SMBG distribution in 1 080i system	17
Figure 12 – SMBG distribution in 720p system	18
Figure 13 – The structure of DCT coefficient block	20
Figure 14 – CG shuffling for Y	25
Figure 15 – CG shuffling for C	26
Figure 16 – RMB shuffling	28
Figure 17 – The order of VLC coding	30
Figure 18 – Structure of C3RMB	34
Figure 19 – Rearrangement of VLC data codewords	36
Figure 20 – Data structure of one 1 080i field/720p frame	37
Figure 21 – Main data DIF block packing	42
Figure 22 – Packing the compressed data in 5 760 DIF Blocks	43
Figure A.1 – The process of missing coefficient reproduction	44

Table 1 – The construction of video signal sampling	9
Table 2 – Categorization of Y signal.....	21
Table 3 – Categorization of C_B signal	21
Table 4 – Categorization of C_R signal	21
Table 5 – Table $CY_0(t, u)$	21
Table 6 – Table $CY_1(t, u)$	22
Table 7 – Table $CY_2(t, u)$	22
Table 8 – Table $CY_3(t, u)$	22
Table 9 – Table $CC_0(t, u)$	23
Table 10 – Table $CC_1(t, u)$	23
Table 11 – Table $CC_2(t, u)$	23
Table 12 – Codewords for variable length coding (1).....	30
Table 13 – Codewords for variable length coding (2).....	31

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HELICAL-SCAN DIGITAL VIDEO CASSETTE RECORDING SYSTEM
USING 12,65 mm (0,5 in) MAGNETIC TAPE – FORMAT HD-D5 –

Part 2: Compression format

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attentions drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62330-2 has been prepared by Technical Area 6: Higher data rate storage media and equipment of IEC technical committee 100: Audio, video and multimedia systems and equipment.

It was submitted to the national committees for voting under the Fast Track Procedure as the following documents:

CDV	Report on voting
100/505/CDV	100/604/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until 2008. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IEC 62330 consists of the following parts, under the general title *Helical-scan digital video cassette recording system using 12,65 mm (0,5 in) magnetic tape – Format HD-D5*.

Part 1: VTR specifications

Part 2: Compression format

Part 3: Data stream format

Part 1 describes the VTR specifications which are tape, magnetization, helical recording, modulation method and basic system data for high definition video compressed data on 29,97 or 59,94 frame rate.

This part 2 describes the specifications for encoding process and data format for 1080i and 720p systems.

Part 3 describes the specifications for transmission of HD-D5 compressed video and audio data stream over 360 Mb/s serial digital interface.

This document is a preview generated by EVS

HELICAL-SCAN DIGITAL VIDEO CASSETTE RECORDING SYSTEM USING 12,65 mm (0,5 in) MAGNETIC TAPE – FORMAT HD-D5 –

Part 2 – Compression format

1 Scope

This part of IEC 62330 defines the encoding process of the HD-D5 video compression and its data format for the 1 080/59,94i system (hereinafter referred to as the 1 080i system) and the 720/59,94p system (hereinafter referred to as the 720p system).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ITU-R BT.1543, *1 280 × 720, 16 × 9 progressively-captured image format for production and international programme exchange in the 60 Hz*

ITU-R BT.709, *Parameter values for the HDTV standards for production and international programme exchange*

3 Acronyms

BUF	Buffer memory
C	Colour difference signal
C3RMB	Compressed data of 3 RMBs
C(t, u)	The value of the DCT coefficient at frequency (t, u)
C _B /C _R	Colour difference signal
CC0 ~ CC2	Categories for C DCT block
Ccoef()	C DCT CG
CG	Coefficient group
CGNR	CG number of one Y/C DCT coefficient block in one RMB
CGNS	CG number of one Y/C DCT coefficient block in one SMB
CN	C3RMB number in one RMBG
CRcoef()	Rearranged C DCT CG
CS	C DCT block number in one SMB
CY0 ~ CY3	Categories for Y DCT block
DCT	Discrete cosine transform
DIF	Digital interface
DIF(n)	DIF block numbered n
DN	DIF block number
EOB	“End of block” code
EOM	“End of 3 RMBs” code