

Foodstuffs - Minimum performance requirements for
determination of gluten by ELISA

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 17254:2019 sisaldab Euroopa standardi EN 17254:2019 ingliskeelset teksti.	This Estonian standard EVS-EN 17254:2019 consists of the English text of the European standard EN 17254:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 02.10.2019.	Date of Availability of the European standard is 02.10.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 67.050

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 17254

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2019

ICS 67.050

English Version

Foodstuffs - Minimum performance requirements for determination of gluten by ELISA

Produits alimentaires - Exigences de performances
minimales pour la détermination du gluten par une
méthode ELISA

Lebensmittel - Minimale Leistungsanforderungen für
die Glutenbestimmung mit ELISA

This European Standard was approved by CEN on 12 August 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword		3
Introduction		3
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	General information on the test system	7
5	Performance requirements	7
5.1	General	7
5.2	Applicability range	7
5.3	Limit of Detection (LOD)	7
5.4	Limit of Quantification (LOQ)	7
5.5	Recovery	8
5.6	Precision	8
5.7	Specificity	8
5.8	Cross-Reactivity	8
5.9	Robustness	8
5.10	Overview on minimum performance requirements	8
Bibliography		10

European foreword

This document (EN 17254:2019) has been prepared by Technical Committee CEN/TC 275 “Food analysis - horizontal methods”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

0.1 Coeliac Disease

Coeliac disease (CD) is an autoimmune disease of the small intestine, primarily affecting genetically susceptible individuals. Its prevalence has been estimated to be 1 % of the population worldwide. CD becomes manifest in a chronic enteropathy, caused by an irreversible intolerance for gluten. Upon ingestion of gluten, the incomplete gastrointestinal digestion of these proteins leads to the appearance of gluten-derived peptides. It contains overlapping T-cell epitopes, and its deamidated form is a potent T-cell stimulator. Toxic gluten peptides cause the stimulation of the innate and the adaptive immune system. This leads to histological changes in the small intestine mucosa of coeliac patients, resulting in severe symptoms including chronic diarrhoea, abdominal distension, and malabsorption of nutrients. Coeliac disease, if untreated, is associated with increased morbidity and the only accepted treatment is a strict and lifelong adherence to a gluten free diet, which interrupts the immune response triggered by gluten [1].

0.2 Gluten

The definition of gluten slightly differs depending on the context in which it is used. In this document, the gluten definition (see 3.1) according to the Osborne fractionation is used, similar to the definition stated in the Codex Alimentarius.

Gluten in starch industry refers to the protein rich fraction that is separated from starch during the starch production process. The term is therefore applied to different cereals, mainly wheat and corn, which are predominantly used for starch production. In the baking industry, gluten refers to a protein rich ingredient, which leads to an increase in volume and “fluffiness” of baking products such as bread. In this context, only wheat contains gluten since only the protein rich fraction from this cereal leads to an improvement of the physicochemical properties of baking products. The definition of gluten in the context of coeliac disease refers to the protein fraction, which is toxic for CD patients. This definition is based on the Osbourne fractionation of cereal proteins (e.g. from wheat and its crossbred varieties), precisely the proteins insoluble in water and 0,5 mol/l sodium chloride solution.

Due to thermal processing and enzymatic hydrolysis during food production, gluten in food is often not present in its native form. The above-mentioned processing can lead to the denaturation and/or to the fragmentation of gluten proteins into peptides. Gluten peptides have partly different properties in regards to solubility and detectability by immuno-analytical techniques, but are still able to trigger immune reactions in coeliac disease patients [2].

Commission Implementing Regulation 828/2014 [3] states that oats contained in foodstuffs for people intolerant to gluten shall have been specially produced, prepared and/or processed in a way to avoid contamination by wheat, rye, barley, or their crossbred varieties and the gluten content of such oats may not exceed 20 mg/kg.

0.3 Regulatory limits

Commission Implementing Regulation (EU) No 828/2014 of the European Union states that there are two different threshold levels for gluten in foodstuffs.

The term “gluten-free” may be used for food products if the gluten content does not exceed 20 mg gluten/kg. On the other hand, if the gluten content does not exceed 100 mg gluten/kg products may bear the term “very low gluten”.

Oats can be tolerated by most but not all people who are intolerant to gluten. Therefore, the allowance of oats that are not contaminated with wheat, rye or barley in foods covered by this standard can be determined at the national level [4], [5].

0.4 Measurement of the gluten content

The gluten concentration in food samples can be measured by different test methods. Although the use of mass spectrometry and nucleic acid based methods (e.g. PCR) is possible, the most commonly used technique is the enzyme-linked immunosorbent assay (ELISA).

The ELISA uses specific (monoclonal or polyclonal) antibodies that target gluten epitopes. Competitive and Sandwich ELISA are currently used to quantify the gluten level by comparing colour reactions of sample solutions to calibrator solutions.

Reliable analytical methods are recommended for compliance with national and international regulations in all areas of analysis. Currently, there are no harmonized guidelines available regarding specific requirements on performance of quantitative ELISA for gluten and regarding specific information to be provided by the method developer.

Some guidance is provided by AOAC publications [6], [7].

0.5 General considerations for the use of this document

For the use of this document the term:

- 'shall' indicates a requirement;
- 'should' indicates a recommendation;
- 'may' indicates a permission; and
- 'can' indicates a possibility and/or a capability.

1 Scope

This document specifies minimum method performance requirements for enzyme-linked immunosorbent assays that quantify non-fragmented or fragmented gluten from wheat (e.g. *Triticum aestivum*), rye, and barley in raw and processed foodstuffs.

This document is intended to be used in addition to EN 15842.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15633-1, *Foodstuffs - Detection of food allergens by immunological methods - Part 1: General considerations*

EN 15842, *Foodstuffs - Detection of food allergens - General considerations and validation of methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15633-1 and EN 15842 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

gluten

protein fraction from wheat, rye, barley, oats or their crossbred varieties and derivatives thereof, to which some persons are intolerant and which is insoluble in water and 0,5 mol/l sodium chloride solution

Note 1 to entry: Codex Alimentarius has a similar definition [2]

[SOURCE: Regulation (EU) No 828/2014, Article 2 a)[3]]

3.2

prolamin

fraction from gluten soluble in 40 % to 70 % ethanol

Note 1 to entry: Prolamin from wheat is gliadin, from rye is secalin, from barley hordein and from oats avenin.