
**Soil quality — Easy laboratory
assessments of soil denitrification, a
process source of N₂O emissions —**

Part 1:
Soil denitrifying enzymes activities

*Qualité du sol — Essais simples de laboratoire de caractérisation de
la dénitrification dans les sols, un processus source d'émission de N₂O*

Partie 1: Activités des enzymes dénitrifiantes du sol



This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references	1
3 Terms and definitions.....	1
4 Symbols and abbreviated terms (except chemical and reagents)	2
5 Principle.....	2
6 Materials.....	2
6.1 Test materials.....	2
6.2 Apparatus.....	2
6.3 Test soil	3
6.4 Reagents.....	3
7 Procedures.....	3
7.1 Soil sampling and preparation.....	3
7.2 Soil slurries incubation	4
7.3 Gas samples analysis.....	4
8 Validity criteria	4
9 Additional suggestions	4
9.1 Soil slurries incubation	4
9.2 Control of procedure	4
9.3 Gas samples analysis.....	4
10 Data presentation and interpretation.....	5
10.1 Denitrifying Enzyme Activity (DEA).....	5
10.2 Additional suggestion: relative production of N ₂ O during denitrification (<i>r</i>)	5
11 Test report	6
Annex A (informative) International ring test.....	7
Bibliography.....	12

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological characterization*.

A list of all parts in the ISO/TS 20131 series can be found on the ISO website.

Introduction

The ISO/TS 20131 series presents some easy laboratory assessments of soil denitrification, denitrification being a process source of N₂O emissions.

— Scientific context

Denitrification is the main process of nitrogen returning to the atmosphere. This process corresponds to the reduction of nitrate to nitrite and then to gaseous form, successively nitric oxide, nitrous oxide and dinitrogen. Soils (natural and anthropic) are an important source for denitrification and nitrous oxide emissions. Generally, soil denitrification involves a microbial catalysis. Denitrification is a microbial process where nitrogen oxides act as acceptor of electrons during anaerobic respiration. Each step of the denitrification process is catalysed by a specific enzyme. Denitrification is known as a process linking the nitrogen and carbon cycles. During the denitrification process, soil organic compounds may act as the donors of electrons. See [Figure 1](#).




Figure 1 — Description of the denitrification process

There are different concerns in studying the denitrification process in soil at the field scale: understanding the nitrogen cycle for limiting loss of nitrogen for agricultural production, understanding the fate of contaminants of water like nitrate and nitrite, understanding the production and the fate of atmospheric pollutants like NO and N₂O. Knowledge on denitrification in soils is also necessary for global approach of the biogeochemical cycles and of global changes. Denitrification also constitutes an interesting model for microbial ecology.

The gaseous form nitrous oxide (N₂O), mainly produced during the denitrification process, is a greenhouse gas with a high radiative forcing per unit mass or molecule, estimated to 296 fold higher than this of carbon dioxide (CO₂) on a 100 years period^[1]. Nitrous oxide is also involved in ozone depletion^[2]. N₂O concentrations have risen from a pre-industrial value of 270 ppb to a 2016 value of 328 ppb. At the global scale, nitrous oxide is estimated to contribute to 6 % of the radiative forcing. Agricultural and natural soils appear as the main source of this greenhouse gas^[3].

Soils act as both sources and sinks of N₂O. However on the global scale, the N₂O emissions dominate the sink activity. The production and consumption of N₂O in soils mainly involve biotic processes. Numerous groups of microorganisms contribute to the production and consumption of N₂O, but biological denitrification is considered as the dominant processes involved. Only the last step of denitrification is recognized as a significant biological consumptive fate for N₂O. It involves the N₂O reductase enzyme activity that is inhibited by an elevated acetylene partial pressure^[4].

— Methodological context

Direct measurements of denitrification in soils are expensive, time-consuming, labour intensive because of the immediate dilution of the N₂ produced in the atmosphere and because of high levels of spatial and temporal variability. So far, easy laboratory experiments, even if they are not sufficient for understanding *in situ* denitrification, could be useful for best understanding soil denitrification and assessing soil nitrous oxide emissions. To find some generic use of the results of these laboratory tests, it appears essential to perform them in strictly standardized conditions.

The ISO/TS 20131 series includes two tests that had previously been published in peer reviewed journals and that are accessible to most research and analytical laboratories involved in soil sciences. As they are both performed on sieved soils, they are quite easy to be done and can be used for a wide range of soils.

The first part of the ISO/TS 20131 series (this document) presents a generic method for assessing denitrifying enzyme activities in soils[5]. It globally characterizes the transformation of the nitrate form to the nitrous oxide and dinitrogen forms. This method was first proposed by Reference [5] with the acronym DEA for Denitrifying Enzyme Activities. It mainly focuses on the black arrow of Figure 2.




Figure 2 — Focus of the step of the denitrification process mainly investigated during the DEA test

DEA estimates the process of denitrification of fresh soil samples incubated under optimal conditions of substrates (nitrate and carbon sources) and environment (anaerobiosis, controlled temperature) for the denitrification process. The *de novo* enzyme synthesis is blocked by the use of chloramphenicol. DEA is believed to represent the size of the denitrifying enzyme pool present in the soil sample at the time of sample collection. It is a standardized technique used in numerous scientific studies.

The second part of the ISO/TS 20131 series presents a test revealing soils capacities to reduce N₂O, the last step of the denitrification process (i.e. the reduction of N₂O produced through the nitrate denitrification to the dinitrogen form). It mainly focuses on the black arrow of Figure 3. This test allows determining the transient accumulation of N₂O during the denitrification process. It derives from a study proposed by Reference [5]. Methodological adaptations and new interpretations of the results had been explained in Reference [6].




Figure 3 — Focus of the step of the denitrification process mainly investigated during the study of soils' capacity to reduce N₂O

The principles of the two parts of the ISO/TS 20131 series are summarized in Table 1.

Table 1 — Summary of the two parts of the ISO/TS 20131 series

	Part one: Soil denitrifying enzymes activities[5]	Part two: Soil capacity to reduce N ₂ O[6]
Principles of the methodology	Anaerobiosis to optimize the denitrification process	
	Use of acetylene to inhibit the N ₂ O reductase	
	Substrate addition — Nitrate — Carbon	Substrate addition — Nitrate — N ₂ O (optionally)
	Chloramphenicol addition	

Table 1 (continued)

	Part one: Soil denitrifying enzymes activities ^[5]	Part two: Soil capacity to reduce N ₂ O ^[6]
Ability to assess field denitrification	The test reveals the concentration of functional denitrifying enzymes in sample at the time of sample collection ^[5] [7]. In certain cases, correlations had been observed between DEA and annual denitrification in soils ^[8]	
Ability to assess N ₂ O emission	No evidence	Results could be used <ul style="list-style-type: none"> — by themselves to discriminate soils with potentially high levels of N₂O emission on the field scale^[6] — combined in the NOE model^[9] to calculate soil N₂O emission
Number (<i>n</i>) of publications in which the test has been used	<i>n</i> > 100	10 > <i>n</i> > 100

Soil quality — Easy laboratory assessments of soil denitrification, a process source of N₂O emissions —

Part 1: Soil denitrifying enzymes activities

1 Scope

This document specifies a laboratory test for characterizing the denitrifying enzyme activities in soils^[5]. It globally characterizes the transformation of the nitrate form to the nitrous oxide and dinitrogen forms. This method was first proposed by Reference [5] with the acronym DEA for Denitrifying Enzyme Activities. It is a standardized technique used in numerous scientific studies.

DEA estimates the process of denitrification of fresh soil samples incubated under optimal conditions of substrates (nitrate and carbon sources) and environment (anaerobiosis, controlled temperature) for the denitrification process. The *de novo* enzyme synthesis is blocked by the use of chloramphenicol. DEA is believed to represent the size of the denitrifying enzyme pool present in the soil sample at the time of sample collection.

This test is performed in laboratory on a composite of sieved samples collected at the plot scale. It can be performed on all types of soils sampled all over the year.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

ISO 18400-206¹⁾, *Soil quality — Sampling — Part 206: Collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

1) Under preparation. Stage at the time of publication: ISO/FDIS 18400-206:2017.