

This document is a preview generated by EVS

Petroleum and natural gas industries - Procedures for testing casing and tubing connections (ISO 13679:2019)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 13679:2019 sisaldab Euroopa standardi EN ISO 13679:2019 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 13679:2019 consists of the English text of the European standard EN ISO 13679:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 28.08.2019.	Date of Availability of the European standard is 28.08.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 75.180.10, 75.200

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 13679

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2019

ICS 75.200; 75.180.10

Supersedes EN ISO 13679:2006

English Version

Petroleum and natural gas industries - Procedures for testing casing and tubing connections (ISO 13679:2019)

Industries du pétrole et du gaz naturel - Procédures de test des connexions pour tubes de cuvelage et de production (ISO 13679:2019)

This European Standard was approved by CEN on 24 November 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 13679:2019) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2020, and conflicting national standards shall be withdrawn at the latest by February 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 13679:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 13679:2019 has been approved by CEN as EN ISO 13679:2019 without any modification.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Supplements to API RP 5C5:2017	1
4.1 General requirements.....	1
4.2 Scope.....	2
4.3 Normative references.....	2
4.4 Nominal connection performance envelope.....	2
4.5 Anisotropic reference curves.....	2
4.6 Near-yield loading effects.....	2
4.7 Test report.....	3
Bibliography	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 5, *Casing, tubing and drill pipe*.

This second edition cancels and replaces the first edition (ISO 13679:2002), which has been technically revised.

This document supplements API RP 5C5:2017.

The technical requirements of this document and API Recommended Practice (RP) 5C5 used to be identical. In the meantime API RP 5C5 has been technically revised as API RP 5C5:2017. The purpose of this edition of ISO 13679 is to bring it up to date, by referencing the current edition of API RP 5C5 and including supplementary content.

The main changes compared to the previous edition of ISO 13679 are as follows:

- new specimen geometries, e.g. XH-XL have been added;
- all Connection Assessment Level(s) test requirements and sequences have been revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is part of a process to provide reliable tubing and casing connections for the oil and natural gas industry which are fit for purpose. It has been developed based on improvements to ISO 13679:2002 and proprietary test procedures, with input from leading users, manufacturers and testing consultants from around the world. This document represents the knowledge of many years of testing and qualification experiences, where many oil and gas industry manufacturers and operators have utilized the testing protocol to improve connection performance with objective evidence, i.e. physical testing.

The experimental validation of connection test load envelope and failure limit loads is relevant to design of tubing and casing for the oil and natural gas industries. Tubing and casing are subject to loads which include internal pressure, external pressure, axial tension, axial compression, bending torsion, transverse forces and temperature changes. The magnitude and combination of these loads result in various pipe body and connection failure modes. Although pipe body test and limit loads are well understood in general, the same cannot be stated for the connection. These failure modes and loads are generally different and often less than that of the pipe. Consequently, experimental validation is needed.

The validation of test and limit loads implies the testing of performance parameters to these defined loads at the extremes. Testing at the extremes of the performance parameters assures that the production population that falls within these limits meets or exceeds the performance of the test population. Thread connection performance parameters include dimensional tolerances, mechanical properties, surface treatment, make-up torque and the type and amount of thread compound. For typical proprietary connections, worst-case tolerances are known and defined in this document. For other connections designs, the worst-case tolerance combinations need to be determined.

Users of this document should be aware that different physical testing requirements might be needed for individual well applications. This document is not intended to inhibit a vendor from offering, or a purchaser from accepting, alternate equipment or engineering solutions for the individual application. This is particularly applicable when there is innovative or developing technology. Where an alternative is offered, it is the responsibility of the vendor to identify any variations from this document and provide details.

For specific applications that are not evaluated by the tests herein, supplementary tests can be appropriate.

Representatives of users and/or other third-party personnel are encouraged to monitor the tests.

This document includes various provisions. These are identified using certain verbal forms:

- "Shall" is used to indicate requirements that strictly need to be followed in order to conform to this document and from which no deviation is permitted.
- "Should" is used to indicate that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited.
- "May" is used to indicate a course of action permissible within the limits of the document.
- "Can" is used to indicate statements of possibility and capability, whether material, physical or causal.

Petroleum and natural gas industries — Procedures for testing casing and tubing connections

1 Scope

This document specifies tests to perform in order to determine the galling tendency, sealing performance and structural integrity of casing and tubing connections. “Casing” and “tubing” apply to the service application and not to the diameter of the pipe.

This document covers the testing of connections for the most commonly encountered well conditions. Not all possible service scenarios are included. For example, the presence of a corrosive fluid, which can influence the service performance of a connection, is not considered.

This document supplements API RP 5C5:2017, the requirements of which are applicable with the exceptions specified in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3183, *Petroleum and natural gas industries — Steel pipe for pipeline transportation systems*

ISO 11960, *Petroleum and natural gas industries — Steel pipes for use as casing or tubing for wells*

API RP 5C5:2017, *Procedures for Testing Casing and Tubing Connections*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in API RP 5C5:2017 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

near-yield loading effects

cyclic growth of plastic strain range in a cyclically softening material at stresses below the material yield strength

3.2

nominal connection performance envelope

the manufacturer’s claimed connection performance envelope that is based on the pipe’s specified geometrical and material attributes

4 Supplements to API RP 5C5:2017

4.1 General requirements

The requirements specified in API RP 5C5:2017 shall apply, with the exceptions specified in [4.2](#) to [4.7](#).