

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Connectors for electronic equipment – Product requirements –  
Part 2-104: Circular connectors – Detail specification for circular connectors  
with M8 screw-locking or snap-locking**

**Connecteurs pour équipements électroniques – Exigences de produit –  
Partie 2-104: Connecteurs circulaires – Spécification particulière pour les  
connecteurs circulaires M8 à vis ou à encliquetage**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00



# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Connectors for electronic equipment – Product requirements –  
Part 2-104: Circular connectors – Detail specification for circular connectors  
with M8 screw-locking or snap-locking**

**Connecteurs pour équipements électroniques – Exigences de produit –  
Partie 2-104: Connecteurs circulaires – Spécification particulière pour les  
connecteurs circulaires M8 à vis ou à encliquetage**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

## CONTENTS

FOREWORD.....	5
1 General information.....	8
1.1 Scope.....	8
1.2 Recommended method of termination.....	8
1.2.1 Number of contacts or contact cavities.....	8
1.3 Ratings and characteristics.....	8
1.4 Normative references.....	8
1.5 Marking.....	9
1.6 IEC Type designation.....	10
1.7 Ordering information.....	10
1.8 Safety aspects.....	11
2 Technical information.....	11
2.1 Terms and definitions.....	11
2.2 Survey of styles and variants.....	11
2.2.1 General.....	11
2.2.2 Fixed connectors.....	11
2.2.3 Free connectors.....	13
3 Dimensions.....	18
3.1 General.....	18
3.2 Interface dimensions.....	19
3.2.1 Pin front view A-coding.....	19
3.2.2 Pin front view B-Coding.....	20
3.3 Engagement (mating) information.....	21
3.4 Gauges.....	23
4 Characteristics.....	23
4.1 Climatic category.....	23
4.2 Electrical.....	23
4.2.1 Rated voltage – Rated impulse voltage – Pollution degree.....	23
4.2.2 Voltage proof.....	24
4.2.3 Current-carrying capacity.....	24
4.2.4 Contact resistance.....	24
4.2.5 Insulation resistance.....	24
4.3 Mechanical.....	24
4.3.1 IP degree of protection.....	24
4.3.2 Mechanical operation.....	25
4.3.3 Insertion and withdrawal forces.....	25
4.3.4 Contact retention in insert.....	25
4.3.5 Polarizing method.....	25
4.3.6 Vibration (sinusoidal).....	25
5 Test schedule.....	26
5.1 General.....	26
5.1.1 Arrangement for contact resistance measurements.....	26
5.1.2 Arrangement for dynamic stress tests (vibration).....	28
5.2 Test schedule.....	29
5.2.1 Test group P – Preliminary.....	29
5.2.2 Test group AP – Dynamic/ Climatic.....	29

5.2.3	Test group BP – Mechanical endurance.....	32
5.2.4	Test group CP – Electrical load .....	33
5.2.5	Test group DP – Chemical resistivity .....	34
5.2.6	Test group EP – Connection method tests .....	34
Annex A (informative)	Diameter of the female connector body .....	35
Figure 1	– Tube insert, male contacts dip solder, mounting long version .....	11
Figure 2	– Tube insert, male contacts dip solder, mounting short version.....	12
Figure 3	– Fixed connector with wire ends, male contacts, single hole mounting.....	12
Figure 4	– Fixed connector with wire ends, female contacts, single hole mounting .....	13
Figure 5	– Rewireable connector, male contacts, straight version, with locking nut .....	14
Figure 6	– Rewireable connector, male contacts, right angled version, with locking nut .....	14
Figure 7	– Non-rewireable connector, male contacts, straight version, snap locking.....	15
Figure 8	– Non-rewireable connector, male contacts, straight version, with locking nut.....	15
Figure 9	– Non-rewireable connector, male contacts, angled version, with locking nut .....	15
Figure 10	– Rewireable connector, female contacts, straight version, with locking nut .....	16
Figure 11	– Rewireable connector, female contacts, right angled version, with locking nut....	16
Figure 12	– Non-rewireable connector, female contacts, straight version, snap locking.....	16
Figure 13	– Non-rewireable connector, female contacts, angled version, snap locking .....	17
Figure 14	– Non-rewireable connector, female contacts, straight version, with locking nut ....	17
Figure 15	– Non-rewireable connector, female contacts, angled version with locking nut .....	17
Figure 16	– Pin front view A-coding .....	19
Figure 17	– Contact position A-Coding front view.....	20
Figure 18	– Pin front view B-Coding.....	20
Figure 19	– Contact position – B-Coding - front view.....	20
Figure 20	– Engagement (mating) information.....	21
Figure 21	– Gauge dimensions .....	23
Figure 22	– Contact resistance arrangement.....	27
Figure 23	– Dynamic stress test arrangement .....	28
Figure A.1	– Diameter of the female connector body, coding variant A.....	35
Figure A.2	– Shape of the female connector body, coding variant B.....	35
Table 1	– Styles of fixed connectors .....	11
Table 2	– Styles of free connectors .....	13
Table 3	– Connectors dimensions in mated and locked position.....	22
Table 4	– Gauges .....	23
Table 5	– Climatic category .....	23
Table 6	– Rated voltage – Rated impulse voltage – Pollution degree .....	24
Table 7	– Voltage proof.....	24
Table 8	– Number of mechanical operations .....	25
Table 9	– Insertion and withdrawal forces .....	25
Table 10	– Number of test specimens .....	26
Table 11	– Test group P .....	29
Table 12	– Test group AP .....	29

Table 13 – Test group BP .....	32
Table 14 – Test group CP .....	33
Table 15 – Test group DP .....	34
Table 16 – Test group EP .....	34

This document is a preview generated by EVS

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRONIC EQUIPMENT –  
PRODUCT REQUIREMENTS –****Part 2-104: Circular connectors – Detail specification for circular  
connectors with M8 screw-locking or snap-locking**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-2-104 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

This part of IEC 61076-2 cancels and replaces the following parts of IEC 61076-2-101:2003 (first edition of IEC 61076-2-101):

- subclauses 2.2.3, 2.2.4 and 3.2.2,
- Tables 6, 10 and 12,
- any reference to connector type E and M8.

The text of this standard is based on the following documents:

CDV	Report on voting
48B/1753/CDV	48B/1815/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.


A list of all parts of the IEC 61076 series, under the general title *Connectors for electronic equipment – Product requirements*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

## CONNECTORS FOR ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

### Part 2-104: Circular connectors – Detail specification for circular connectors with M8 screw-locking or snap-locking

<p>International Electrotechnical Commission IEC SC 48B – Connectors</p> <p>Specification available from: IEC General secretariat or from the addresses shown on the inside cover.</p>	IEC 61076-2-104
<p>ELECTRONIC COMPONENTS detail specification in accordance with IEC 61076-1</p>	
	<p>Circular connectors M8/ Ø 8 mm 3 to 5 way Male and female contacts Male and female connectors Rewireable – Non-rewireable</p>
	<p>Free cable connectors Straight and right angle connectors</p> <p>Fixed connectors</p> <p>Flange mounting Single hole mounting</p>

## 1 General information

Throughout this detail specification, dimensions are in mm.

### 1.1 Scope

This detail specification describes circular connectors M8 screw-locking or with nominal  $\varnothing$  8 mm snap-locking, typically used for industrial process measurement and control. These connectors consist of fixed and free connectors either rewirable or non-rewirable. Male connectors have round contacts  $\varnothing$  1,0 mm.

NOTE M8 is the dimension of the thread of the screw locking mechanism of these circular connectors.

### 1.2 Recommended method of termination

The contact terminations shall be of the following types: screw, crimp, insulation piercing, insulation displacement, press-in or solder.

#### 1.2.1 Number of contacts or contact cavities

A-coding	3 and 4 contacts
B-coding	5 contacts

### 1.3 Ratings and characteristics

Rated voltage	A-coding	3 contacts	60 V d.c. or a.c.
		4 contacts	30 V d.c. or a.c.
	B-coding	5 contacts	30 V d.c. or a.c.
Current rating	A-coding	3 and 4 contacts	3 A
	B-coding	5 contacts	3 A

Insulation resistance :  $10^8 \Omega$  min.

Climatic category : see 4.1 Table 5

Contact spacing : see Clause 3, dimensions

### 1.4 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*  
Amendment 1 (1992)

IEC 60068-2-60, *Environmental testing – Part 2: Tests – Test Ke: Flowing mixed gas corrosion test*

IEC 60352 (all parts), *Solderless connections*

IEC 60512 (all parts), *Connectors for electronic equipment – Tests and measurements*

IEC 60512-1-100, *Connectors for electronic equipment – Tests and measurements – Part 1-100: General – Applicable publications*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*  
Amendment 1 (1999)

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60998-2-1, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units*

IEC 60999 (all parts), *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units*

IEC 61076-1:2006, *Connectors for electronic equipment – Product requirements – Part 1: Generic Specification*

IEC 61076-2-001:2001, *Connectors for electronic equipment – Part 2-001: Circular connectors – Blank detail specification*

IEC 61984, *Connectors – Safety requirements and tests*

ISO 1302, *Geometrical Product Specification (GPS) – Indication of surface texture in technical product documentation*

### **1.5 Marking**

The marking of the connector and the package shall be in accordance with 2.7 of IEC 61076-1:2006.