

Pistikud, pistikupesad, sõiduki-pistikühendused ja sõidukisisendid. Elektrisõidukite juhtivuslik laadimine. Osa 2: Kontaktsõrmedel ja -pesadel põhinevate vahelduvvooluseadiste mõõtmelise ühilduvuse ja vahetatavuse nõuded

Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62196-2:2012 sisaldab Euroopa standardi EN 62196-2:2012 ingliskeelset teksti.	This Estonian standard EVS-EN 62196-2:2012 consists of the English text of the European standard EN 62196-2:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 04.05.2012.	Date of Availability of the European standard is 04.05.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.120.30, 43.120

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

**Plugs, socket-outlets, vehicle connectors and vehicle inlets -
Conductive charging of electric vehicles -
Part 2: Dimensional compatibility and interchangeability requirements for
a.c. pin and contact-tube accessories
(IEC 62196-2:2011)**

Fiches, socles de prise de courant, prises
mobiles et socles de connecteurs de
véhicule -
Charge conductive des véhicules
électriques -
Partie 2: Exigences dimensionnelles de
compatibilité et d'interchangeabilité pour
les appareils à broches et alvéoles pour
courant alternatif
(CEI 62196-2:2011)

Stecker, Steckdosen,
Fahrzeugkupplungen und
Fahrzeugstecker -
Konduktives Laden von
Elektrofahrzeugen -
Teil 2: Anforderungen und Hauptmaße für
die Kompatibilität und Austauschbarkeit
von Stift- und Buchsensteckvorrichtungen
für Wechselstrom
(IEC 62196-2:2011)

This European Standard was approved by CENELEC on 2012-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 23H/267/FDIS, future edition 1 of IEC 62196-2, prepared by SC 23H, "Industrial plugs and socket-outlets", of IEC TC 23, "Electrical accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62196-2:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-11-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-02-01

EN 62196-2 is to be read in conjunction with EN 62196-1. The clauses of the particular requirements in Part 2 supplement or modify the corresponding clauses in Part 1. Where the text indicates an "addition" to or a "replacement" of the relevant requirement, test specification or explanation of Part 1, these changes are made to the relevant text of Part 1, which then becomes part of the standard. Where no change is necessary, the words "This clause of Part 1 is applicable" are used.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62196-2:2011 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Addition to Annex ZA of EN 62196-1:2012:

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-

This document is a preview generated by EVS

Annex ZB (normative)

Special national conditions

Special national condition: National characteristic or practice that cannot be changed even over a long period, e.g. climatic conditions, electrical earthing conditions.

NOTE If it affects harmonization, it forms part of the European Standard / Harmonization Document.

For the countries in which the relevant special national conditions apply these provisions are normative, for other countries they are informative.

Clause Special national condition

1 **Finland**

In Finland, accessories and cable assemblies according to this standard are to be used in an ambient temperature between -35 °C and $+50\text{ °C}$.

6.1 **United Kingdom**

Mode 1 is considered unsafe and will not be used in the United Kingdom.

10.101 **France**

Add a 2nd paragraph: When plugs & socket-outlets are used and socket-outlets are accessible to uninstructed persons, they shall be provided with shutters (as presently defined in Type 3).

This document is a preview generated by EVS

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 General	8
5 Ratings.....	8
6 Connection between the power supply and the electric vehicle	8
7 Classification of accessories	11
8 Marking	11
9 Dimensions	11
10 Protection against electric shock	12
11 Size and colour of earthing conductors	12
12 Provision for earthing	12
13 Terminals	12
14 Interlocks	13
15 Resistance to ageing of rubber and thermoplastic material	13
16 General construction	13
17 Construction of socket-outlets	13
18 Construction of plugs and vehicle connectors	13
19 Construction of vehicle inlets.....	13
20 Degrees of protection	13
21 Insulation resistance and dielectric strength	13
22 Breaking capacity	13
23 Normal operation.....	14
24 Temperature rise	14
25 Flexible cables and their connection	14
26 Mechanical strength	14
27 Screws, current-carrying parts and connections.....	15
28 Creepage distances, clearances and distances	15
29 Resistance to heat, to fire and to tracking.....	15
30 Corrosion and resistance to rusting	15
31 Conditional short-circuit current withstand test	15
32 Electromagnetic compatibility (EMC)	15
33 Vehicle driveover.....	15
101 Components	15
102 Coding resistors	16

Table 101 – Overview of the basic vehicle interface, configuration Type 1, single phase	10
-----------------------------------------------------------------------------------------------	----

Table 102 – Overview of the basic vehicle interface, configuration Types 2 and 3, three-phase or single phase.....	10
Table 103 – Configuration types and standard sheets.....	12

This document is a preview generated by EVS

INTRODUCTION

Responding to global challenges of CO₂ reduction and energy security, the automobile industries have been accelerating the development and commercialization of electric vehicles and hybrid electric vehicles. In addition to the prevailing hybrid electric vehicles, battery electric vehicles including plug-in hybrid electric vehicles are going to be mass-marketed. To support the diffusion of such vehicles, this standard provides the standard interface configurations of a.c. vehicle couplers and accessories to be used in conductive charging of electric vehicles, taking the most frequent charging situations into consideration.

IEC 62196 is divided into several parts:

Part 1: General requirements

Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories

Part 3: Dimensional compatibility and interchangeability requirements for pin and contact-tube accessories for dedicated d.c. charging or for combined a.c./d.c.charging (under consideration)

PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories

1 Scope

This standard applies to plugs, socket-outlets, vehicle connectors and vehicle inlets with pins and contact-tubes of standardized configurations, herein referred to as accessories. They have a nominal rated operating voltage not exceeding 500 V a.c., 50 to 60 Hz, and a rated current not exceeding 63 A three-phase or 70 A single phase, for use in conductive charging of electric vehicles.

This standard covers the basic interface accessories for vehicle supply as specified in IEC 62196-1, and intended for use in conductive charging systems for circuits specified in IEC 61851-1:2010.

Electric vehicles covers all road vehicles, including plug-in hybrid road vehicles (PHEV), that derive all or part of their energy from on-board batteries.

NOTE 1 These accessories may provide a contact that can be used for the proximity contact function.

These accessories are intended to be used for circuits specified in IEC 61851-1:2010 which operate at different voltages and frequencies and which may include ELV and communication signals.

These accessories may be used for bidirectional energy transmission (under consideration).

This standard applies to the accessories to be used in an ambient temperature of between – 30 °C and + 50 °C.

NOTE 2 In the following country, other requirements may apply: FI.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

Vehicle inlet and vehicle connector to this standard are intended to be used for charging in modes 1, 2 and 3, cases B and C. The socket-outlets and plugs covered by this standard are intended to be used for charging mode 3 only, case A and B.

The modes and permissible connections are specified in Part 1.

2 Normative references

This clause of Part 1 is applicable except as follows:

Addition:

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*