

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Railway applications – Rolling stock equipment – Shock and vibration tests

Applications ferroviaires – Matériel roulant – Essais de chocs et vibrations



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00



IEC 61373

Edition 2.0 2010-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Railway applications – Rolling stock equipment – Shock and vibration tests

Applications ferroviaires – Matériel roulant – Essais de chocs et vibrations

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

ICS 45.060

ISBN 978-2-88910-944-9

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions.....	9
4 General.....	10
5 Order of testing.....	11
6 Reference information required by the test house.....	11
6.1 Method of mounting and orientation of equipment under test.....	11
6.2 Reference and check points.....	11
6.2.1 Fixing point.....	11
6.2.2 Check point.....	12
6.2.3 Reference point.....	12
6.2.4 Measuring point.....	12
6.3 Mechanical state and functioning during test.....	12
6.3.1 Mechanical state.....	12
6.3.2 Functional tests.....	13
6.3.3 Performance tests.....	13
6.4 Reproducibility for random vibration tests.....	13
6.4.1 Acceleration spectral density (ASD).....	13
6.4.2 Root mean square value (r.m.s.).....	13
6.4.3 Probability density function (PDF).....	13
6.4.4 Duration.....	13
6.5 Measuring tolerances.....	14
6.6 Recovery.....	14
7 Initial measurements and preconditioning.....	14
8 Functional random vibration test conditions.....	14
8.1 Test severity and frequency range.....	14
8.2 Duration of functional vibration tests.....	15
8.3 Functioning during test.....	15
9 Simulated long-life testing at increased random vibration levels.....	15
9.1 Test severity and frequency range.....	15
9.2 Duration of accelerated vibration tests.....	15
10 Shock testing conditions.....	16
10.1 Pulse shape and tolerance.....	16
10.2 Velocity changes.....	16
10.3 Mounting.....	16
10.4 Repetition rate.....	16
10.5 Test severity, pulse shape and direction.....	16
10.6 Number of shocks.....	17
10.7 Functioning during test.....	17
11 Transportation and handling.....	17
12 Final measurements.....	17
13 Acceptance criteria.....	17
14 Report.....	17

15	Test certificate	18
16	Disposal	18
	Annex A (informative) Explanation of service measurements, measuring positions, methods of recording service data, summary of service data, and method used to obtain random test levels from acquired service data	25
	Annex B (informative) Figure identifying general location of equipment on railway vehicles and their resulting test category	32
	Annex C (informative) Example of a type test certificate	33
	Annex D (informative) Guidance for calculating RMS values from ASD values or levels.....	34
	Figure 1 – Gaussian distribution	9
	Figure 2 – Category 1 – Class A – Body-mounted – ASD spectrum	19
	Figure 3 – Category 1 – Class B – Body-mounted – ASD spectrum	20
	Figure 4 – Category 2 – Bogie mounted – ASD spectrum.....	21
	Figure 5 – Category 3 – Axle mounted – ASD spectrum.....	22
	Figure 6 – Cumulative PDF tolerance bands	23
	Figure 7 – Shock test tolerance – Bands half sine pulse	24
	Figure A.1 – Standard measuring positions used for axle, bogie (frame) and body	25
	Figure A.2 – Typical fatigue strength curve.....	29
	Figure B.1 – General location of equipment on vehicles.....	32
	Figure D.1 – ASD spectrum.....	35
	Table 1 – Test severity and frequency range for functional random vibration tests.....	14
	Table 2 – Test severity and frequency range.....	15
	Table 3 – Test severity, pulse shape and direction.....	16
	Table A.1 – Environment data acquisition summary of the test parameters/conditions.....	26
	Table A.2 – Summary of the r.m.s. acceleration levels obtained from the questionnaire	28
	Table A.3 – Test levels obtained from service data using the method shown in Clause A.4	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RAILWAY APPLICATIONS – ROLLING STOCK EQUIPMENT – SHOCK AND VIBRATION TESTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61373 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This second edition cancels and replaces the first edition, issued in 1999 and constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

- change of the method to calculate the acceleration ratio which has to be applied to the functional ASD value to obtain the simulated long-life ASD value;
- addition of the notion of partially certified against this standard;
- suppression of Annex B of the first edition due to the new method to calculate the acceleration ratio;
- addition of guidance for calculating the functional RMS value from service data or the RMS value from ASD levels of Figures 2 to 5.

The text of this standard is based on the following documents:

FDIS	Report on voting
9/1386/FDIS	9/1397/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This document is a preview generated by EVS

INTRODUCTION

This standard covers the requirements for random vibration and shock testing items of pneumatic, electrical and electronic equipment/components (hereinafter only referred to as equipment) to be fitted on to railway vehicles. Random vibration is the only method to be used for equipment/component approval.

The tests contained within this standard are specifically aimed at demonstrating the ability of the equipment under test to withstand the type of environmental vibration conditions normally expected for railway vehicles. In order to achieve the best representation possible, the values quoted in this standard have been derived from actual service measurements submitted by various bodies from around the world.

This standard is not intended to cover self-induced vibrations as these will be specific to particular applications.

Engineering judgement and experience is required in the execution and interpretation of this standard.

This standard is suitable for design and validation purposes; however, it does not exclude the use of other development tools (such as sine sweep), which may be used to ensure a predetermined degree of mechanical and operational confidence. The test levels to be applied to the equipment under test are dictated only by its location on the train (i.e. axle, bogie or body-mounted).

It should be noted that these tests may be performed on prototypes in order to gain design information about the product performance under random vibration. However, for test certification purposes the tests have to be carried out on equipment taken from normal production.

RAILWAY APPLICATIONS – ROLLING STOCK EQUIPMENT – SHOCK AND VIBRATION TESTS

1 Scope

This International Standard specifies the requirements for testing items of equipment intended for use on railway vehicles which are subsequently subjected to vibrations and shock owing to the nature of railway operational environment. To gain assurance that the quality of the equipment is acceptable, it has to withstand tests of reasonable duration that simulate the service conditions seen throughout its expected life.

Simulated long-life testing can be achieved in a number of ways each having their associated advantages and disadvantages, the following being the most common:

- a) amplification: where the amplitudes are increased and the time base decreased;
- b) time compression: where the amplitude history is retained and the time base is decreased (increase of the frequency);
- c) decimation: where time slices of the historical data are removed when the amplitudes are below a specified threshold value.

The amplification method as stated in a) above, is used in this standard and together with the publications referred to in Clause 2; it defines the default test procedure to be followed when vibration testing items for use on railway vehicles. However, other standards exist and may be used with prior agreement between the manufacturer and the customer. In such cases test certification against this standard will not apply. Where service information is available tests can be performed using the method outlined in Annex A. If the levels are lower than those quoted in this standard, equipment is partially certified against this standard (only for service conditions giving functional test values lower than or equal to those specified in the test report).

Whilst this standard is primarily concerned with railway vehicles on fixed rail systems, its wider use is not precluded. For systems operating on pneumatic tyres, or other transportation systems such as trolleybuses, where the level of shock and vibration clearly differ from those obtained on fixed rail systems, the supplier and customer can agree on the test levels at the tender stage. It is recommended that the frequency spectra and the shock duration/amplitude be determined using the guidelines in Annex A. Equipment tested at levels lower than those quoted in this standard cannot be fully certified against the requirements of this standard.

An example of this is trolleybuses, whereby body-mounted trolleybus equipment could be tested in accordance with category 1 equipment referred to in the standard.

This standard applies to single axis testing. However multi-axis testing may be used with prior agreement between the manufacturer and the customer.

The test values quoted in this standard have been divided into three categories dependent only upon the equipment's location within the vehicle.

Category 1 Body mounted

Class A Cubicles, subassemblies, equipment and components mounted directly on or under the car body.

Class B Anything mounted inside an equipment case which is in turn mounted directly on or under the car body.

NOTE 1 Class B should be used when it is not clear where the equipment is to be located.

Category 2 Bogie mounted

Cubicles, subassemblies, equipment and components which are to be mounted on the bogie of a railway vehicle.

Category 3 Axle mounted

Subassemblies, equipment and components or assemblies which are to be mounted on the wheelset assembly of a railway vehicle.

NOTE 2 In the case of equipment mounted on vehicles with one level of suspension such as wagons and trucks, unless otherwise agreed at the tender stage, axle mounted equipment will be tested as category 3, and all other equipment will be tested as category 2.

The cost of testing is influenced by the weight, shape and complexity of the equipment under test. Consequently at the tender stage the supplier may propose a more cost-effective method of demonstrating compliance with the requirements of this standard. Where alternative methods are agreed it will be the responsibility of the supplier to demonstrate to his customer or his representative that the objective of this standard has been met. If an alternative method of evaluation is agreed, then the equipment tested cannot be certified against the requirement of this standard.

This standard is intended to evaluate equipment which is attached to the main structure of the vehicle (and/or components mounted thereon). It is not intended to test equipment which forms part of the main structure. Main structure in the sense of this standard means car body, bogie and axle. There are a number of cases where additional or special vibration tests may be requested by the customer, for example:

- a) equipment mounted on, or linked to, items which are known to produce fixed frequency excitation;
- b) equipment such as traction motors, pantographs, shoegear, or suspension components which may be subjected to tests in accordance with their special requirements, applicable to their use on railway vehicles. In all such cases the tests carried out should be dealt with by separate agreement at the tender stage;
- c) equipment intended for use in special operational environments as specified by the customer.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-47:2005, *Environmental testing – Part 2-47: Tests – Mounting of specimens for vibration, impact and similar dynamic tests*

IEC 60068-2-64:2008, *Environmental testing – Part 2-64: Tests – Test Fh: Vibration, broadband random and guidance*

ISO 3534-1:2006, *Statistics – Vocabulary and symbols – Part 1: Probability and general statistical terms*