

## **Elastsed põrandakatted. Korklinoleumi tehnilised andmed**

Resilient floor coverings - Specification for corklinoleum

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 688:1999 sisaldab Euroopa standardi EN 688:1997 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 23.11.1999 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 688:1999 consists of the English text of the European standard EN 688:1997.</p> <p>This document is endorsed on 23.11.1999 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

<p><b>Käsitlusala:</b> Käesolev Euroopa standard määrab kindlaks rullmaterjalina turustatava korklinoleumi tunnused. Julgustamaks tarbijat tegema asjatundlikku valikut, kirjeldab standard kasutusintensiivsusel põhinevat liigitussüsteemi, mis näitab, kus elastsete põrandakatete kasutamine peaks ekspluatatsioonis andma piisavalt hea tulemuse (vt. EN 685). Standard kehtestab ka nõuded märgistusele. Terminit "linoleum" kasutatakse sageli mittekorrektset terve rea elastsete põrandakatete korral, eriti just polüvinüülkloriidil või kummil põhinevate katete kohta. Selliseid põrandakattematerjale käesolev standard ei hõlma.</p>	<p><b>Scope:</b></p>
--	----------------------

ICS 97.150

**Võtmesõnad:** graafilised tingmärgid, kasutus, kork, liigitused, linoleum, märgistus, omadused, põrandakatted, tehnilised andmed

ICS 97.150

Descriptors: Floor coverings, corklinoleum.

**English version**

**Resilient floor coverings**  
Specification for corklinoleum

Revêtements de sol résilients –  
Spécifications pour le linoléum sur  
liège

Elastische Bodenbeläge –  
Spezifikation für Korklinoleum

This European Standard was approved by CEN on 1997-04-11.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

**CEN**

European Committee for Standardization  
Comité Européen de Normalisation  
Europäisches Komitee für Normung

**Central Secretariat: rue de Stassart 36, B-1050 Brussels**

## **Foreword**

This European Standard has been prepared by Technical Committee CEN/TC 134 "Resilient and textile floor coverings", the secretariat of which is held by BSI.

Annex A and annex B are informative.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 1997, and conflicting national standards shall be withdrawn at the latest by November 1997.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

This document is a preview generated by EVS

## 1 Scope

This European Standard specifies the characteristics of corklinoleum, supplied in roll form.

To encourage the consumer to make an informed choice, the standard includes a classification system based on intensity of use, which shows where resilient floor coverings should give satisfactory service (see EN 685). It also includes requirements for marking.

The term 'linoleum' is frequently incorrectly applied to a range of floor coverings, often to those based on polyvinyl chloride or rubber. Such materials are excluded from this standard.

## 2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 426	Resilient floor coverings - Determination of width, length, straightness and flatness and of sheet material
EN 428	Resilient floorcoverings - Determination of overall thickness
EN 429	Resilient floor coverings - Determination of the thickness of layers
EN 430	Resilient floor coverings - Determination of mass per unit area
EN 433	Resilient floor coverings - Determination of residual indentation after static loading
EN 435	Resilient floor coverings - Determination of flexibility
EN 436	Resilient floor coverings - Determination of density
prEN 670	Identification and composition of linoleum - Determination of cement content and ash residue
EN 685	Resilient floor coverings - Classification
EN 105-BO2	Textiles - Tests for colour fastness - Part BO2 : Colour fastness to artificial light (Xenon arc fading lamp test) (ISO 105-B02:1988)
ISO 140-8	Acoustics - Measurement of sound insulation in buildings and of building elements - Part 8 : Laboratory measurements of the reduction of transmitted impact noise by floor coverings on a standard floor
ISO 717-2	Acoustics - Rating of sound insulation in buildings and of building elements - Part 2 : Impact sound insulation