
**Respiratory protective devices —
Performance requirements —**

Part 8:
**Special application chemical,
biological, radiological and nuclear
(CBRN) filtering and radiological-
nuclear (RN) filtering RPD**

Appareils de protection respiratoire — Exigences de performances —

*Partie 8: Appareils d'application spéciale de filtrage nucléaire-
radiologique, biologique, chimique (NRBC) et de filtrage nucléaire-
radiologique (NR)*



This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	2
3 Terms, definitions and abbreviations	2
3.1 Terms and definitions.....	3
3.2 Abbreviated terms.....	5
4 Designation and classification	5
4.1 General.....	5
4.2 Special application CBRN1.....	5
4.3 Special application CBRN2.....	5
4.4 Special application Escape CBRN.....	5
4.5 CBRN RPD summary of capabilities.....	6
4.6 CBRN filtering RPD classes.....	6
4.6.1 General.....	6
4.6.2 CBRN filtering RPD.....	6
4.6.3 Escape CBRN filtering RPD.....	6
5 RN filters - Designation and classification	7
5.1 General.....	7
5.2 RN filters.....	7
5.3 RN filter classification.....	7
6 Requirements	7
6.1 General.....	7
6.2 Test samples.....	8
6.3 CBRN filtering RPD.....	8
6.3.1 CBRN filtering RPD operation.....	8
6.3.2 CBRN filtering RPD.....	8
6.3.3 Escape CBRN filtering RPD.....	11
6.4 RN filters.....	12
7 Pre-conditioning	12
7.1 General.....	12
7.2 Components excluded from pre-conditioning – Exposure to vibration.....	12
7.3 CBRN filtering RPD pre-conditioning.....	13
7.3.1 Temperature and humidity pre-conditioning.....	13
7.3.2 Humidity pre-conditioning of filters for radioactive iodomethane test.....	13
8 CBRN filtering RPD	14
8.1 Requirements for complete CBRN filtering RPD.....	14
8.1.1 General.....	14
8.1.2 Airflow.....	15
8.1.3 Protection class.....	15
8.1.4 Temperature of operation.....	16
8.2 Chemical resistance.....	16
8.2.1 General.....	16
8.2.2 CBRN1 and CBRN2 chemical resistance requirements.....	16
8.2.3 Pass/fail criteria.....	17
8.3 Requirements for filters and components of CBRN filtering RPD.....	17
8.3.1 Respiratory interfaces.....	17
8.3.2 Connectors.....	18
8.3.3 Filters.....	18
8.4 CBRN filtering RPD with standardized connector.....	23
8.4.1 General.....	23

8.4.2	Components of CBRN filtering RPD with standardized connector.....	23
8.4.3	Assisted CBRN filtering RPD with a standardized connector with a tight-fitting RI.....	25
8.4.4	Assisted CBRN filtering RPD with standardized connector with a loose-fitting RI.....	26
9	Escape CBRN filtering RPD.....	26
9.1	General.....	26
9.2	Requirements.....	27
9.2.1	Specification of duration, <i>t</i> , of escape CBRN filtering RPD.....	27
9.2.2	Validation of Escape CBRN filtering RPD performance.....	27
9.2.3	Protection class.....	27
9.2.4	CBRN chemical resistance.....	28
9.2.5	Practical performance testing.....	29
9.3	Requirements for filters and components of Escape CBRN filtering RPD.....	29
9.3.1	Respiratory interface.....	29
9.3.2	Connectors.....	29
9.3.3	Filter.....	29
10	RN Filters — Requirements and testing.....	31
10.1	General.....	31
10.2	Particle filter efficiency.....	32
10.3	Gas filtration performance.....	32
10.3.1	Radioactive iodomethane retention requirements.....	32
10.3.2	Organic vapour capacity requirements.....	32
10.4	RN Filters with standardized connector.....	32
10.4.1	Work rate of filters with a standardized connector.....	32
10.4.2	Mass and size of filters with a standardized connector.....	32
10.4.3	Airflow resistance of RN filters with standardized connector.....	32
11	Multi-functional RPD.....	32
11.1	General.....	32
11.2	CBRN1 and CBRN2 RPD.....	33
11.3	ES CBRN filtering RPD.....	33
12	Optional features.....	33
12.1	General.....	33
12.2	Hydration.....	33
12.3	End of service life indicator for filters (ESLI).....	33
13	Training components.....	33
14	Reliability.....	34
15	Inspection and practical performance testing.....	34
16	Test methods.....	34
16.1	General.....	34
16.2	Toxic agent penetration and permeation tests.....	34
16.2.1	General.....	34
16.2.2	Materials and test methods.....	35
16.2.3	Liquid and vapour permeation test.....	35
16.2.4	Test report.....	37
16.3	Radioactive Iodomethane gas test.....	37
16.3.1	Test apparatus.....	37
16.3.2	Test agent.....	38
16.3.3	Filter testing.....	38
16.3.4	Test procedure.....	38
16.3.5	Radioactivity retention determination.....	39
16.3.6	Test report.....	40
17	Marking.....	40
17.1	General.....	40

17.2	Marking of CBRN filtering RPD and components.....	40
17.3	Escape CBRN filtering RPD marking.....	41
17.4	RN filter marking.....	42
17.5	Standardized connector.....	42
18	Information supplied by the manufacturer.....	42
18.1	General.....	42
18.2	CBRN filtering or RN filtering RPD information.....	42
Annex A	(informative) Number of samples and test schedules.....	43
Annex B	(informative) CBRN RPD configurations.....	44
Annex C	(informative) Application of uncertainty of measurement.....	51

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 94, *Personal safety — Personal protective equipment*, Subcommittee SC 15, *Respiratory protective devices*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The personal protection requirements of personnel who respond to emergencies are recognised as being different from those of the regular workforce. With respect to response to incidents involving release of chemical, biological or radiological materials, or after nuclear events (CBRN events), specific requirements have to be established. The hazardous exposures occurring in such incidents can result in severe consequences for an improperly protected responder.

Specifically, for the types of protection required:

- a) Protection levels need to be high for those in the vicinity of an incident.
- b) Materials used in construction of the equipment shall withstand permeation by highly aggressive chemicals.
- c) The range of chemical protection offered by filtering systems needs to be very broad, as the opportunity for assessment of the nature of the hazard ahead of the time of use of the equipment may be limited.
- d) The efficiency of particle filtration needs to be high to protect the equipment wearer against ingress of radioactive particulate matter or biological agents.

These requirements in the ISO system are summarized in this document covering the special application CBRN. This document is an adjunct to other parts of ISO 17420 and should be read together with them.

This document provides classification of equipment, performance requirements and specific test methods for respiratory protective devices (RPD) for use in CBRN response. Selection requirements are addressed in separate documents.

NOTE The performance requirements included in this document refer to laboratory testing using specified test agents under specified conditions which might not indicate the performance of the device in actual usage.

Respiratory protective devices — Performance requirements —

Part 8:

Special application chemical, biological, radiological and nuclear (CBRN) filtering and radiological-nuclear (RN) filtering RPD

1 Scope

This document specifies the requirements for respiratory protective devices for use by workers during response to incidents involving chemical, biological radiological or nuclear (CBRN) materials used with intent to cause harm or in cases of accidental release outside traditional hazardous materials response categories. For the purposes of this document, all incidents described here are named CBRN incidents.

This document is applicable to RPD for use by personnel in the following roles:

- First responders: including police, fire service, emergency medical, search and rescue, sampling and detection teams.
- Workers needed for specific roles during response (utility, transportation, service continuity).
- Medical personnel working with casualties of CBRN incidents.
- Responders to release incidents involving nuclear materials.
- Non-emergency but CBRN-related roles.
- Workers in need of protection during escape from a CBRN or radiological release incident.
- Workers in need of protection from nuclear materials.

The requirements for RPD use by the following groups are not addressed by this document:

- Military personnel outside of first responder roles.
- Children.
- Animals.

Requirements for the following are not covered by this document:

- Collective protection systems including ventilated casualty/body bags.
- Methods of and criteria for decontamination of RPD.
- Disposal of used equipment.

This document is focused on respiratory protection requirements, but it is recognised that CBRN RPD are always used as part of an ensemble with protective clothing. The total ensemble effectiveness is not covered by this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 16900-1, *Respiratory protective devices — Methods of test and test equipment — Part 1: Determination of inward leakage*

ISO 16900-2, *Respiratory protective devices — Methods of test and test equipment — Part 2: Determination of breathing resistance*

ISO 16900-4, *Respiratory protective devices — Methods of test and test equipment — Part 4: Determination of gas filter capacity and migration, desorption and carbon monoxide dynamic testing*

ISO 16900-5, *Respiratory protective devices — Methods of test and test equipment — Part 5: Breathing machine, metabolic simulator, RPD headforms and torso, tools and verification tools*

ISO 16900-8:2015, *Respiratory protective devices — Methods of test and test equipment — Part 8: Measurement of RPD air flow rates of assisted filtering RPD*

ISO 16972, *Respiratory protective devices — Vocabulary and graphical symbols*

ISO/TS 16973, *Respiratory protective devices — Classification for respiratory protective device (RPD), excluding RPD for underwater application*

ISO 17420-1:2021, *Respiratory protective devices — Performance requirements — Part 1: General*

ISO 17420-2:2021, *Respiratory protective devices — Performance requirements — Part 2: Requirements for filtering RPD*

ISO 17420-3, *Respiratory protective devices — Performance requirements — Part 3: Thread connection*

ISO 17420-4:2021, *Respiratory protective devices — Performance requirements — Part 4: Requirements for supplied breathable gas RPD*

ISO 17420-5:2021, *Respiratory Protective Devices — Performance Requirements — Part 5: Special application fire services - Supplied breathable gas RPD and filtering RPD*

ISO 17420-6:2021, *Respiratory protective devices — Performance requirements — Part 6: Special application escape - Filtering RPD and supplied breathable gas RPD*

ISO/TS 17420-9:2021, *Respiratory Protective Devices — Performance Requirements — Part 9: Special application Chemical, Biological, Radiological and Nuclear (CBRN) supplied breathable gas devices*

IEC 60721-1, *Classification of Environmental Conditions - Part 1: Environmental Parameters and their Severities*

ASTM D2854, *Standard Test Method for Apparent Density of Activated Carbon*

ASTM D3803-91, *Standard Test Method for Nuclear-Grade Activated Carbon*

ASTM E300, *Standard Practice for Sampling Industrial Chemicals*

3 Terms, definitions and abbreviations

For the purposes of this document, the terms and definitions given in ISO 16972, other parts of ISO 17420 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>