

This document is a preview generated by EVS

Needle-based injection systems for medical use -
Requirements and test methods - Part 4: Needle-based
injection systems containing electronics (ISO
11608-4:2022, Corrected version 2024-12)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN ISO 11608-4:2022 sisaldab Euroopa standardi EN ISO 11608-4:2022 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 04.05.2022.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN ISO 11608-4:2022 consists of the English text of the European standard EN ISO 11608-4:2022.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 04.05.2022.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 11.040.25

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 11608-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2022

ICS 11.040.25

Supersedes EN ISO 11608-4:2007

English Version

Needle-based injection systems for medical use -
Requirements and test methods - Part 4: Needle-based
injection systems containing electronics (ISO 11608-
4:2022, Corrected version 2024-12)

Systèmes d'injection à aiguille pour usage médical -
Exigences et méthodes d'essai - Partie 4: Systèmes
d'injection à aiguille contenant de l'électronique (ISO
11608-4:2022, Version corrigée 2024-12)

Kanülenbasierte Injektionssysteme zur medizinischen
Verwendung - Anforderungen und Prüfverfahren - Teil
4: Kanülenbasierte Injektionssysteme, die
elektronische Bauteile enthalten (ISO 11608-4:2022,
korrigierte Fassung 2024-12)

This European Standard was approved by CEN on 2 January 2022.

This European Standard was corrected and reissued by the CEN-CENELEC Management Centre on 11 December 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 11608-4:2022) has been prepared by Technical Committee ISO/TC 84 "Devices for administration of medicinal products and catheters" in collaboration with Technical Committee CEN/TC 205 "Non-active medical devices" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2022, and conflicting national standards shall be withdrawn at the latest by November 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11608-4:2007.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11608-4:2022, Corrected version 2024-12 has been approved by CEN as EN ISO 11608-4:2022 without any modification.

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	3
4 Abbreviated terms	11
5 General requirements	11
5.1 Conditions for application of NIS-E.....	11
5.2 General design requirements.....	11
5.3 Risk approach and usability engineering.....	12
6 General requirements for testing	12
6.1 Type tests.....	12
6.2 Number of samples.....	12
6.3 Ambient temperature, humidity, atmospheric pressure.....	16
7 Identification and marking of NIS-E	16
8 Protection against electrical hazards	16
8.1 General.....	16
8.2 Humidity preconditioning treatment.....	16
8.3 Requirements and test methods.....	17
8.3.1 General.....	17
8.3.2 Applied parts.....	17
8.3.3 Requirements related to power sources.....	19
8.3.4 Limitation of current for accessible parts and applied parts.....	20
8.4 Separation of parts (Type X and Type Y).....	20
8.4.1 Means of protection (MOP).....	20
8.4.2 Separation of patient connection.....	21
8.4.3 Maximum mains voltage.....	22
8.4.4 Working voltage.....	22
8.5 Patient leakage current and touch current (Type X and Type Y NIS-E).....	23
8.5.1 General.....	23
8.5.2 Measurement of patient leakage current.....	27
8.5.3 Measurement of touch current.....	30
8.6 Insulation (Type X and Type Y).....	31
8.6.1 General.....	31
8.6.2 Distance through solid insulation or use of thin sheet material.....	31
8.6.3 Dielectric strength.....	32
8.7 Insulation other than wire insulation.....	32
8.7.1 Mechanical strength and resistance to heat.....	32
8.8 Creepage distances and air clearances (Type X and Type Y NIS-E).....	33
8.8.1 General.....	33
8.9 Specific hazardous situations.....	34
8.9.1 General.....	34
8.9.2 Emissions, deformation of enclosure or exceeding maximum temperature.....	34
8.9.3 Exceeding leakage current or voltage limits.....	36
8.9.4 Specific mechanical hazards.....	36
8.10 Single fault conditions (Type X and Type Y).....	36
8.10.1 General.....	36
8.10.2 Failure of thermostats and temperature limiting devices.....	36
8.10.3 Leakage of liquid from batteries.....	36
8.10.4 Locking of moving parts.....	36
8.10.5 Additional test criteria for motor-operated NIS-E.....	37
8.10.6 NIS-E intended for used in conjunction with oxygen rich environments.....	37

8.11	Pre-conditioning for the influence of fluid leakage	38
9	Electromagnetic compatibility (EMC)	39
9.1	General requirements	39
9.1.1	Risk approach process for NIS-E	39
9.1.2	Non-medical electrical equipment used with NIS-E	39
9.1.3	General test conditions	39
9.2	NIS-E identification, marking and documents	44
9.2.1	Instruction for use in relation to EMC	44
9.2.2	Documentation of the tests	44
9.3	Electromagnetic emissions requirements for NIS-E	45
9.3.1	Protection of radio services and other equipment	45
9.3.2	Protection of the public mains network	45
9.3.3	Emissions requirements summary (Type X and Type Y)	46
9.4	Electromagnetic immunity requirements for NIS-E	46
9.4.1	General	46
9.4.2	Operating modes	48
9.4.3	Non-medical electrical equipment	48
9.4.4	Immunity test levels	48
9.4.5	Immunity to proximity fields from RF wireless communications equipment	53
9.4.6	Immunity to proximity magnetic fields in the frequency range 9 kHz to 13,56 MHz	54
10	Protection against mechanical hazards	55
10.1	General	55
10.2	Shock	55
10.3	Vibration	55
10.3.1	Sinusoidal vibration	55
10.3.2	Random vibration	55
10.4	Impact of OBDS enclosures	55
10.5	Push	56
11	Programmable NIS-E	56
Annex A (informative) Identification of immunity pass/fail criteria		57
Annex B (informative) Rationale for using 240 V for testing some requirements		59
Bibliography		60

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 84, *Devices for administration of medicinal products and catheters*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 205, *Non-active medical devices*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 11608-4:2006), which has been technically revised.

The main changes are as follows:

- this document has been revised in its entirety to include requirements from the IEC 60601 series that pertain to hand-held medical injectors.

A list of all parts in the ISO 11608 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This corrected version of ISO 11608-4:2022 incorporates the following corrections:

- the value of the capacitance in [Figure 4](#) has been corrected;
- the reference to [Table 19](#) in [9.2.1](#) has been corrected to [Table 21](#).

Introduction

Needle-based injection systems, including on-body delivery systems (OBDSs), containing electronics with or without software, are primarily intended to administer medicinal products to humans. Performance requirements regarding essential electrotechnical aspects have been selected with the intention not to restrict the Electronic Needle-based Injection System (NIS-E) design unnecessarily when applying the document.

The first edition of this document was limited to pen-injectors with electromechanical drive. Pen-injectors only equipped with electronics were covered in ISO 11608-1.

Materials used for construction are not specified in this document, as their selection will depend on the design, the intended use and the process of manufacture used by individual manufacturers.

There are other international and national standards and guidance publications and, in some countries, national regulations that are applicable to medical devices and pharmaceuticals. This document is applicable to NIS-E and specifies relevant aspects of IEC 60601-1:2005+AMD1:2012+AMD2:2020, IEC 60601-1-2:2014+AMD1:2020 and IEC 60601-1-11:2015+AMD1:2020 for this particular device type.

This document does not specify non-electrotechnical requirements and test methods for NISs when specified by ISO 11608-1.

Developers and manufacturers of NIS-Es are encouraged to investigate and determine whether there are any other requirements relevant to the safety or marketability of their NIS-Es. For example, this document should be used in conjunction with IEC 60601-1, IEC 60601-1-2 and IEC 60601-1-11. A risk-based approach is expected to be applied during the design, development, and manufacture of the product. Given the specific medicinal product intended use and environment, this might result in product-specific requirements and test methods that differ from what is outlined in this document.

This document is intended to be used for type testing (testing of the development result) of NIS-E. It is not intended to be used for batch release testing.

This document introduces the notion of Type X NIS-E and Type Y NIS-E. Type X NIS-E is a device type without any physical cabled connection to other devices. Type Y NIS-E has such connections. The electrical requirements in this document for Type X NIS-E is a subset of the requirements for Type Y NIS-E.

Needle-based injection systems for medical use — Requirements and test methods —

Part 4: Needle-based injection systems containing electronics

1 Scope

This document specifies requirements and test methods for needle-based injection systems (NISs) containing electronics with or without software (NIS-Es).

The needle-based injection system containing electronics can be single use or reusable and can be operated with or without electrical/conductive connections to other devices. The system is intended to deliver medication to a patient by self-administration or by administration by one other operator (e.g. caregiver or health care provider).

This document applies to electronic accessories that are intended to be physically connected to a NIS or NIS-E according to the NIS/NIS-E intended use.

This document also applies to electronic accessories that are intended to have electrical/conductive connections to a NIS or NIS-E according to the NIS/NIS-E intended use.

This document does not specify requirements for software in programmable NIS-E.

NOTE IEC 60601-1:2005+AMD1:2012+AMD2:2020, Clause 14 addresses software life cycle processes.

This document does not specify requirements for cybersecurity.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 11, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 32, *Electromagnetic compatibility of multimedia equipment — Emission requirements*

ISO 11608-1:2022, *Needle-based injection systems for medical use — Requirements and test methods — Part 1: Needle-based injection systems*

ISO 7137, *Aircraft — Environmental conditions and test procedures for airborne equipment*

ISO 14971:2019, *Medical devices — Application of risk management to medical devices*

IEC 60086-4, *Primary batteries — Part 4: Safety of lithium batteries*

IEC 60068-2-64, *Environmental testing — Part 2-64: Tests — Test Fh: Vibration, broadband random and guidance*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60601-1:2005+AMD1:2012+AMD2:2020, *Medical electrical equipment — Part 1: General requirements for basic safety and essential performance*

IEC 60601-1-2:2014+AMD1:2020, *Medical electrical equipment — Part 1-2: General requirements for basic safety and essential performance — Collateral Standard: Electromagnetic disturbances — Requirements and tests*

IEC 60601-1-11:2015+AMD1:2020, *Medical electrical equipment — Part 1-11: General requirements for basic safety and essential performance — Collateral standard: Requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment*

IEC 60721-3-7:1995+AMD1:1996, *Classification of environmental conditions — Part 3-7: Classification of groups of environmental parameters and their severities — Portable and non-stationary use*

IEC 62133-2, *Secondary cells and batteries containing alkaline or other non-acid electrolytes — Safety requirements for portable sealed secondary lithium cells, and for batteries made from them, for use in portable applications — Part 2: Lithium systems*

IEC 62304, *Medical device software — Software life cycle processes*

IEC 62366-1, *Medical devices — Part 1: Application of usability engineering to medical devices*

IEC 60695-11-10:2013, *Fire hazard testing — Part 11-10: Test flames — 50 W horizontal and vertical flame test methods*

IEC 60950-1:2005+AMD1:2009+AMD2:2013, *Information technology equipment — Safety — Part 1: General requirements*

IEC 60747-5-5, *Semiconductor devices — Part 5-5: Optoelectronic devices — Photocouplers*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) - Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) — Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) — Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) — Part 4-5: Testing and measurement techniques — Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) — Part 4-6: Testing and measurement techniques — Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) — Part 4-8: Testing and measurement techniques — Power frequency magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) — Part 4-11: Testing and measurement techniques — Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61000-4-39, *Electromagnetic compatibility (EMC) — Part 4-39: Testing and measurement techniques — Radiated fields in close proximity— Immunity test*

IEC 60085, *Electrical insulation — Thermal evaluation and designation*