

PÜROTEHNILISED TOOTED. KATEGOORIA F1, F2 JA F3
ILUTULESTIK. OSA 5: EHITUS- JA TOIMIVUSNÕUDED

Pyrotechnic articles - Fireworks, Categories F1, F2 and
F3 - Part 5: Requirements for construction and
performance

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 15947-5:2022 sisaldab Euroopa standardi EN 15947-5:2022 ingliskeelset teksti.	This Estonian standard EVS-EN 15947-5:2022 consists of the English text of the European standard EN 15947-5:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.10.2022.	Date of Availability of the European standard is 05.10.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 71.100.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Pyrotechnic articles - Fireworks, Categories F1, F2 and F3 - Part 5: Requirements for construction and performance

Articles pyrotechniques - Artifices de divertissement,
Catégories F1, F2 et F3 - Partie 5 : Exigences de
construction et de performances

Pyrotechnische Gegenstände - Feuerwerkskörper,
Kategorien F1, F2 und F3 - Teil 5: Anforderungen an
Konstruktion und Funktion

This European Standard was approved by CEN on 8 August 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	4
1 Scope	6
2 Normative references	7
3 Terms and definitions	7
4 Construction	7
4.1 Construction materials (type test and batch test)	7
4.1.1 General requirements	7
4.1.2 Specific requirements	7
4.2 Length of handle and pull string (type test and batch test)	8
4.3 Permitted elements in battery, battery requiring external support, combination and combination requiring external support (type test and batch test)	9
4.4 Dimensions for mini rocket (type test and batch test)	9
4.5 Specific requirements for compound firework (type test and batch test)	10
4.6 Specific requirements for fireworks which eject pyrotechnic units with end closures (type test)	10
5 Pyrotechnic composition (type test)	10
6 Means of initiation	14
6.1 Permitted means of initiation (type test and batch test)	14
6.2 Protection of means of initiation (type test and batch test)	16
6.3 Attachment of means of initiation and resistance to ignition by an abrasive surface (type test and batch test)	16
6.4 Requirements for means of initiation (type test and batch test)	16
6.4.1 General requirements	16
6.4.2 Specific requirements	17
7 Performance	17
7.1 Properties to be checked before functioning tests	17
7.1.1 Loose pyrotechnic composition after mechanical conditioning (type test)	17
7.1.2 Integrity (type test and batch test)	17
7.1.3 Stabilization of flight (type test and batch test)	18
7.1.4 Other requirements (type test)	18
7.2 Properties to be checked during functioning tests (type test and batch test)	18
7.2.1 Principal effects	18
7.2.2 Functioning	18
7.2.3 Angle of ascent or flight	18
7.2.4 Motion	19
7.2.5 Stability during functioning	19
7.2.6 Height of explosion	20
7.2.7 Sound pressure level	20
7.2.8 Explosions and other failures	20
7.2.9 Burning or incandescent matter	21
7.2.10 Extinguishing of flames	21
7.2.11 Debris and projected debris	23
7.2.12 Burning rate of composition	23
7.2.13 Pull-string or strip	24

7.3	Properties to be checked after functioning tests (type test and batch test)	24
7.3.1	Droop	24
7.3.2	Plastics body	24
7.3.3	Tube containing the propellant charge for rocket and report rocket	24
8	Primary pack or selection pack (type test and batch test)	24
9	Type testing	24
9.1	General	24
9.2	Specific requirements for primary packs to be examined	26
10	Batch testing	26
10.1	General	26
10.2	Sampling plans	26
10.3	Unit of product	26
10.4	Nonconformities	27
10.5	Acceptance or rejection of a batch	29
10.5.1	Nonconforming units	29
10.5.2	Critical nonconforming units	29
10.5.3	Major nonconforming units	29
10.5.4	Minor nonconforming units	29
10.5.5	Fireworks supplied in primary packs or selection packs	29
Annex ZA	(informative) Relationship between this European Standard and the essential safety requirements of Directive 2013/29/EU aimed to be covered	30

European foreword

This document (EN 15947-5:2022) has been prepared by Technical Committee CEN/TC 212 “Pyrotechnic articles”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2023, and conflicting national standards shall be withdrawn at the latest by December 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15947-5:2015.

In comparison with the previous edition EN 15947-5:2015, the following essential technical modifications have been made:

- new fireworks types “report rocket” in F3 and “senko-hanabi” in F1 added with corresponding requirements;
- requirements for hand-held Bengal flame and Banger with preliminary effect have been added;
- procedure to check the labelling during type testing has been revised;
- measuring of sound pressure level during batch testing is not required, if the measured values during type testing were less than 90 dB (AI) at the respective safety distance;
- for fireworks with whistle elements no plastic tubes shall be ejected from the article during functioning;
- deletion of the requirements regarding “Integrity after function” (earlier 7.3.4);
- type testing was revised;
- requirements on elements in battery, battery requiring external support, combination and combination requiring external support has been revised;
- requirement for end closures breakability has been added;
- the requirement to use a non-metallic base plate to fix the individual fireworks for a compound firework has been removed;
- requirement removed for mounted wheels in category F3 (ex 6.4.2).

This document has been prepared under a Standardization Request (M/583) concerning pyrotechnic articles given to CEN by the European Commission and the European Free Trade Association, and supports Essential Safety requirements of Directive 2013/29/EU.

For relationship with Directive 2013/29/EU, see informative Annex ZA, which is an integral part of this document.

This document is one of the series of standards as listed below:

- EN 15947-1, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 1: Terminology*
- EN 15947-2, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 2: Categories and types of firework*

- EN 15947-3, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 3: Minimum labelling requirements*
- EN 15947-4, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 4: Test methods*
- EN 15947-5, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 5: Requirements for construction and performance*

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This document specifies requirements for construction and performance of firework and primary packs and selection packs. It is applicable to firework of the categories F1, F2 and F3 as defined by Article 6 Paragraph (1) clause (a) subclause (i) to (iii) of Directive 2013/29/EU.

This document is not applicable for fireworks containing detonative explosives other than black powder or flash composition or pyrotechnic composition that includes any of the following substances:

- arsenic or arsenic compounds;
- hexachlorobenzene;
- lead or lead compounds;
- mixtures containing a mass fraction of chlorates greater than 80 %;
- mixtures of chlorates with metals;
- mixtures of chlorates with red phosphorus (except when used in Christmas crackers, party poppers or snaps);
- mixtures of chlorates with potassium hexacyanoferrate (II);
- mixtures of chlorates with sulphur (these mixtures are allowed for friction heads only);
- mixtures of chlorates with sulphides;
- mercury compounds;
- nitrocellulose with a mass fraction of nitrogen of more than 12,6 %;
- picrates or picric acid;
- potassium chlorate with a mass fraction of bromates greater than 0,15 %;
- sulphur with an acidity, expressed in mass fraction of sulphuric acid, greater than 0,002 %;
- white phosphorus;
- zirconium with a particle size of less than 40 µm.

This document does not apply to fireworks intended to be kept or used at temperatures below -20 °C or above 50 °C.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15947-1:2022, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 1: Terminology*

EN 15947-2:2022, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 2: Categories and types of firework*

EN 15947-3:2022, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 3: Minimum labelling requirements*

EN 15947-4:2022, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 4: Test methods*

ISO 2859-1:1999,¹ *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15947-1:2022 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp/ui>

4 Construction

4.1 Construction materials (type test and batch test)

4.1.1 General requirements

Conformity to the following requirements shall be verified by visual examination according with EN 15947-4:2022, 6.13, except the last sentence of the second hyphen.

- The body of the firework case, except rocket motors containing only propellant charge, shall be made of paper, cardboard or plastic. The base (end closures) shall be made of non-metallic material. For fixing purposes, wood, staples, nails, aluminium coated foil or binding wires may be used.
- For articles fitted with a friction head: the primary pack shall be fitted with a striking surface. The striking surface on the primary pack shall be covered or the primary pack shall be sealed. The striking surface shall be resistant enough to allow ignition of all the fireworks included within the primary pack when tested in accordance with EN 15947-4:2022, 6.16.
- Any part of a firework that acts as handle shall not contain any pyrotechnic composition.

4.1.2 Specific requirements

Conformity to the following requirements shall be verified by visual examination according with EN 15947-4:2022, 6.13.

¹ As impacted by ISO 2859-1:1999/Cor.1:2001 and ISO 2859-1:1999/Amd.1:2011.