

Acoustics - Measurement of the influence of road surfaces on traffic noise - Part 1: Statistical Pass-By method (ISO 11819-1:2023)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 11819-1:2023 sisaldab Euroopa standardi EN ISO 11819-1:2023 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 11819-1:2023 consists of the English text of the European standard EN ISO 11819-1:2023.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 08.03.2023.	Date of Availability of the European standard is 08.03.2023.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 17.140.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 11819-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2023

ICS 17.140.30

Supersedes EN ISO 11819-1:2001

English Version

Acoustics - Measurement of the influence of road surfaces
on traffic noise - Part 1: Statistical Pass-By method (ISO
11819-1:2023)

Acoustique - Mesurage de l'influence des revêtements
de chaussées sur le bruit émis par la circulation - Partie
1: Méthode statistique au passage (ISO 11819-1:2023)

Akustik - Messung des Einflusses von
Straßenoberflächen auf Verkehrsgläusche - Teil 1:
Statistisches Vorbeifahrtverfahren (ISO 11819-1:2023)

This European Standard was approved by CEN on 21 February 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 11819-1:2023) has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 227 "Road materials" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2023, and conflicting national standards shall be withdrawn at the latest by September 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11819-1:2001.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 11819-1:2023 has been approved by CEN as EN ISO 11819-1:2023 without any modification.

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 Types of noise.....	2
3.2 Measurement method.....	2
3.3 Road speed categories.....	2
3.4 Vehicle categories.....	3
3.5 Measured noise quantities.....	3
3.6 Road surface terms applicable in this method.....	4
3.7 Backing board terms.....	4
4 Symbols and abbreviated terms	4
5 Measuring principle	5
6 Instrumentation	5
6.1 Instruments for acoustical measurements.....	5
6.1.1 General.....	5
6.1.2 Verification.....	5
6.2 Instruments for vehicle speed measurements.....	6
6.2.1 General.....	6
6.2.2 Verification.....	6
6.3 Instruments for temperature measurements.....	6
6.3.1 General.....	6
6.3.2 Verification.....	6
7 Test sites	6
7.1 Selection of measuring site.....	6
7.2 Deviations from free-field conditions.....	7
7.3 Considerations of guard rails and other barriers which can reflect or screen the sound.....	7
7.4 Surface between the tested road surface and microphone.....	7
7.5 Backing board.....	10
8 Traffic conditions	10
8.1 Vehicle classification.....	10
8.2 Selection of vehicles for measurement.....	10
8.3 Minimum number of vehicles.....	11
8.4 Road speed categories.....	12
9 Measuring procedure	12
9.1 Microphone position.....	12
9.2 Calibrations.....	13
9.3 Sound level measurement.....	14
9.4 Frequency spectrum measurement.....	14
9.5 Speed measurement.....	14
9.6 Temperature measurement.....	14
10 Meteorological conditions	14
10.1 Wind.....	14
10.2 Temperature.....	14
10.3 Recommendations on road surface moisture.....	14
11 Background noise	15
12 Normalization of data	15

12.1	Compensating for the effect of the additional (higher) microphone position	15
12.2	Combining vehicle categories H2 and H3+ into a common heavy vehicle category H.....	15
12.3	Noise versus speed - regression analysis (for passenger cars).....	16
12.4	Noise versus speed – normalization to reference speed (for heavy vehicles).....	16
12.5	Noise versus speed – normalization of frequency spectra for vehicles in categories P and H.....	18
12.6	Determination of SPB sound level at reference speeds.....	18
12.7	Useful speed range for the speed normalization.....	18
12.8	Correction of sound levels according to temperature.....	18
13	Measurement uncertainty.....	19
14	Reported data.....	20
14.1	General information.....	20
14.2	Information relating to the location and appearance of the test site.....	21
14.3	Information relating to the type and construction of the tested road surface.....	21
14.4	Information relating to the condition of the tested surface and environmental factors.....	21
14.5	Road speed category and vehicle information.....	21
14.6	Measured and calculated sound level and speed data.....	21
14.7	Others.....	22
Annex A (normative) Vehicle categories.....		23
Annex B (informative) Determination of the statistical pass-by index (SPBI).....		27
Annex C (informative) The backing board variant.....		29
Annex D (informative) Adding 95 % confidence intervals.....		34
Annex E (informative) Validity and stability of the method.....		35
Annex F (informative) Reference road surface.....		36
Annex G (informative) Monitoring the stability of sound levels of vehicle fleets.....		38
Annex H (informative) Uncertainty.....		40
Annex I (informative) Example of test report.....		43
Bibliography.....		47

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*, in collaboration with ISO Technical Committee TC 227, *Road materials*, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition of ISO 11819-1:1997 and ISO/PAS 11819-4:2013, which have been technically revised.

The main changes are as follows:

- ISO/PAS 11819-4 has now been integrated as [Annex C](#);
- the backing board method makes possible a wider application of the method, where the old version would not meet the acoustical free field conditions;
- changes to nomenclature for vehicle categories in [3.1](#), including the introduction of a 'generic' vehicle category and the introduction of a minimum gross vehicle weight (8 t) for dual-axle heavy vehicles;
- changes to some key symbols and abbreviations in [Clause 4](#);
- using a generic speed exponent for heavy vehicles instead of calculating a speed exponent from each measurement;
- using a correction to 2-axle medium vehicles for correcting them to a level typical of 3-axle heavy vehicles;
- more liberal requirement regarding the number of heavy vehicles to measure;
- an additional microphone position (at the height of 3,0 m) can be used in cases where reflecting objects could influence the results.

The objective of the changes and supplements is to make SPB measurements more practical while maintaining or reducing uncertainties.

A list of all parts in the ISO 11819 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This document is a preview generated by EVS

Introduction

The emission of road traffic noise greatly depends on road surface characteristics, notably on texture and porosity; the latter due to the flow resistivity of the air voids. Both these characteristics influence the generation of tyre/road noise and, in addition, the porosity can influence the emission of sound, particularly when the emission takes place close to the surface. Power unit noise, which is usually generated at a greater height above the road surface than tyre/road noise, can also be affected during emission by the porosity characteristics of the road surface. These effects lead to differences in sound levels, associated with a given traffic flow and composition, from different road surfaces of up to 15 dB, which can have a substantial impact on the environmental acoustic quality alongside a road.

It is therefore important to be able to measure this influence by a standardized method and to arrive at a quantitative ranking of road surfaces with respect to traffic noise. This document offers such a method, the objective of which is to satisfy a need expressed by road planners, road administrators, contractors, manufacturers of so-called "low-noise surfaces" and by other parties concerned with the prediction and control of road traffic noise.

Acoustics — Measurement of the influence of road surfaces on traffic noise —

Part 1: Statistical pass-by method

1 Scope

This document specifies a method of comparing traffic noise on different road surfaces for various compositions of road traffic for the purpose of evaluating different road surface types. Sound levels representing either light or heavy vehicles at selected speeds are assigned to a certain road surface. The method is applicable to traffic travelling at constant speed, i.e. free-flowing conditions at posted speeds of 50 km/h and upwards. For conditions where traffic is not free flowing, such as at junctions and where the traffic is congested, the method is not applicable.

A standard method for comparing the noise characteristics of road surfaces gives road and environment authorities a tool for establishing common practices or limits regarding the use of road surfaces meeting certain noise criteria. However, it is not within the scope of ISO 11819 (all parts) to suggest such criteria.

The statistical pass-by (SPB) method is suitable for use for the following main purposes:

- to classify road surfaces according to their influence on traffic noise (surface classification);
- to assist in verifying conformity of production of road surfaces;
- to evaluate acoustic performance of road surfaces throughout operation relative to new condition;
- to evaluate the influence of different road surfaces on traffic noise at sites irrespective of condition and service time;
- to evaluate acoustic performance of a road surface relative to a reference surface.

Due to practical restrictions, the method cannot be applied at all possible locations. However, the backing board method can allow some locations to be tested that were not previously acceptable.

[Clause 5](#) gives a general description of the SPB method.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1996-2, *Acoustics — Description, measurement and assessment of environmental noise — Part 2: Determination of sound pressure levels*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

IEC 60942:2017, *Electroacoustics — Sound calibrators*

IEC 61183, *Electroacoustics - Random-incidence and diffuse-field calibration of sound level meters*

IEC 61260-1, *Electroacoustics — Octave-band and fractional-octave-band filters — Part 1: Specifications*

IEC 61672-1, *Electroacoustics — Sound level meters — Part 1: Specifications*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 Types of noise

3.1.1

vehicle noise

total noise from an individual vehicle, including the two major components of *power unit noise* (3.1.3) and *tyre/road noise* (3.1.2)

3.1.2

tyre/road noise

noise generated by the tyre/road interaction

3.1.3

power unit noise

noise generated by the vehicle engine, exhaust system, air intake, fans, transmission, etc.

3.1.4

background noise

unwanted noise interfering with the noise that is intended to be measured

3.2 Measurement method

3.2.1

statistical pass-by method

SPB method

measurement procedure designed to evaluate vehicle and traffic noise generated on different sections of road surface under specific traffic conditions

Note 1 to entry: The measurements are taken from a great number of vehicles operating normally on the road. Results obtained using this procedure are normalized to standard speeds according to the category or type of road being considered.

3.3 Road speed categories

NOTE Three categories of roads are defined with respect to the range of speeds at which the traffic flows and usually associated with certain areas (urban, suburban, rural, etc.).

3.3.1

"low" speed road

road category where traffic operates at an average speed of 45 km/h to 64 km/h

3.3.2

"medium" speed road

road category where traffic operates at an average speed of 65 km/h to 99 km/h

Note 1 to entry: These conditions are mostly found in suburban areas or on rural highways.