

ICS 29.160.01

Supersedes CLC/TS 60034-17:2004; CLC/TS 60034-25:2008

English Version

**Rotating electrical machines - Part 25: AC electrical machines
used in power drive systems - Application guide
(IEC/TS 60034-25:2022)**

Machines électriques tournantes - Partie 25: Machines
électriques à courant alternatif utilisées dans les systèmes
d'entraînement de puissance - Guide d'application
(IEC/TS 60034-25:2022)

Drehende elektrische Maschinen - Teil 25:
Wechselstrommaschinen zur Verwendung in
Antriebssystemen - Anwendungsleitfaden
(IEC/TS 60034-25:2022)

This Technical Specification was approved by CENELEC on 2024-01-22.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (CLC IEC/TS 60034-25:2024) consists of the text of IEC/TS 60034-25:2022 prepared by IEC/TC 2 "Rotating machinery".

This document supersedes CLC/TS 60034-17:2004 and CLC/TS 60034-25:2008 and all of their amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Technical Specification IEC/TS 60034-25:2022 was approved by CENELEC as a European Technical Specification without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 61800-2:2021 NOTE Approved as EN IEC 61800-2:2021 (not modified)

IEC/TR 61800-6 NOTE Approved as CLC/TR 61800-6

TECHNICAL SPECIFICATION



**Rotating electrical machines –
Part 25: AC electrical machines used in power drive systems – Application guide**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview generated by EVS

TECHNICAL SPECIFICATION



**Rotating electrical machines –
Part 25: AC electrical machines used in power drive systems – Application guide**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.160.01

ISBN 978-2-8322-2003-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	9
INTRODUCTION.....	11
1 Scope.....	12
2 Normative references	12
3 Terms and definitions	13
4 System characteristics.....	16
4.1 General.....	16
4.2 System information	16
4.3 Torque/speed considerations	16
4.3.1 General	16
4.3.2 Torque/speed capability.....	17
4.3.3 Electrical machine rating.....	18
4.3.4 Limiting factors on torque/speed capability	18
4.3.5 Safe operating speed, over-speed capability and over-speed test.....	19
4.3.6 Cooling arrangement	19
4.3.7 Voltage/frequency characteristics	20
4.3.8 Resonant speed bands	20
4.3.9 Duty cycles.....	21
4.4 Electrical machine requirements	21
5 Losses and their effects (for induction electrical machines fed from voltage source converters).....	24
5.1 General.....	24
5.2 Location of the additional losses due to converter supply and ways to reduce them	25
5.3 Converter features to reduce the electrical machine losses.....	26
5.3.1 Reduction of fundamental losses	26
5.3.2 Reduction of additional losses due to converter supply.....	26
5.4 Use of filters to reduce additional electrical machine losses due to converter supply.....	27
5.5 Temperature influence on life expectancy	27
5.6 Determination of electrical machine efficiency.....	28
6 Acoustic noise, vibration and torsional oscillation	28
6.1 Acoustic noise	28
6.1.1 General	28
6.1.2 Changes in noise emission due to changes in speed	28
6.1.3 Magnetically excited noise.....	29
6.1.4 Sound power level determination and limits	31
6.2 Vibration (excluding torsional oscillation)	31
6.2.1 General	31
6.2.2 Vibration level determination and limits.....	32
6.3 Torsional oscillation	32
7 Electrical machine insulation electrical stresses	33
7.1 General.....	33
7.2 Causes	33
7.3 Winding electrical stress	35
7.4 Limits and responsibility.....	36

7.4.1	Electrical machines design for low voltage ($\leq 1\,000\text{ V}$)	36
7.4.2	Electrical machines designed for medium and high voltage ($> 1\,000\text{ V}$)	37
7.5	Methods of reduction of voltage stress	37
7.6	Insulation stress limitation.....	38
8	Bearing currents	39
8.1	Sources of bearing currents in converter-fed electrical motors	39
8.1.1	General	39
8.1.2	Circulating currents due to magnetic asymmetry	39
8.1.3	Electrostatic build-up	39
8.1.4	High-frequency effects in converter operation	39
8.2	Generation of high-frequency bearing currents.....	41
8.2.1	Common mode voltage	41
8.2.2	Motor HF equivalent circuit and the resulting bearing current types	42
8.2.3	Circulating current	44
8.2.4	Rotor ground current	44
8.2.5	Electrostatic Discharge Machining (EDM) currents.....	45
8.3	Consequences of excessive bearing currents.....	46
8.4	Preventing high-frequency bearing current damage	50
8.4.1	Basic approaches	50
8.4.2	Other preventive measures	51
8.4.3	Other factors and features influencing the bearing currents	54
8.5	Additional considerations for electrical motors fed by high voltage source converters.....	54
8.5.1	General	54
8.5.2	Bearing protection of cage induction, brushless synchronous and permanent magnet electrical motors	54
8.5.3	Bearing protection for slip-ring electrical motors and for synchronous electrical motors with brush excitation	54
8.6	Bearing current protection for electrical motors fed by high-voltage current source converters	55
9	Installation.....	55
9.1	Earthing, bonding and cabling.....	55
9.1.1	General	55
9.1.2	Earthing.....	55
9.1.3	Bonding of electrical machines	55
9.1.4	Electrical machine power cables for high switching frequency converters	56
9.2	Reactors and filters.....	61
9.2.1	General	61
9.2.2	Output reactors.....	61
9.2.3	Voltage limiting filter (du/dt filter)	61
9.2.4	Sinusoidal filter.....	61
9.2.5	Electrical machine termination unit	61
9.3	Power factor correction	62
9.4	Integral electrical machines (integrated electrical machine and drive modules).....	63
10	Additional considerations for permanent magnet (PM) synchronous electrical machines fed by voltage source converters	63
10.1	System characteristics	63
10.2	Losses and their effects	63

10.3	Noise, vibration and torsional oscillation	64
10.4	Electrical machine insulation electrical stresses	64
10.5	Bearing currents	64
10.6	Particular aspects of permanent magnets	64
11	Additional considerations for cage induction electrical machines fed by high voltage source converters.....	64
11.1	General.....	64
11.2	System characteristics	65
11.3	Losses and their effects	66
11.3.1	Additional losses in the stator and rotor winding	66
11.3.2	Measurement of additional losses	66
11.4	Noise, vibration and torsional oscillation	66
11.5	Electrical machine insulation electrical stresses.....	67
11.5.1	General	67
11.5.2	Electrical machine terminal overvoltage.....	67
11.5.3	Stator winding voltage stresses in converter applications.....	67
11.6	Bearing currents	69
12	Additional considerations for synchronous electrical machines fed by voltage source converters	69
12.1	System characteristics	69
12.2	Losses and their effects	69
12.3	Noise, vibration and torsional oscillation	69
12.4	Electrical machine insulation electrical stresses.....	69
12.5	Bearing currents	70
13	Additional considerations for cage induction electrical machines fed by block-type current source converters	70
13.1	System characteristics (see Figure 35 and Figure 36).....	70
13.2	Losses and their effects	71
13.3	Noise, vibration and torsional oscillation	73
13.4	Electrical machine insulation electrical stresses.....	73
13.5	Bearing currents	73
13.6	Additional considerations for six-phase cage induction electrical machines.....	74
14	Additional considerations for synchronous electrical machines fed by LCI	74
14.1	System characteristics	74
14.2	Losses and their effects	75
14.3	Noise, vibration and torsional oscillation	75
14.4	Electrical machine insulation electrical stresses.....	75
14.5	Bearing currents	75
15	Additional considerations for cage induction electrical machines fed by pulsed current source converters (PWM CSI).....	76
15.1	System characteristics (see Figure 39)	76
15.2	Losses and their effects	77
15.3	Noise, vibration and torsional oscillation	77
15.4	Electrical machine insulation electrical stresses.....	77
15.5	Bearing currents	77
16	Wound rotor induction (asynchronous) electrical machines supplied by voltage source converters in the rotor circuit.....	77
16.1	System characteristics	77
16.2	Losses and their effects	77

16.3	Noise, vibration and torsional oscillation	78
16.4	Electrical machine insulation electrical stresses	78
16.5	Bearing currents	78
17	Other electrical machine/converter systems	78
17.1	Drives supplied by cyclo-converters	78
17.2	Wound rotor induction (asynchronous) electrical machines supplied by current source converters in the rotor circuit	80
18	Special consideration for standard fixed-speed induction electrical machines in the scope of IEC 60034-12 when fed from voltage source converter and motor requirements to be considered a converter capable motor	80
18.1	General	80
18.2	Torque derating during converter operation	82
18.2.1	General	82
18.2.2	Self-cooled motors	83
18.2.3	Non self-cooled motors	84
18.3	Losses and their effects	84
18.4	Noise, vibrations and torsional oscillation	84
18.5	Electrical machine insulation electrical stresses	84
18.5.1	General	84
18.5.2	Converter capable motor	85
18.6	Bearing currents in converter capable motors	85
18.7	Speed range mechanical limits	86
18.7.1	General	86
18.7.2	Maximum speed	86
18.7.3	Minimum speed	86
18.8	Overload torque capability	87
18.9	Excess overload current limits	87
18.9.1	General	87
18.9.2	Converter capable motor	87
18.10	Volts/Hz ratio and voltage boost	87
18.11	Resonance	87
18.12	Hazardous area operation	87
18.12.1	General	87
18.12.2	Converter capable motor	88
18.13	Unusual service conditions	89
18.13.1	Converter capable motors	89
18.13.2	Unusual converter-fed applications	89
19	Additional considerations for synchronous reluctance electrical machine fed by voltage source converters	89
19.1	System characteristics	89
19.2	Losses and their effects	89
19.3	Noise, vibration and torsional oscillation	89
19.4	Electrical machine insulation electrical stresses	89
19.5	Bearing currents	89
19.6	Particular aspects of synchronous reluctance electrical machines	90
Annex A (informative)	Converter characteristics	91
A.1	Converter control types	91
A.1.1	General	91
A.1.2	Converter type considerations	92

A.2	Converter output voltage generation (for voltage source converters).....	92
A.2.1	Pulse width modulation (PWM)	92
A.2.2	Hysteresis (sliding mode)	93
A.2.3	Influence of switching frequency	93
A.2.4	Multi-level converters.....	94
A.2.5	Parallel converter operation	95
Annex B (informative)	Output characteristics of 2 level voltage source converter spectra	96
Annex C (informative)	Voltages to be expected at the power interface between converter and electrical machine.....	100
Annex D (informative)	Speed and harmonic capability of converter capable induction motor	104
D.1	General.....	104
D.2	Harmonic capability of converter capable motors	104
D.3	Speed capability and derating in variable torque application	105
D.4	Speed capability and derating in a constant torque application	105
Bibliography	107
Figure 1	– Torque/speed capability	17
Figure 2	– Current required by motor	18
Figure 3	– Examples of possible converter output voltage/frequency characteristics	20
Figure 4	– Example for the dependence of the electrical machine losses caused by harmonics P_h , related to the losses P_{f1} at operating frequency f_1 , on the switching frequency f_s in case of 2 level voltage source converter supply	25
Figure 5	– Example of measured losses P_L as a function of frequency f and supply type	26
Figure 6	– Additional losses ΔP_L of an electrical machine (same electrical machine as Figure 5) due to converter supply, as a function of pulse frequency f_p , at 50 Hz rotational frequency	27
Figure 7	– Relative fan noise as a function of fan speed	29
Figure 8	– Vibration modes of the stator core.....	30
Figure 9	– Typical surges at the terminals of an electrical machine fed from a PWM converter	33
Figure 10	– Typical voltage surges on one phase at the converter and at the electrical machine terminals (2 ms/division)	34
Figure 11	– Individual short rise-time surge from Figure 10 (1 μ s/division)	34
Figure 12	– Definition of the rise-time t_r of the voltage pulse at the electrical machine terminals.....	35
Figure 13	– First turn voltage as a function of the rise-time	36
Figure 14	– Discharge pulse occurring as a result of converter generated voltage surge at electrical machine terminals (100 ns/division)	38
Figure 15	– Classification of bearing currents	39
Figure 16	– Parasitic impedances to earth of drive system components	40
Figure 17	– Common mode voltage a) determination b) waveform example	41
Figure 18	– HF equivalent circuit diagram (a) of a motor (b) geometrical representation of capacitances.....	42
Figure 19	– Graphical representation of the different high frequency bearing current types in the drive unit highlighting the involved physical components.....	43

Figure 20 – Principle of circulating currents formation	44
Figure 21 – Rotor ground current principle	45
Figure 22 – Example of measured EDM-current pulses for a 400 V and 500 kW induction motor in converter operation	46
Figure 23 – Photographs of damaged motor bearings	47
Figure 24 – Bonding strap from electrical machine terminal box to electrical machine frame	56
Figure 25 – Examples of shielded electrical machine cables and connections	57
Figure 26 – Parallel symmetrical cabling of high-power converter and electrical machine	58
Figure 27 – Converter connections with 360° HF cable glands showing the Faraday cage	59
Figure 28 – Electrical machine end termination with 360° connection	59
Figure 29 – Cable shield connection	60
Figure 30 – Characteristics of preventative measures	62
Figure 31 – Schematic of typical three-level converter	65
Figure 32 – Output voltage and current from typical three-level converter	65
Figure 33 – Typical first turn voltage ΔU (as a percentage of the line-to-ground voltage) as a function of du/dt	67
Figure 34 – Medium-voltage and high-voltage form-wound coil insulating and voltage stress control materials	68
Figure 35 – Schematic of block-type current source converter	70
Figure 36 – Current and voltage waveforms of block-type current source converter	70
Figure 37 – Influence of converter supply on the losses of a cage induction electrical machine (frame size 315 M, design N) with rated values of torque and speed	72
Figure 38 – Schematic and voltage and current waveforms for a synchronous electrical machine supplied from a current source converter	74
Figure 39 – Schematic of pulsed current source converter	76
Figure 40 – Voltages and currents of pulsed current source converter	76
Figure 41 – Schematic of cyclo-converter	78
Figure 42 – Voltage and current waveforms of a cyclo-converter	79
Figure 43 – Diagram comparing converter capable motor to converter duty motor	81
Figure 44 – Fundamental voltage U_1 as a function of operating frequency f_1	82
Figure 45 – Torque derating factor for cage induction electrical machines of design N, IC 411 (self-circulating cooling) as a function of operating frequency f_1 (example)	83
Figure A.1 – Effects of switching frequency on electrical machine and converter losses	93
Figure A.2 – Effects of switching frequency on acoustic noise	94
Figure A.3 – Effects of switching frequency on torque ripple	94
Figure B.1 – Waveform of line-to-line voltage U_{LL} for voltage source converter supply with switching frequency $f_s = 30 \times f_1$ (example)	96
Figure B.2 – Typical output voltage frequency spectra for a constant frequency PWM control versus hysteresis control	97
Figure B.3 – Typical output voltage frequency spectra for random frequency PWM versus hysteresis control	97
Figure B.4 – Typical output voltage frequency spectra for a two-phase modulated control versus hysteresis modulation	98

Figure B.5 – Typical time characteristics of electrical machine current for a Constant frequency PWM control versus hysteresis control 98

Figure B.6 – Typical time characteristics of electrical machine current for a two-phase modulated control versus hysteresis modulation 99

Figure C.1 – Example of typical voltage curves and parameters of a two level inverter versus time at the electrical machine terminals (phase to phase voltage; taken from IEC TS 61800-8)..... 100

Figure D.1 – Derating curve for harmonic voltages..... 105

Figure D.2 – Torque capability at reduced speeds due to the effects of reduced cooling (applies to 50 Hz or 60 Hz design N)..... 106

Table 1 – Significant factors affecting torque/speed capability 19

Table 2 – Electrical machine design considerations 22

Table 3 – Electrical machine parameters for the tuning of the converter..... 23

Table 4 – Operating voltage at the terminals in units of U_N where the electrical machines may operate reliably without special agreements between manufacturers and system integrators 37

Table 5 – Different grades of roller bearing damages 48

Table 6 – Effectiveness of bearing current counter measures 52

IEC TS 60034-25 preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ROTATING ELECTRICAL MACHINES –

**Part 25: AC electrical machines used in power drive systems –
Application guide**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 60034-25 has been prepared by IEC technical committee 2: Rotating machinery. It is a Technical Specification.

This fourth edition of IEC TS 60034-25 cancels and replaces the third edition, published in 2014.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The definitions of a converter capable motor and a converter duty motor are added.
- b) Clause 18 modified to include the performance expectations of a converter capable motor.
- c) Clause 8 modified to update shaft currents section.
- d) Annex D added to define the derating requirements.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
2/2067/DTS	2/2097/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60034 series, published under the general title *Rotating electrical machines*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The performance characteristics and operating data for converter-fed electrical machines are influenced by the complete drive system, comprising supply system, converter, cabling, electrical machine, mechanical shafting and control equipment. Each of these components exists in numerous technical variants. Any values quoted in this document are thus indicative only.

In view of the complex technical interrelations within the system and the variety of operating conditions, it is beyond the scope and object of this document to specify numerical or limiting values for all the quantities which are of importance for the design of the power drive system.

To an increasing extent, it is the practice that power drive systems consist of components produced by different manufacturers. The object of this document is to explain, as far as possible, the influence of these components on the design of the electrical machine and its performance characteristics.

This document deals with both AC electrical machines which are specifically designed for converter supply and converter-fed electrical machines within the scope of IEC 60034-12, which are designed originally for mains supply.

IEC 60034-25:2022 a preview generated by EVS

ROTATING ELECTRICAL MACHINES –

Part 25: AC electrical machines used in power drive systems – Application guide

1 Scope

This part of IEC 60034 describes the performance characteristics of AC electrical machines for use on converter supplies. For electrical machines specifically designed for converter duty application design features are defined. It also specifies the interface parameters and interactions between the electrical machine and the converter including installation guidance as part of a power drive system, but except for the voltage at the power interface which is described in IEC TS 61800-8.

The general requirements of relevant parts of the IEC 60034 series of standards also apply to electrical machines within the scope of this document.

For electrical machines operating in potentially explosive atmospheres, additional requirements as described in the IEC 60079 series for dust ignition proof apply.

This document is not primarily concerned with safety. However, some of its recommendations may have implications for safety, which are considered as necessary.

Where a converter manufacturer provides specific installation recommendations, they take precedence over the recommendations of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1:2022, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-2-1, *Rotating electrical machines – Part 2-1: Standard methods for determining losses and efficiency from tests (excluding machines for traction vehicles)*

IEC 60034-2-2, *Rotating electrical machines – Part 2-2: Specific methods for determining separate losses of large machines from tests – Supplement to IEC 60034-2-1*

IEC 60034-2-3, *Rotating electrical machines – Part 2-3: Specific test methods for determining losses and efficiency of converter-fed AC induction motors*

IEC 60034-6, *Rotating electrical machines – Part 6: Methods of cooling (IC Code)*

IEC 60034-9:2021, *Rotating electrical machines – Part 9: Noise limits*

IEC 60034-12, *Rotating electrical machines – Part 12: Starting performance of single-speed three-phase cage induction motors*

IEC 60034-14:2018, *Rotating electrical machines – Part 14: Mechanical vibration of certain machines with shaft heights 56 mm and higher – Measurement, evaluation and limits of vibration severity*

IEC 60034-18-41:2014, *Rotating electrical machines – Part 18-41: Partial discharge free electrical insulation systems (Type I) used in rotating electrical machines fed from voltage converters – Qualification and quality control tests*
IEC 60034-18-41:2014/AMD1:2019

IEC 60034-18-42:2017, *Rotating electrical machines – Part 18-42: Partial discharge resistant electrical insulation systems (Type II) used in rotating electrical machines fed from voltage converters – Qualification tests*
IEC 60034-18-42:2017/AMD1:2020

IEC 60079 (all parts): *Explosive atmospheres*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC TR 61000-5-1, *Electromagnetic compatibility (EMC) – Part 5: Installation and mitigation guidelines – Section 1: General considerations – Basic EMC publication*

IEC TR 61000-5-2, *Electromagnetic compatibility (EMC) – Part 5: Installation and mitigation guidelines – Section 2: Earthing and cabling*

IEC 61800-3, *Adjustable speed electrical power drive systems – Part 3: EMC requirements and specific test methods*

IEC 61800-5-1, *Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy*

IEC TS 61800-8:2010, *Adjustable speed electrical power drive systems – Part 8: Specification of voltage on the power interface*

IEC TS 62578:2015, *Power electronics systems and equipment – Operation conditions and characteristics of active infeed converter (AIC) applications including design recommendations for their emission values below 150 kHz*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

bearing voltage ratio

BVR

ratio of the capacitively coupled bearing voltage to the common-mode voltage