



**International
Standard**

ISO 16000-33

Indoor air —

Part 33:

**Determination of phthalates
with gas chromatography/mass
spectrometry (GC/MS)**

Air intérieur —

*Partie 33: Détermination des phthalates par chromatographie en
phase gazeuse/spectrométrie de masse (CPG/SM)*

**Second edition
2024-07**

This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	2
5 Sampling methods and analytical apparatus	3
5.1 General.....	3
5.2 Sampling by adsorption with subsequent thermal desorption.....	3
5.2.1 Apparatus, operating materials and chemicals.....	3
5.2.2 Preparation of the thermal desorption tube.....	4
5.2.3 Sampling.....	4
5.3 Sampling by adsorption and subsequent solvent extraction.....	5
5.3.1 Apparatus, operating materials and chemicals.....	5
5.3.2 Preparation of Florisil® and the adsorption tubes.....	6
5.3.3 Suggestions regarding the application of Florisil®.....	6
5.3.4 Sampling.....	7
5.3.5 Sample conditioning.....	7
6 Calibration	8
6.1 General.....	8
6.2 Calibration of the thermal desorption method.....	8
6.3 Calibration of the solvent extraction method.....	8
7 Identification and quantification	9
7.1 Mass spectrometric analysis.....	9
8 Establishment of calibration curves and calculation of the analyte mass	14
8.1 Establishment of a calibration curve.....	14
8.2 Calculation of the analyte mass.....	14
9 Calculation of indoor air concentrations	15
10 Performance characteristics	16
10.1 Detection limit.....	16
10.2 Quantification limit and problems related to blank values.....	16
10.3 Reproducibility standard deviation and repeatability standard deviation.....	17
11 Quality assurance	18
11.1 Method verification and determination of blanks.....	18
11.1.1 General.....	18
11.1.2 Field blank value of the indoor air.....	18
11.1.3 Analytical laboratory blank value.....	18
11.2 Measures for blank value minimization.....	18
11.3 Documents.....	19
12 Interferences	19
Annex A (informative) General information on phthalates	20
Annex B (informative) Sampling by adsorption with ODS solid phase disk or SDB copolymer cartridge	23
Annex C (informative) Screening phthalates in solvent wipe tests	29
Annex D (informative) Screening phthalates in house dust	32
Annex E (informative) Practical example for the calibration of the thermal desorption method	36

Annex F (informative) Practical example for the calibration of the solvent extraction method using Florisil®	38
Annex G (informative) Practical example for the gas chromatography with thermal desorption	40
Annex H (informative) Practical example for the gas chromatography following solvent extraction	41
Annex I (informative) Problems related to the blank values	42
Annex J (informative) Example of sampling protocol documentation	43
Bibliography	44

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 6, *Indoor air*.

This second edition cancels and replaces the first edition (ISO 16000-33:2017), which has been technically revised.

The main change is as follows: a description of an adsorbent which can alternatively be used has been added.

A list of all parts in the ISO 16000 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Different parts of the ISO 16000 series describe the general requirements relating to the measurement of indoor air pollutants and the important conditions to be observed before or during the sampling of individual pollutants or groups of pollutants, as well as the measurement procedures themselves.

The definition of indoor environment is given by ISO 16000-1. Dwellings [living rooms, bedrooms, do-it-yourself (DIY) rooms, sports rooms and cellars, kitchens and bathrooms], workrooms or workplaces in buildings which are not subject to health and safety inspections with respect to air pollutants (e.g. offices, salesrooms), public buildings (e.g. restaurants, theatres, cinemas and other meeting rooms) and passenger cabins of motor vehicles and public transport are among the most important types of indoor environment.

Phthalates, the diesters of the ortho-phthalic acid (1,2-benzene dicarboxylic acid), are emitted into the indoor air primarily from articles of daily use made of soft polyvinyl chloride (PVC). Typically, phthalates are used as plasticizers in soft PVC. Four most frequently used phthalates are diisodecylphthalate (DiDP), diisononylphthalate (DiNP), di-2-ethylhexyl terephthalate (DOTP) and di-isononyl cyclohexane dicarboxylate (DINCH) but other families of esters are available. Di(2-ethylhexyl)-phthalate (DEHP), di-n-butyl-phthalate (DBP) and benzyl-n-butyl-phthalate (BBP) were used in Europe until more recent regulatory developments placed restrictions on their use in the manufacture of new articles. However, these can still be present in articles currently in use and are subject to assessment. An overview of the most important phthalates, their acronyms and several relevant substance properties can be found in [Table A.1](#). These phthalates can be determined in indoor environments by means of the analytical methods incorporating gas chromatography-mass spectrometry specified in this document.

Indoor air —

Part 33:

Determination of phthalates with gas chromatography/mass spectrometry (GC/MS)

1 Scope

This document specifies the sampling and analysis of phthalates in indoor air and describes the sampling and analysis of phthalates in house dust and in solvent wipe samples of surfaces by means of gas chromatography-mass spectrometry (GC-MS).

Two alternative sampling, sample preparation and sample introduction methods, whose comparability has been proven in an interlaboratory test, are specified for indoor air^[1]:

- sorbent tubes sampling with subsequent thermal desorption GC-MS, and
- sampling by adsorption and subsequent solvent extraction and injection to GC-MS.

Additional adsorbents that can be used are described in [Annex B](#).

Depending on the sampling method, the compounds dimethyl phthalate to diisoundecylphthalate can be analysed in house dust as described in [Annex D](#)^[2]. The investigation of house dust samples is only appropriate as a screening method. This investigation only results in indicative values and is not acceptable for a final assessment of a potential need for action.

Dimethyl phthalate to diisoundecylphthalate can be analysed in solvent wipe samples as described in [Annex C](#). Solvent wipe samples are suitable for non-quantitative source identification.

NOTE In principle, the method is also suitable for the analysis of other phthalates, adipates and cyclohexane dicarboxylic acid esters, but this is confirmed by determination of the performance characteristics in each case.

General information on phthalates are given in [Annex A](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 16000-6, *Indoor air — Part 6: Determination of organic compounds (VVOC, VOC, SVOC) in indoor and test chamber air by active sampling on sorbent tubes, thermal desorption and gas chromatography using MS or MS FID*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>