

VEDELGAASI SEADMED JA LISAVARUSTUS. ÜLERÕHU
KAITSEKLAPID VEDELGAASI MAHUTITELE.
ABISEADMED

LPG equipment and accessories - Pressure relief
valves for LPG pressure vessels - Ancillary equipment

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 14071:2024 sisaldab Euroopa standardi EN 14071:2024 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.11.2024.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 14071:2024 consists of the English text of the European standard EN 14071:2024.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 27.11.2024.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.060.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 14071

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2024

ICS 23.060.40

Supersedes EN 14071:2015+A1:2019

English Version

LPG equipment and accessories - Pressure relief valves for LPG pressure vessels - Ancillary equipment

Équipements pour GPL et leurs accessoires - Soupapes
de sécurité des réservoirs de gaz de pétrole liquéfié
(GPL) - Équipements auxiliaires

Flüssiggas-Geräte und Ausrüstungsteile -
Druckentlastungsventile für Druckbehälter für
Flüssiggas (LPG) - Zusatzausrüstung

This European Standard was approved by CEN on 27 October 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Operating conditions	9
5 Materials.....	9
5.1 General.....	9
5.2 Metallic materials	10
5.3 Non-metallic components	10
5.4 Lubricants, sealants, and adhesives	11
5.5 Inspection Documents.....	11
6 Design.....	11
6.1 Introduction.....	11
6.2 PRV isolating devices.....	11
6.2.1 General.....	11
6.2.2 Actuation.....	11
6.2.3 Indication of closure	11
6.2.4 Guiding arrangements.....	12
6.2.5 Isolating mechanism security.....	12
6.2.6 Interchangeability	12
6.3 PRV manifold	12
6.3.1 General.....	12
6.3.2 Indication of port closure.....	16
6.3.3 Port closure	16
6.4 Vent pipe	16
6.4.1 Design.....	16
6.4.2 Materials.....	16
6.4.3 Effect from external conditions.....	16
6.5 Connections.....	16
6.6 Threads.....	17
6.7 Minimum requirements for springs.....	17
7 Testing of the design	17
7.1 General.....	17
7.2 Test requirements	17
7.3 Hydraulic proof test	18
7.4 Relief valve isolator test	18
7.5 Testing of audible signal of isolating devices and residual flow of isolating devices and PRV manifolds.....	19
7.6 Resistance of the isolating mechanism	19
7.7 Over-torque deformation test	19
7.8 Operation test.....	19
7.8.1 General.....	19
7.8.2 System test.....	19

7.9	Stress cracking test	20
7.9.1	General	20
7.9.2	Moist ammonia air stress cracking test.....	20
7.9.3	Mercurous nitrate immersion test.....	20
8	Production testing of isolating devices and PRV manifolds.....	20
9	Marking and labelling	21
9.1	PRV isolating device	21
9.2	PRV manifolds.....	21
10	User instructions.....	21
10.1	PRV isolating devices	21
10.2	PRV manifolds.....	22
	Annex A (normative) Dimensions of master test pieces for PRV and isolating devices.....	23
	Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/68/EU (Pressure Equipment Directive) aimed to be covered.....	25
	Bibliography	27

European foreword

This document (EN 14071:2024) has been prepared by Technical Committee CEN/TC 286 “LPG equipment and accessories”, the secretariat of which is held by NSAI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2025, and conflicting national standards shall be withdrawn at the latest by May 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This document supersedes EN 14071:2015+A1:2019.

The major changes in comparison to the previous edition include:

- Revision of 5.2 Metallic materials;
- Revision of 5.3 Non-metallic materials;
- Clarification to Table 1
- Revision of 6.3 Vent pipe
- Revision to the resistance of the isolating mechanism test, 7.6;
- Revision to the operation test, 7.8;
- Revision of the Kd value for M 36;
- Revision of Annex ZA.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

This document calls for the use of substances and procedures that may be injurious to health and/or the environment if adequate precautions are not taken. It refers only to technical suitability: it does not absolve the user from their legal obligations at any stage.

It is recommended that manufacturers develop an environmental management policy. For guidance, see the EN ISO 14000 series [1], [2] and [3].

Protection of the environment is a key political issue in Europe and elsewhere. For TC 286 this is covered in CEN/TS 16765 [4] *LPG equipment and accessories - Environmental considerations for CEN/TC 286 standards*, and this Technical Specification should be read in conjunction with this document. The Technical Specification provides guidance on the environmental aspects to be considered regarding equipment and accessories produced for the LPG industry and the following is addressed:

- a) design;
- b) manufacture;
- c) packaging;
- d) use and operation; and
- e) disposal.

It has been assumed in the drafting of this document that the execution of its provisions is entrusted to appropriately qualified and experienced people.

All pressures are gauge pressures unless otherwise stated.

NOTE This document requires measurement of material properties, dimensions and pressures. All such measurements are subject to a degree of uncertainty due to tolerances in measuring equipment, etc. It may be beneficial to refer to the leaflet "measurement uncertainty leaflet" SP INFO 2000 27 [5].

1 Scope

This document specifies the design, testing and inspection requirements for pressure relief valve (PRV), isolating devices, valve manifolds, vent pipes and system assemblies which are, where necessary, used with PRVs for use in static pressure vessels for Liquefied Petroleum Gas (LPG) service.

This document addresses both prototype testing and production testing of isolating devices and PRV manifolds.

PRVs for LPG pressure vessels are specified in EN 14129:2024.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 549:2019+A2:2024, *Rubber materials for seals and diaphragms for gas appliances and gas equipment*

EN 751-1:1996, *Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 1: Anaerobic jointing compounds*

EN 751-2:1996, *Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 2: Non-hardening jointing compounds*

EN 751-3:2022+A1:2023, *Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 3: Unsintered PTFE tapes and PTFE strings*

EN 1092-1:2018, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 1: Steel flanges*

EN 1563:2018, *Founding - Spheroidal graphite cast irons*

EN 10204:2004, *Metallic products - Types of inspection documents*

EN 12164:2016, *Copper and copper alloys - Rod for free machining purposes*

EN 12165:2016, *Copper and copper alloys - Wrought and unwrought forging stock*

EN 12420:2014, *Copper and copper alloys - Forgings*

EN 12516-1:2014+A1:2018, *Industrial valves - Shell design strength - Part 1: Tabulation method for steel valve shells*

EN 12516-4:2014+A1:2018, *Industrial valves - Shell design strength - Part 4: Calculation method for valve shells manufactured in metallic materials other than steel*

EN 13480-3:2017,¹ *Metallic industrial piping - Part 3: Design and calculation*

EN 13445-2:2021+A1:2023, *Unfired pressure vessels - Part 2: Materials*

1) As impacted by EN 13480-3:2017/A2:2020 and EN 13480-3:2017/A3:2020.

EN 13906-1:2013, *Cylindrical helical springs made from round wire and bar - Calculation and design - Part 1 : Compression springs*

EN 14129:2024, *LPG Equipment and accessories - Pressure relief valves for LPG pressure vessels*

EN ISO 9227:2022, *Corrosion tests in artificial atmospheres - Salt spray tests (ISO 9227:2022)*

EN ISO 11114-1:2020, *Gas cylinders - Compatibility of cylinder and valve materials with gas contents - Part 1: Metallic materials (ISO 11114-1:2020)*

EN ISO 11114-2:2021, *Gas cylinders - Compatibility of cylinder and valve materials with gas contents - Part 2: Non-metallic materials (ISO 11114-2:2021)*

ISO 6957:1988, *Copper alloys — Ammonia test for stress corrosion resistance*

ASME B1.20.1:2013, *Pipe threads, general purpose (inch)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

liquefied petroleum gas

LPG

low pressure liquefied gas composed of one or more light hydrocarbons which are assigned to UN 1011, UN 1075, UN 1965, UN 1969 or UN 1978 only and which consists mainly of propane, propene, butane, butane isomers, butene with traces of other hydrocarbon gases

3.2

pressure vessel

assembly of the pressure envelope (including the openings and their closures) and non-pressure-retaining parts attached directly to it

3.3

pressure relief valve

PRV

self-closing valve which automatically, without the assistance of any energy other than that of the vapour concerned, discharges vapour at a predetermined pressure, and operates with a pop action

Note 1 to entry: This is known as a “safety valve” in ADR.

3.4

pressure relief valve system

PRV system

pressure relief valve(s) for use on the pressure vessel complete with isolating device or PRV manifold, and vent pipe where appropriate