

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

BASIC EMC PUBLICATION  
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –  
Part 4-2: Testing and measurement techniques – Electrostatic discharge  
immunity test**

**Compatibilité électromagnétique (CEM) –  
Partie 4-2: Techniques d'essai et de mesure – Essai d'immunité aux décharges  
électrostatiques**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2025 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

---

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

#### [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

BASIC EMC PUBLICATION  
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –  
Part 4-2: Testing and measurement techniques – Electrostatic discharge  
immunity test**

**Compatibilité électromagnétique (CEM) –  
Partie 4-2: Techniques d'essai et de mesure – Essai d'immunité aux décharges  
électrostatiques**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.100.20

ISBN 978-2-8327-0258-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references.....	9
3 Terms, definitions and abbreviated terms.....	10
3.1 Terms and definitions.....	10
3.2 Abbreviated terms.....	12
4 General.....	12
5 Test levels.....	13
6 Test equipment.....	13
6.1 Overview.....	13
6.2 ESD generator.....	14
6.2.1 General.....	14
6.2.2 General characteristics.....	16
6.3 Calibration of the characteristics of the ESD generator.....	17
6.3.1 General.....	17
6.3.2 Equipment required for ESD generator calibration.....	18
6.3.3 Setup for ESD generator current waveform calibration.....	18
6.3.4 Procedure for the ESD generator calibration.....	19
7 Test setup.....	20
7.1 General.....	20
7.2 Test equipment.....	20
7.2.1 General.....	20
7.2.2 Verification of the ESD test equipment.....	21
7.3 Test setup for tests performed in laboratories.....	21
7.3.1 General.....	21
7.3.2 Test conditions.....	21
7.3.3 Table-top equipment.....	22
7.3.4 Floor-standing equipment.....	23
7.3.5 Particular requirements for ungrounded equipment.....	24
8 Test procedure.....	27
8.1 General.....	27
8.2 Laboratory reference conditions.....	27
8.2.1 Climatic conditions.....	27
8.2.2 Electromagnetic conditions.....	28
8.3 Execution of the test.....	28
8.3.1 EUT exercising.....	28
8.3.2 Direct application of discharges to the EUT.....	29
8.3.3 Indirect application of the discharge.....	30
9 Test report.....	31
Annex A (informative) Explanatory notes.....	32
A.1 General considerations.....	32
A.2 Influences of the environmental conditions on the levels of charge.....	32
A.3 ESD phenomenon from charged human body.....	33
A.4 Air discharge phenomena.....	34
A.5 Variations in air discharge.....	34

A.6	Temperature and humidity of air discharge .....	34
A.7	Relevance of contact discharge test .....	35
A.8	Selection of test levels .....	35
A.9	Selection of elements for the ESD generator.....	36
A.10	Rationale related to the generator specification.....	36
A.11	Rationale related to the waveform specification.....	36
Annex B	(normative) Calibration of the current measurement system .....	37
B.1	Current target specification – input impedance.....	37
B.2	Current target specification – insertion loss.....	37
B.2.1	Measurement chain.....	37
B.2.2	Target adapter line.....	38
B.2.3	Determining the insertion loss of a current target-attenuator-cable chain .....	38
B.3	Determining the low-frequency transfer impedance of a target-attenuator-cable chain.....	39
Annex C	(informative) Example of a calibration target meeting the requirements of Annex B .....	41
Annex D	(informative) Radiated fields from human metal discharge and ESD generators .....	46
D.1	Overview of the processes causing intended and unintended fields .....	46
D.1.1	General .....	46
D.1.2	Human ESD.....	46
D.1.3	ESD generator .....	47
D.2	EUT response to ESD testing .....	48
D.3	Transient fields of ESD reference event.....	48
D.4	Induced voltage in a small loop.....	50
D.5	Measuring radiated fields due to an ESD by using commercial field probes and ESD generators .....	51
D.6	Simple procedure to estimate radiated fields and voltages induced by ESD generators .....	53
Annex E	(informative) Selection of test points and number of pulses .....	55
E.1	General.....	55
E.2	Exclusions .....	55
E.3	Guidance for direct contact discharges .....	56
E.4	Guidance for air discharges.....	56
E.5	Guidance for indirect discharges .....	57
E.6	Investigatory testing .....	57
E.7	Number of pulses for direct contact discharges .....	58
Annex F	(informative) Measurement uncertainty (MU) considerations.....	59
F.1	General.....	59
F.2	Legend for contact and air discharge current waveform parameters.....	59
F.3	Limitations .....	60
F.4	Calculation of a coverage interval.....	60
F.5	Uncertainty contributors to the ESD current discharge measurement uncertainty.....	61
F.6	Uncertainty of the ESD generator current discharge measurement .....	61
F.6.1	General .....	61
F.6.2	Rise time of the ESD current discharge .....	61
F.6.3	First peak of the ESD current discharge.....	63
F.6.4	Second peak of the ESD current discharge .....	65
F.6.5	ESD current discharge at 30 ns or 60 ns.....	66

F.6.6	Further MU contributions to time measurements .....	68
F.7	Rise time of the step response and bandwidth of the frequency response of the measuring system .....	68
F.8	Impulse peak distortion due to the limited bandwidth of the measuring system .....	69
F.9	Application of uncertainties in the ESD compliance criterion .....	70
Annex G (informative)	Test setup for post-installation tests .....	71
Annex H (normative)	Escalation strategy .....	73
H.1	Variations in EUT performance .....	73
H.2	Escalation strategy .....	73
Annex I (normative)	Additional or further test setup for particular kind of equipment .....	74
I.1	Wall-mounted equipment .....	74
I.2	Wearable devices .....	75
Annex J (informative)	Wearable devices .....	76
J.1	General .....	76
J.2	Additional experimental test procedures for a wearable device .....	77
Annex K (informative)	Evaluation of test results .....	78
Bibliography	.....	79
Figure 1	– Simplified diagram of the ESD generator .....	14
Figure 2	– Ideal contact discharge current waveform at 4 kV .....	15
Figure 3	– Contact discharge tip of the ESD generator .....	17
Figure 4	– Air discharge tip of the ESD generator .....	17
Figure 5	– Arrangement for calibration of ESD generator performance .....	19
Figure 6	– Example test setup for table-top equipment .....	23
Figure 7	– Example test setup for floor-standing equipment .....	24
Figure 8	– Example test setup for ungrounded table-top equipment .....	26
Figure 9	– Example test setup for ungrounded floor-standing equipment .....	27
Figure A.1	– Typical maximum values of electrostatic voltages to which operators and materials can be charged while operating in different environments outside an electrostatic protective area .....	33
Figure B.1	– Example target adapter line attached to current target .....	38
Figure B.2	– Example front side of a current target .....	38
Figure B.3	– Example measurement of the insertion loss of a current target-attenuator-cable chain .....	39
Figure B.4	– Example circuit diagram to determine the low-frequency system transfer impedance .....	40
Figure C.1	– Mechanical drawing of a coaxial target showing central brass part .....	41
Figure C.2	– Mechanical drawing of a coaxial target showing PCB and resistors .....	42
Figure C.3	– Mechanical drawing of a coaxial target showing PTFE part .....	43
Figure C.4	– Mechanical drawing of a coaxial target showing the cover .....	44
Figure C.5	– Mechanical drawing of a coaxial target showing the mechanical assembly .....	45
Figure D.1	– Electric field of a real human, holding metal, charged at 5 kV measured at 0,1 m distance and for a spark length of 0,7 mm .....	49
Figure D.2	– Magnetic field of a real human, holding metal, charged at 5 kV, measured at 0,1 m distance and for a spark length of approximately 0,5 mm .....	49
Figure D.3	– Semi-circle loop on the ground plane .....	50

Figure D.4 – Voltages induced in a semi-loop .....	50
Figure D.5 – Example test setup to measure radiated ESD fields .....	51
Figure D.6 – Comparison between measured (solid line) and calculated numerically (dot line) voltage drop on the loop for a distance of 45 cm .....	52
Figure D.7 – Comparison between calculated H-field from measured data (solid line) and H-field calculated by numerical simulation (dotted line) for a distance of 45 cm.....	52
Figure D.8 – Structure illuminated by radiated fields and equivalent circuit.....	53
Figure D.9 – Radiated H-fields .....	54
Figure G.1 – Example of test setup for floor-standing equipment, post-installation tests .....	72
Figure I.1 – Example of test setup for wall-mounted equipment on non-conductive surfaces .....	74
Figure I.2 – Example of test setup for wall-mounted equipment on conductive surfaces.....	75
Figure J.1 – Example of air discharge current waveforms for locations on a 1 kV charged human body, discharged via an air discharge tip .....	77
Table 1 – Test levels.....	13
Table 2 – General ESD generator parameters .....	16
Table 3 – Discharge current waveform parameters .....	16
Table A.1 – Guidelines for the selection of the air discharge test levels from the human body.....	35
Table E.1 – Cases for application of ESD on connectors.....	56
Table F.1 – Example uncertainty budget for ESD current discharge rise time ( $t_r$ ).....	62
Table F.2 – Example uncertainty budget for the first peak of the ESD current discharge ( $I_{p1}$ ).....	64
Table F.3 – Example uncertainty budget for the second peak of the ESD current discharge ( $I_{p2}$ ) .....	65
Table F.4 – Example of uncertainty budget for the ESD current discharge at 30 ns ( $I_{30}$ ) .....	66
Table F.5 – Example uncertainty budget for the ESD current discharge at 60 ns ( $I_{60}$ ) .....	67
Table F.6 – $\alpha$ factor – Formula (F.3) – of different unidirectional impulse responses corresponding to the same bandwidth of the system $B$ .....	69
Table J.1 – Example of waveform parameters to characterize discharge currents of the ESD generator, hand-held and body-mounted electrodes with a 1 kV charged voltage.....	77

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTROMAGNETIC COMPATIBILITY (EMC) –****Part 4-2: Testing and measurement techniques –  
Electrostatic discharge immunity test**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61000-4-2 has been prepared by subcommittee 77B: High-frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility. It is an International Standard.

It forms Part 4-2 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

This third edition cancels and replaces the second edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added a calibration requirement for ESD generators with air discharge tip;
- b) added a normative annex for test setups for particular kind of equipment (see Annex I);

- c) added an informative annex for wearable devices (see Annex J);
- d) added an informative annex on how to select test points and give guidance on how to specify the number of pulses for direct contact discharges (see Annex E);
- e) moved Clause 9 into a new informative annex (see Annex K);
- f) improved current calibration procedure;
- g) improved measurement uncertainty considerations with examples of uncertainty budgets;
- h) moved post-installation tests into a new informative Annex G since they cannot be performed in a controlled environment.

The text of this International Standard is based on the following documents:

Draft	Report on voting
77B/896/FDIS	77B/897/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

IEC 61000-4 is a part of the IEC 61000 series, according to the following structure:

### **Part 1: General**

General consideration (introduction, fundamental principles)

Definitions, terminology

### **Part 2: Environment**

Description of the environment

Classification of the environment

Compatibility levels

### **Part 3: Limits**

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

### **Part 4: Testing and measurement techniques**

Measurement techniques

Testing techniques

### **Part 5: Installation and mitigation guidelines**

Installation guidelines

Mitigation methods and devices

### **Part 6: Generic standards**

### **Part 9: Miscellaneous**

Each part is further subdivided into several parts, published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

This part of IEC 61000 is an International Standard which gives immunity requirements and test procedures related to electrostatic discharge.

## **ELECTROMAGNETIC COMPATIBILITY (EMC) –**

### **Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test**

#### **1 Scope**

This part of IEC 61000 relates to the immunity requirements and test methods for electrical and electronic equipment subjected to static electricity discharges from operators directly and from personnel to adjacent objects. It additionally specifies ranges of test levels which relate to different environmental, and installation conditions and establishes test procedures.

The objective of this document is to establish a common and reproducible basis for evaluating the performance of electrical and electronic equipment when subjected to electrostatic discharges. In addition, it includes electrostatic discharges which can occur from personnel to objects near the equipment.

This document specifies:

- ideal waveform of the discharge current;
- range of test levels;
- test equipment;
- test setup;
- test procedure;
- calibration procedure;
- measurement uncertainty.

This document gives specifications for tests performed in laboratories and guidance to post-installation tests.

This document is not intended to specify the tests to be applied to particular apparatus or systems. The main aim is to give a general basic reference to all concerned product committees. The product committees remain responsible for the appropriate choice of the tests and the severity level to be applied to their equipment.

This document excludes tests intended to evaluate the ESD sensitivity of devices during handling and packaging. It is not intended for use in characterizing the performance of ESD protection circuits.

#### **2 Normative references**

There are no normative references in this document.