

Acoustics - Noise from shooting ranges - Part 4:
Calculation of projectile sound (ISO 17201-4:2025)

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN ISO 17201-4:2025 sisaldab Euroopa standardi EN ISO 17201-4:2025 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 06.08.2025.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN ISO 17201-4:2025 consists of the English text of the European standard EN ISO 17201-4:2025.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 06.08.2025.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 17.140.20, 95.020, 97.220.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 17201-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2025

ICS 17.140.20; 95.020; 97.220.10

Supersedes EN ISO 17201-4:2006

English Version

Acoustics - Noise from shooting ranges - Part 4: Calculation of projectile sound (ISO 17201-4:2025)

Acoustique - Bruit des stands de tir - Partie 4: Calcul du
bruit du projectile (ISO 17201-4:2025)

Akustik - Geräusche von Schießplätzen - Teil4:
Berechnung des Geschossgeräusches (ISO 17201-
4:2025)

This European Standard was approved by CEN on 11 July 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 17201-4:2025) has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 211 "Acoustics" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2026, and conflicting national standards shall be withdrawn at the latest by February 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 17201-4:2006.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 17201-4:2025 has been approved by CEN as EN ISO 17201-4:2025 without any modification.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Projectile sound	5
4.1 General.....	5
4.2 Regions.....	5
4.3 Spectrum of an N-wave.....	6
5 Source description	7
5.1 Source point.....	7
5.2 Source sound exposure level for streamlined projectiles.....	7
5.3 Source sound exposure level for non-streamlined projectiles.....	8
5.4 Spectrum of the source sound exposure level.....	11
6 Calculating the sound exposure level at a receiver location	11
6.1 Basic formula.....	11
6.2 Calculation of the attenuation terms.....	12
6.2.1 Geometric attenuation.....	12
6.2.2 Non-linear attenuation.....	14
6.2.3 Non-linear shift of the spectrum.....	15
6.2.4 Atmospheric absorption, excess attenuation and barrier effects.....	16
7 Uncertainty in source description and propagation	16
7.1 Overview.....	16
7.2 Uncertainties in source description.....	17
7.2.1 General.....	17
7.2.2 Source point location.....	17
7.2.3 Broadband source sound exposure level for streamlined projectiles.....	17
7.2.4 Source sound exposure level for non-streamlined projectiles.....	18
7.2.5 Characteristic frequency of the N-wave.....	19
7.2.6 Spectrum of the source sound exposure level.....	19
7.3 Uncertainties in determining the sound exposure level at a receiver location.....	19
7.3.1 General.....	19
7.3.2 The uncertainties at a receiver location for non-streamlined projectiles.....	19
Annex A (informative) Derivation of constants and consideration of barrier and other effects	20
Annex B (informative) Calculation of projectile sound for projectiles on ballistic trajectories	24
Annex C (informative) Estimation of projectile velocity change	27
Annex D (informative) Calculation examples	30
Bibliography	41

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 211, *Acoustics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 17201-4:2006), which has been technically revised.

The main changes are as follows:

- restructure of the document into new clauses: Projectile sound, Source description, Sound exposure level at the receiver, and Uncertainty;
- separation of source and propagation terms;
- inclusion (from ISO 17201-2) and update of the source level for non-streamlined projectiles;
- expansion of the Clause on uncertainty;
- addition of [Annex B](#) on ballistic trajectories;
- addition of [Annex C](#) on projectile velocity change;
- addition of [Annex D](#) with informative examples.

A list of all parts in the ISO 17201 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Shooting sound registered around shooting ranges consists in general of three components: muzzle blast sound, impact sound and projectile sound. This document deals solely with the projectile sound from supersonic projectiles. It specifies a method for calculating the source sound exposure level of projectile sound. It also provides a method for calculating the propagation of projectile sound, accounting for its distinct characteristics that set it apart from the propagation of sound originating from other sources.

This document is intended for calibres of less than 20 mm but can also be used for larger calibres.

Projectile sound is described as originating from a specific point on the projectile trajectory, the “source point.”

The source sound exposure level is calculated from the geometric properties and the speed of the projectile along its trajectory. Methods are given on how the sound exposure level at a receiver location is to be calculated from this source sound exposure level, taking into account geometrical attenuation, atmospheric absorption and attenuation and frequency shift due to non-linear effects. In addition, the effects on the sound exposure level due to the decrease of the projectile speed and atmospheric turbulence are taken into account.

In a restricted region, the Mach region (region II – see [4.2](#)), the projectile sound exposure level is significant compared to the muzzle blast sound exposure level. Outside this region only diffracted or scattered projectile sound is received, with considerably lower levels than in this Mach region. Projectile sound behind the Mach region (region I) is negligible compared to muzzle sound, except for contributions due to reflections from other regions. In this document, a computational scheme for the levels in regions II and III is provided. The levels in region III are typically 10 dB to 15 dB lower than those in region II.

Two computational methods are given to be able to calculate the projectile sound for streamlined and non-streamlined projectiles such as pellets. Default values of parameters used in this document are given for a temperature of 10 °C, 80 % relative humidity, and a pressure of 1 013 hPa. [Annex A](#) can be used for calculations for other atmospheric conditions. For calibres < 20 mm, the source spectrum is dominated by high frequency components. As air absorption is rather high for these frequency components, calculations are performed in one-third octave bands, in order to obtain more accurate results.

For projectiles with a speed just above the speed of sound the computational methods are less accurate. Guidance is given how to deal with this increased uncertainty.

Acoustics — Noise from shooting ranges —

Part 4: Calculation of projectile sound

1 Scope

This document specifies computational methods for determining the acoustical source level of projectile sound and its one-third octave band spectrum, expressed as the sound exposure level for nominal mid-band frequencies from 12,5 Hz to 10 kHz. It also specifies a method on how to use this source level to calculate the sound exposure level at a receiver position.

Results obtained with this document can be used as a basis for assessment of projectile sound from shooting ranges. Additionally, the data can be used to determine sound emission or immission from different types of ammunition and weapons. The prediction methods are applicable to outdoor conditions and straight projectile trajectories. Two computational methods are given to determine the acoustical source level: one for streamlined projectile shapes and one for non-streamlined shapes, such as pellets.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 80000-8, *Quantities and units — Part 8: Acoustics*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 80000-8 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 streamlined projectile

projectile that has a shape that can be described as a body of revolution of which the first derivative of the cross-sectional area $A(x)$ at a distance x behind the nose of the body is continuous for $0 < x < l_p$

Note 1 to entry: For the definition of effective projectile length, l_p , see [3.3](#).

3.2 non-streamlined projectile

projectiles that have a body different from *streamlined projectiles* ([3.1](#))

Note 1 to entry: These can be multi part projectiles, such as shotgun pellets, or single part projectiles with a non-streamlined form, such as shotguns slugs (see [Figure 1](#)).