

TSIVIILKÄIBES OLEVAD LÕHKEAINED. DETONAATORID
JA DETONEERNÖÖRIDE RELEED. OSA 17:
ELEKTRIDETONAATORITE OHUTU VOOLU
MÄÄRAMINE

Explosives for civil uses - Detonators and detonating
cord relays - Part 17: Verification of the no-fire current
of electric detonators

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|--|---|
| <p>See Eesti standard EVS-EN 13763-17:2025 sisaldab Euroopa standardi EN 13763-17:2025 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.10.2025.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p> | <p>This Estonian standard EVS-EN 13763-17:2025 consists of the English text of the European standard EN 13763-17:2025.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 01.10.2025.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p> |
|--|---|

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 71.100.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 13763-17

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2025

ICS 71.100.30

Supersedes EN 13763-17:2003

English Version

Explosives for civil uses - Detonators and detonating cord relays - Part 17: Verification of the no-fire current of electric detonators

Explosifs à usage civil - Détonateurs et relais pour cordeau détonant - Partie 17: Vérification du courant maximal de non-feu des détonateurs électriques

Explosivstoffe für zivile Zwecke - Zünder und Sprengschnurverzögerer - Teil 17: Überprüfung der Nichtansprechstromstärke elektrischer Zünder

This European Standard was approved by CEN on 29 September 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

| Contents | Page |
|--|-------------|
| European foreword | 3 |
| 1 Scope | 5 |
| 2 Normative references | 5 |
| 3 Terms and definitions | 5 |
| 4 Principle | 5 |
| 5 Apparatus | 5 |
| 6 Preparation of test samples | 6 |
| 7 Procedure | 6 |
| 7.1 General | 6 |
| 7.2 Determination of the current level for 50 % firing | 6 |
| 7.3 Determination of the no-fire current level | 6 |
| 8 Expression of results | 7 |
| 9 Test report | 7 |
| Annex A (normative) Determination of the current level for 50 %-firing using the Bruceton method | 8 |
| A.1 General | 8 |
| A.2 Determination of the initial current value | 8 |
| A.3 Procedure | 9 |
| A.4 Calculation of results | 9 |
| A.5 Alternative calculation procedure | 10 |
| Annex B (normative) Determination of the current level for 50 %-firing using the Langlie method | 12 |
| B.1 General | 12 |
| B.2 Determination of the initial current level | 12 |
| B.3 Procedure | 12 |
| B.4 Calculation of stimulus levels | 13 |
| Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/28/EU relating to the making available on the market and supervision of explosives for civil uses aimed to be covered | 14 |
| Bibliography | 15 |

European foreword

This document (EN 13763-17:2025) has been prepared by Technical Committee CEN/TC 321 “Explosives for civil uses”, the secretariat of which is held by UNE.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2026, and conflicting national standards shall be withdrawn at the latest by April 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13763-17:2003.

EN 13763-17:2025 includes the following significant technical changes with respect to EN 13763-17:2003:

- a) the document title has been changed from “Detonators and relays — Part 17: Determination of no-fire current of electric detonators” to “Detonators and detonating cord relays — Part 17: Verification of no-fire current of electric detonators”;
- b) the Scope has been revised to clarify the covered and not covered explosives;
- c) the normative references have been updated;
- d) the terminology entry 3.1 has been removed;
- e) Clause 4 “Principle” has been added;
- f) the clause “Apparatus” has been updated;
- g) the clause “Test pieces” is now called “Preparation of test sample”, has been revised to clarify the number and kind of test pieces and the conditioning step has been moved there from the Clause “Procedure”;
- h) the clause “Procedure” has been restructured, revised and further detailed to adjust and clarify the statistical procedure and electrical parameters and the former Clause 7 “Calculation of test results” has been integrated;
- i) Clause 8 “Expression of results” has been added;
- j) the clause “Test report” does no longer require conformity with EN ISO/IEC 17025 and the information to be provided has been revised;
- k) the former Annex A “Range of applicability of the test method” has been removed;
- l) a new Annex A “Determination of the current level for 50 %-firing using the Bruceton method” and a new Annex B “Determination of the current level for 50 %-firing using the Langlie method” have been added;
- m) Annex ZA has been updated;
- n) the Bibliography has been added and lists EN ISO/IEC 17025:2017.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

A list of all parts in the EN 13763 series, published under the general title *Explosives for civil uses — Detonators and detonating cord relays*, can be found on the CEN website.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This document specifies a test method for the verification of the no-fire current of electric detonators.

This document does not apply to non-electric detonators, electronic detonators, plain detonators, and semi-finished detonators.

This document does not apply to surface connectors, detonating cord relays and electronic initiation systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13763-1:2025, *Explosives for civil uses — Detonators and detonating cord relays — Part 1: Requirements*

EN 13857-1:2025, *Explosives for civil uses — Part 1: Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13857-1:2025 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org>

4 Principle

The no-fire current is the highest electrical current that still will not initiate an electric detonator. The value of the no-fire current determines up to which current the detonator can be considered as safe against initiation.

For the verification of the no-fire current, test pieces are subjected to different current levels, and it is observed whether they explode. In a first step, the current level is determined at which the probability of an initiation of a given test piece is 50 %. This current level then serves as a starting value for a series of initiating tests at different current levels. The results of these initiation tests are then statically evaluated using the PROBIT test¹⁾ with the no-fire current as result that is then compared with the value specified for the tested detonator.

5 Apparatus

5.1 Square pulse current supply, with the following characteristics:

- a) a stabilized current with a tolerance on the output of ± 1 % of the value applied in 7.2 and 7.3;
- b) a square pulse with a permissible uncertainty of ± 1 % of the pulse duration applied in 7.2 and 7.3;

1) The PROBIT test is a statistical method used to characterise the sensitivity to a physical stimulus. A detailed description of the test is given in FprEN 13763-1:2025, Annex C.