

Building hardware - Hardware for windows and door height windows - Requirements and test methods - Part 11: Top hung projecting reversible hardware

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 13126-11:2025 sisaldab Euroopa standardi EN 13126-11:2025 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 17.12.2025.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 13126-11:2025 consists of the English text of the European standard EN 13126-11:2025.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 17.12.2025.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.190

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 13126-11

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2025

ICS 91.190

Supersedes EN 13126-11:2008

English Version

Building hardware - Hardware for windows and door
height windows - Requirements and test methods - Part
11: Top hung projecting reversible hardware

Quincaillerie pour le bâtiment - Exigences et méthodes
d'essai des ferrures de fenêtres et portes-fenêtres -
Partie 11: Ferrures pour ouvrants à l'italienne
réversibles à axe horizontal supérieur

Baubeschläge - Beschläge für Fenster und Fenstertüren
- Anforderungen und Prüfverfahren - Teil 11:
Umkehrbeschläge für auskragende Schwing-
Klappflügel Fenster

This European Standard was approved by CEN on 24 November 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Classification	6
4.1 General	6
4.2 Durability (1 – first box)	6
4.3 Mass (2 – second box)	6
4.4 Corrosion resistance (3 – third box)	6
4.5 Test sizes (4 – fourth box)	6
4.6 Example of classification for top hung projecting reversible hardware (EN 13126-11)	6
5 Requirements	7
5.1 Dangerous substances	7
5.2 Integrated restrictors	7
5.3 Ease of sash movement test	7
5.4 Durability test	7
5.5 Static load test	8
5.6 Corrosion resistance	8
6 Test equipment and preparation of the test	8
6.1 Test-rig	8
6.2 Specimen	8
7 Test procedure	9
7.1 Test samples / specimen	9
7.2 Ease of sash movement test procedure	9
7.3 Durability test	10
7.4 Static load test procedure	10
7.5 Corrosion resistance	10
8 Marking	10
Annex A (informative) Figures to the specimen	12
Annex B (normative) Flow chart of test procedure	15
Bibliography	16

European foreword

This document (EN 13126-11:2025) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2026, and conflicting national standards shall be withdrawn at the latest by June 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13126-11:2008.

EN 13126-11:2025 includes the following significant technical changes with respect to EN 13126-11:2008:

- EN 13126-11 now is independent from EN 13126-1; all necessary information is included without the need of any further information from EN 13126-1;
- several editorial changes in the wording for a better understanding;
- terms under 3.5 'specimen', 3.6 'sample', 3.7 'test-rig', 3.8 'test equipment and 3.9 'supporting subframe' added;
- under 4.1 classification system changed completely; former digits 1 (Category of use), 4 (Fire resistance), 5 (Safety in use) and 8 (Application) deleted; former digit 2 changed into box 1 (Durability), former digit 3 changed into box 2 (Mass), former digit 6 changed into box 3 (Corrosion resistance), former Digit 7 has been deleted in addition to former digits 1, 4, 5 and 8, former digit 9 changed into box 4 (Test sizes);
- under 4.2 new grades for the number of cycles defined; H1 (5 000), H2 (10 000) and H3 (20 000); see also 5.4;
- under 4.6 new example added for the new classification;
- under 5.4 new grades for the number of cycles defined; H1 (5 000), H2 (10 000) and H3 (20 000) in accordance with 4.2 established;
- under 5.6. 'Corrosion resistance' new text added;
- under Clause 6 subclauses 6.1 'Test-rig' and 6.2 'Specimen' added or text amended;
- under 7.5 'Corrosion resistance' text modified;
- new Clause 8 'Marking' added;

The EN 13126 series, under the general title *Building hardware — Hardware for windows and door height windows — Requirements and test methods*, consists of the following parts:

- *Part 1: Requirements common to all types of hardware;*
- *Part 2: Window fastener handles;*
- *Part 3: Handles, primarily for Tilt and Turn, Tilt-First and Turn-Only hardware;*
- *Part 4: Espagnolettes;*
- *Part 5: Devices that restrict the opening of windows and door height windows;*
- *Part 6: Variable geometry stay hinges (with or without a friction stay);*
- *Part 7: Finger catches;*
- *Part 8: Requirements and test methods for tilt and turn, Tilt-First and Turn-Only hardware;*
- *Part 9: Hardware for horizontal and vertical pivot windows;*
- *Part 10: Arm-balancing systems;*
- *Part 11: Top hung projecting reversible hardware;*
- *Part 12: Side hung projecting reversible hardware;*
- *Part 13: Sash balances;*
- *Part 14: Sash fasteners;*
- *Part 15: Rollers for horizontal sliding and hardware for sliding folding windows;*
- *Part 16: Hardware for Lift and Slide windows;*
- *Part 17: Hardware for Tilt and Slide windows;*
- *Part 19: Sliding Closing Devices.*

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This document specifies requirements and test methods for durability, strength, security and function for top hung projecting hardware for windows and door height windows.

This document is applicable to top hung projecting reversible hardware whether fitted with integral restrictors or not. Where any restrictor is used it is intended to be tested in accordance with EN 13126-5.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1670, *Building hardware — Corrosion resistance — Requirements and test methods*

EN 13126-5, *Building hardware — Hardware for windows and door height windows — Requirements and test methods — Part 5: Devices that restrict the opening of windows and door height windows*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

integrated restrictor

mechanism that is an integral part of the top hung projecting reversible hardware that limits the initial opening of the window and may or may not also hold an opening light firmly in the reverse position

3.2

specimen

window without gaskets to accommodate hardware components (samples) for testing

3.3

sample

hardware component intended to be tested

3.4

test-rig

testing device onto which the sample is mounted

3.5

test equipment

series of various testing rigs, devices and machinery enabling testing to be carried out