

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Overhead lines – Methods for testing self-damping characteristics of conductors**

**Lignes électriques aériennes – Méthodes d'essai des caractéristiques d'auto-amortissement des conducteurs**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Overhead lines – Methods for testing self-damping characteristics of conductors**

**Lignes électriques aériennes – Méthodes d'essai des caractéristiques d'auto-amortissement des conducteurs**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

W

ICS 29.060; 29.240.20

ISBN 978-2-8322-1056-7

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	7
4 Symbols and units.....	8
5 Test span arrangements.....	8
5.1 General.....	8
5.2 Span terminations.....	9
5.3 Shaker and vibration control system.....	10
5.4 Location of the shaker.....	12
5.5 Connection between the shaker and the conductor under test.....	12
5.5.1 General.....	12
5.5.2 Rigid connection.....	13
5.5.3 Flexible connection.....	14
5.6 Transducers and measuring devices.....	14
5.6.1 Type of transducers.....	14
5.6.2 Transducer accuracy.....	15
6 Conductor conditioning.....	16
6.1 General.....	16
6.2 Clamping.....	16
6.3 Creep.....	16
6.4 Running-in.....	16
7 Extraneous loss sources.....	16
8 Test procedures.....	17
8.1 Determination of span resonance.....	17
8.2 Power Method.....	18
8.3 ISWR Method.....	20
8.4 Decay method.....	22
8.5 Comparison between the test methods.....	24
8.6 Data presentation.....	25
Annex A (normative) Recommended test parameters.....	27
Annex B (informative) Reporting recommendations.....	28
Annex C (informative) Correction for aerodynamic damping.....	31
Annex D (informative) Correction of phase shift between transducers.....	33
Bibliography.....	34
Figure 1 – Test span for conductor self-damping measurements.....	9
Figure 2 – Rigid clamp.....	10
Figure 3 – Electro-dynamic shaker.....	11
Figure 4 – Layout of a test stand for conductor self-damping measurements.....	12
Figure 5 – Example of rigid connection.....	13
Figure 6 – Example of flexible connection.....	14
Figure 7 – Miniature accelerometer.....	15

Figure 8 – Resonant condition detected by the acceleration and force signals ..... 18

Figure 9 – Fuse wire system disconnecting a shaker from a test span; this double exposure shows the mechanism both closed and open. .... 23

Figure 10 – A decay trace ..... 24

Figure B.1 – Example of conductor power dissipation characteristics ..... 29

Figure B.2 – Example of conductor power dissipation characteristics ..... 30

Table 1 – Comparison of laboratory methods ..... 25

Table 2 – Comparison of Conductor Self-damping Empirical Parameters ..... 26

Table C.1 – Coefficients to be used with equation C-3 ..... 32

This document is a preview generated by EVS

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## OVERHEAD LINES – METHODS FOR TESTING SELF-DAMPING CHARACTERISTICS OF CONDUCTORS

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62567 has been prepared by IEC technical committee 7: Overhead electrical conductors.

The text of this standard is based on the following documents:

FDIS	Report on voting
7/629/FDIS	7/630/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

This document is a preview generated by EVS

## INTRODUCTION

Conductor self-damping is a physical characteristic of the conductor that defines its capacity to dissipate energy internally while vibrating. For conventional stranded conductors, energy dissipation can be attributed partly to inelastic effects within the body of the wires (hysteresis damping at the molecular level) but mostly to frictional damping, due to small relative movements between overlapping individual wires, as the conductor flexes with the vibration wave shape.

Self-damping capacity is an important characteristic of the conductors for overhead transmission lines. This parameter is a principal factor in determining the response of a conductor to alternating forces induced by the wind.

As the conductor self-damping is generally not specified by the manufacturer, it can be determined through measurements performed on a laboratory test span. Semi-empirical methods to estimate the self-damping parameters of untested conventional stranded conductors are also available but often lead to different results. Further, a great variety of new conductor types is increasingly used on transmission lines and some of them may have self-damping characteristics and mechanisms different from the conventional stranded conductors.

A “Guide on conductor self-damping measurements” was prepared jointly in the past by the IEEE Task Force on Conductor Vibration and CIGRE SC22 WG01, to promote uniformity in measuring procedures. The Guide was published by IEEE as Std. 563-1978 and also by CIGRE in Electra n°62-1979.

Three main methods are recognized in the above documents and divided into two main categories which are usually referred to as the "forced vibration" and "free vibration" methods.

The first forced vibration method is the “Power [Test] Method” in which the conductor is forced into resonant vibrations, at a number of tunable harmonics, and the total power dissipated by the vibrating conductor is measured at the point of attachment to the shaker.

The second forced vibration method, known as the “Standing Wave Method” or more precisely “Inverse Standing Wave Ratio [Test] Method” (ISWR), determines the power dissipation characteristics of a conductor by the measurement of antinodal and nodal amplitudes on the span, for a number of tunable harmonics.

The free vibration method named “Decay [Test] Method” determines the power dissipation characteristics of a conductor by measuring, at a number of tunable harmonics, the decay rate of the free motion amplitude following a period of forced vibration.

Several laboratories around the world have performed conductor self-damping measurements in accordance with the above mentioned Guide. However, large disparities in self-damping predictions have been found among the results supplied by the various laboratories. The causes of these disparities have been identified into five main points:

- 1) The different test methods adopted for the self-damping measurements.
- 2) The different span end conditions set up in the various test laboratories (rigid clamps, flexure members, etc.)
- 3) The different types of connection between the shaker and the conductor (rigid or flexible) and the different location of the power input point along the span.
- 4) The different conductor conditioning before the test (creep, running in, etc.)
- 5) The different manufacturing processes of the conductor.

## OVERHEAD LINES – METHODS FOR TESTING SELF-DAMPING CHARACTERISTICS OF CONDUCTORS

### 1 Scope

The scope of this Standard is to provide test procedures based on the above-mentioned documents and devoted to minimize the causes of discrepancy between test results, taking into consideration the large experience accumulated in the last 30 years by numerous test engineers and available in literature, including a CIGRE Technical Brochure specifically referring to this standard (see Bibliography).

This Standard describes the current methodologies, including apparatus, procedures and accuracies, for the measurement of conductor self-damping and for the data reduction formats. In addition, some basic guidance is also provided to inform the potential user of a given method's strengths and weaknesses.

The methodologies and procedures incorporated in this Standard are applicable only to testing on indoor laboratory spans.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-466:1990, *International Electrotechnical Vocabulary. Chapter 466: Overhead lines*

IEEE Std. 563-1978, *IEEE Guide on conductor self-damping measurements*

IEEE Std. 664-1993, *IEEE Guide for laboratory measurement of the power dissipation characteristics of aeolian vibration dampers for single conductors*

### 3 Terms and definitions

For the purpose of this International Standard, the definitions of the International Electrotechnical Vocabulary (IEV) apply, in particular IEC 60050-466. Those which differ or do not appear in the IEV are given below.

#### 3.1

##### **conductor self-damping:**

the self-damping of a conductor subjected to a tensile load  $T$  is defined by the power  $P_c$  dissipated per unit length by the conductor vibrating in a natural mode, with a loop length  $\lambda/2$ , an antinode displacement amplitude  $Y_0$  and a frequency  $f$

#### 3.2

##### **node**

in a vibrating conductor, nodes are the points in which the vibration amplitude is the smallest

#### 3.3

##### **anti-node**

in a vibrating conductor, anti-nodes are the points in which the vibration amplitude is the greatest