
**Water quality — Detection and
enumeration of bacteriophages —**

Part 3:

**Validation of methods for concentration
of bacteriophages from water**

Qualité de l'eau — Détection et dénombrement des bactériophages —

*Partie 3: Validation des méthodes de concentration des bactériophages
dans l'eau*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
1 Scope.....	1
2 Normative references	1
3 Terms and definitions.....	2
4 Principle.....	2
5 Reagents.....	2
6 Apparatus and glassware.....	3
7 Sampling.....	3
8 Preparation of sewage samples for spiking.....	3
9 Procedure.....	4
10 Calculation.....	5
11 Analytical quality control	6
12 Test report.....	7
Annex A (informative) Recommended methods for concentration of bacteriophages from water depending on the volume, turbidity and particle content.....	8
Annex B (informative) Example of a validation process of a concentration method.....	10
Bibliography	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10705-3 was prepared by Technical Committee ISO/TC 147, *Water quality*, Subcommittee SC 4, *Microbiological methods*.

ISO 10705 consists of the following parts, under the general title *Water quality — Detection and enumeration of bacteriophages*:

- *Part 1: Enumeration of F-specific RNA bacteriophages*
- *Part 2: Enumeration of somatic coliphages*
- *Part 3: Validation of methods for concentration of bacteriophages from water*
- *Part 4: Enumeration of bacteriophages infecting Bacteroides fragilis*

Water quality — Detection and enumeration of bacteriophages —

Part 3: Validation of methods for concentration of bacteriophages from water

WARNING — Persons using this part of ISO 10705 should be familiar with normal laboratory practice. This part of ISO 10705 does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

IMPORTANT — It is imperative that personnel involved in validation of methods for concentration of bacteriophages from water have relevant experience with the methods of enumeration of bacteriophages (see ISO/TR 13843^[1]).

1 Scope

This part of ISO 10705 specifies the general principles for assessing the performance of methods for the concentration of bacteriophages from water. Concentration is recommended for those water samples expected to contain < 3 pfp (plaque-forming particles) per millilitre. Concentration methods can be applied to all kinds of water provided that the amount and nature of suspended solids and/or dissolved matter do not interfere with the concentration procedure.

This part of ISO 10705 does not give specific details of concentration methods, but outlines the fundamental principles for evaluating the suitability of a particular method for a given type and volume of water. Annex A gives examples of methods that have been found satisfactory and their fields of application.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods*

ISO 6887-1, *Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 1: General rules for the preparation of the initial suspension and decimal dilutions*

ISO 8199, *Water quality — General guide to the enumeration of micro-organisms by culture*

ISO 10705-1, *Water quality — Detection and enumeration of bacteriophages — Part 1: Enumeration of F-specific RNA bacteriophages*

ISO 10705-2, *Water quality — Detection and enumeration of bacteriophages — Part 2: Enumeration of somatic coliphages*

ISO 10705-4, *Water quality — Detection and enumeration of bacteriophages — Part 4: Enumeration of bacteriophages infecting Bacteroides fragilis*

ISO/IEC Guide 2, *Standardization and related activities — General vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC Guide 2 and the following apply:

3.1

bacteriophages

bacterial viruses which are capable of infecting selected host strains

NOTE Bacteriophages produce visible plaques (clearance zones) in a confluent lawn of the host strain grown under appropriate culture conditions.

4 Principle

The sample is treated according to a method of choice, by which the bacteriophages are concentrated from a relatively large volume of sample (100 ml up to several litres) to a smaller volume (typically from a few to 20 ml). The concentrated sample is then analysed for bacteriophages according to an International Standard method or other suitable protocol.

The concentration method to be evaluated should be carefully described in a protocol, following ISO standard layout as much as possible. The description should include the target group(s) of bacteriophages and their detection method(s), the types of water and ranges of volumes to be analysed, as well as exceptions to the field of application, e.g. turbidity.

The method is validated according to principles laid down in this part of ISO 10705. The validation procedure consists of determining the recovery of bacteriophages from a series of samples, seeded with naturally polluted water (raw or treated sewage). The recovery is studied in a range of volumes, and particular attention is paid to its reproducibility.

5 Reagents

Use ingredients of uniform quality and chemicals of analytical grade for the preparation of culture media. For information on storage see ISO 8199, except where indicated in this part of ISO 10705. Alternatively, use dehydrated complete media and follow strictly the manufacturer's instructions.

Other grades of chemicals may be used provided they can be shown to lead to the same results.

5.1 Water, for the preparation of media, glass-distilled water or de-ionized water free from substances that might inhibit bacterial growth under the conditions of the test, and at least Grade 3 as specified in ISO 3696.

5.2 Diluent, for making dilutions, peptone-saline solution or another suitable diluent in accordance with ISO 6887-1 or ISO 8199.

5.3 Culture media and reference cultures, as specified in the corresponding standard method of ISO 10705-1, ISO 10705-2 and ISO 10705-4 for the phage assay.

5.4 Glycerol ($\rho = 870 \text{ g/l}$), autoclaved at $(121 \pm 3) \text{ }^\circ\text{C}$ for 15 min and stored in the dark at room temperature for a period no longer than 1 year.