

Fuel cell technologies - Part 3-200: Stationary fuel cell power systems - Performance test methods

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 62282-3-200:2016 sisaldab Euroopa standardi EN 62282-3-200:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 62282-3-200:2016 consists of the English text of the European standard EN 62282-3-200:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 11.03.2016.	Date of Availability of the European standard is 11.03.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 27.070

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

Fuel cell technologies - Part 3-200: Stationary fuel cell power systems - Performance test methods  
(IEC 62282-3-200:2015)

Technologies des piles à combustible - Partie 3-200:  
Systèmes à piles à combustible stationnaires - Méthodes  
d'essai des performances  
(IEC 62282-3-200:2015)

Brennstoffzellentechnologien - Teil 3-200: Stationäre  
Brennstoffzellen-Energiesysteme -  
Leistungskennwerteproofverfahren  
(IEC 62282-3-200:2015)

This European Standard was approved by CENELEC on 2015-12-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## European foreword

The text of document 105/547/FDIS, future edition 2 of IEC 62282-3-200, prepared by IEC TC 105 "Fuel cell technologies" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62282-3-200:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-09-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-12-24

This document supersedes EN 62282-3-200:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 62282-3-200:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

ISO 9000	NOTE	Harmonized as EN ISO 9000.
ISO 6976:1995	NOTE	Harmonized as EN ISO 6976:2005.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u> <u>series</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u> <u>series</u>
IEC 60051		Direct acting indicating analogue electrical measuring instruments and their accessories	EN 60051	
IEC 60359	-	Electrical and electronic measurement equipment - Expression of performance	EN 60359	-
IEC 60688	-	Electrical measuring transducers for converting A.C. and D.C. electrical quantities to analogue or digital signals	EN 60688	-
IEC 61000-4-7	-	Electromagnetic compatibility (EMC) -- Part 4-7: Testing and measurement techniques - General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto	EN 61000-4-7	-
IEC 61000-4-13	-	Electromagnetic compatibility (EMC) -- Part 4-13: Testing and measurement techniques - Harmonics and interharmonics including mains signaling at a.c. power port, low frequency immunity tests	EN 61000-4-13	-
IEC 61028	-	Electrical measuring instruments - X-Y recorders	EN 61028	-
IEC 61143	series	Electrical measuring instruments - X-t recorders	EN 61143	series
IEC 61672-1	-	Electroacoustics - Sound level meters -- Part 1: Specifications	EN 61672-1	-
IEC 61672-2	-	Electroacoustics - Sound level meters -- Part 2: Pattern evaluation tests	EN 61672-2	-
IEC 62052-11	-	Electricity metering equipment (AC) - General requirements, tests and test conditions -- Part 11: Metering equipment	EN 50470-1	-
IEC 62053-22	-	Electricity metering equipment (a.c.) - Particular requirements -- Part 22: Static meters for active energy (classes 0,2 S and 0,5 S)	EN 62053-22	-
IEC 62282-3-201	-	Fuel cell technologies -- Part 3-201: Stationary fuel cell power systems -- Performance test methods for small fuel cell power systems	EN 62282-3-201	-
ISO 3648	-	Aviation fuels - Estimation of net specific energy	-	-

ISO 3744	-	Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Engineering methods for an essentially free field over a reflecting plane	EN ISO 3744	-
ISO 4677-1	-	Atmospheres for conditioning and testing; Determination of relative humidity; Part 1 : Aspirated psychrometer method	-	-
ISO 4677-2	-	Atmospheres for conditioning and testing; Determination of relative humidity; Part 2 : Whirling psychrometer method	-	-
ISO 5167	series	Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full	EN ISO 5167	series
ISO 5348	-	Mechanical vibration and shock- mounting of accelerometers	-	-
ISO 5815-2	-	Water quality- Determination of biochemical oxygen demand after ndays (BOD<(Index)n>)- Part2: Method for undiluted samples	-	-
ISO 6060	-	Water quality; determination of the chemical oxygen demand	-	-
ISO 6326	series	Natural gas - Determination of composition and associated uncertainty by gas chromatography	EN ISO 6326	series
ISO 6974	series		EN ISO 6974	series
ISO 6975	-	Natural gas - Extended analysis - Gas-chromatographic method	EN ISO 6975	-
ISO 7934	-	Stationary source emissions; determination of the mass concentration of sulfur dioxide; hydrogen peroxide/barium perchlorate/thorin method	-	-
ISO 7935	-	Stationary source emissions - Determination of the mass concentration of sulfur dioxide - Performance characteristics of automated measuring methods	-	-
ISO 8217	-	Petroleum products- Fuels (classF)- Specifications of marine fuels	-	-
ISO 10101	series	Stationary source emissions- Sampling for the automated determination of gas emission concentrations for permanently-installed monitoring systems	EN ISO 10101	series
ISO 10396	-		-	-
ISO 10523	-	Water quality -- Determination of pH	EN ISO 10523	-
ISO 10849	-	Stationary source emissions- Determination of the mass concentration of nitrogen oxides- Performance characteristics of automated measuring systems	-	-
ISO 11042-1	-	Gas turbines - Exhaust gas emission -- Part 1: Measurement and evaluation	-	-
ISO 11042-2	-	Gas turbines - Exhaust gas emission -- Part 2: Automated emission monitoring	-	-
ISO 11541	-	Natural gas - Determination of water content at high pressure	EN ISO 11541	-
ISO 11564	-	Stationary source emissions - Determination of the mass concentration of nitrogen oxides - Naphthylethylenediamine photometric method	-	-
ISO 11632	-	Stationary source emissions - Determination of mass concentration of sulfur dioxide - Ion chromatography method	-	-

ISO 14687-1	-	Hydrogen fuel - Product specification - Part 1: All applications except proton exchange membrane (PEM) fuel cell for road vehicles	-
ISO 16622	-	Meteorology - Sonic anemometers/thermometers - Acceptance test methods for mean wind measurements	-
ISO/TR 15916	-	Basic considerations for the safety of hydrogen systems	-
ISO/IEC Guide 98-3	-	Uncertainty of measurement -- Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)	-
ASTM D4809-00	-	Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method)	-
ASTM F2828	-	Standard test method for assessing carpet cleaning effectiveness in terms of visual appearance change when cleaned with a wet extraction cleaning system	-

This document is a preview generated by EVS

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	9
3 Terms, definitions, operating process and symbols .....	11
3.1 Terms and definitions.....	11
3.2 Operating process.....	16
3.3 Symbols.....	17
4 Reference conditions.....	20
4.1 General.....	20
4.2 Temperature and pressure .....	21
4.3 Heating value base .....	21
5 Item of performance test.....	21
6 Test preparation .....	22
6.1 General.....	22
6.2 Uncertainty analysis.....	22
6.2.1 Uncertainty analysis items .....	22
6.2.2 Data acquisition plan .....	22
7 Measurement instruments and measurement methods.....	22
7.1 General.....	22
7.2 Measurement instruments .....	23
7.3 Measurement methods.....	23
7.3.1 Electric power measurements .....	23
7.3.2 Fuel input measurement .....	24
7.3.3 Recovered heat measurement .....	27
7.3.4 Purge gas flow measurement.....	27
7.3.5 Oxidant (air) input measurement.....	28
7.3.6 Other fluid flow measurement .....	29
7.3.7 Exhaust gas flow measurement .....	29
7.3.8 Discharge water measurement.....	30
7.3.9 Noise level measurement.....	31
7.3.10 Vibration level measurement.....	31
7.3.11 Total harmonic distortion measurement .....	31
7.3.12 Ambient condition measurement.....	31
8 Test plan .....	32
8.1 General.....	32
8.2 Ambient conditions.....	32
8.3 Maximum permissible variation in steady-state operating conditions .....	33
8.4 Test operating procedure .....	33
8.5 Duration of test and frequency of readings.....	33
9 Test methods and computation of test results .....	34
9.1 General.....	34
9.2 Efficiency test .....	34
9.2.1 General .....	34
9.2.2 Test method .....	34

9.2.3	Computation of inputs .....	34
9.2.4	Computation of output .....	44
9.2.5	Computation of waste heat rate .....	45
9.2.6	Computation of efficiencies .....	45
9.3	Electric power and thermal power response characteristics test .....	46
9.3.1	General .....	46
9.3.2	Criteria for the determination of attaining the steady-state set value .....	47
9.3.3	Electric power output response time test .....	48
9.3.4	90 % response time of rated net electric power output (optional) .....	49
9.3.5	Thermal power output response time test .....	50
9.4	Start-up and shutdown characteristics test .....	51
9.4.1	General .....	51
9.4.2	Test method for start-up characteristics test .....	51
9.4.3	Test method for shutdown characteristics test .....	51
9.4.4	Calculation of the start-up time .....	52
9.4.5	Calculation of the shutdown time .....	52
9.4.6	Calculation of the different forms of start-up energy .....	52
9.4.7	Calculation of the start-up energy .....	54
9.5	Purge gas consumption test .....	54
9.5.1	General .....	54
9.5.2	Test method .....	54
9.6	Water consumption test (optional) .....	55
9.6.1	General .....	55
9.6.2	Test method .....	55
9.7	Exhaust gas emission test .....	55
9.7.1	General .....	55
9.7.2	Test method .....	55
9.7.3	Data processing of emission concentration .....	56
9.7.4	Calculation of mean mass discharge rate .....	56
9.7.5	Calculation of mass concentration .....	56
9.8	Noise level test .....	56
9.8.1	General .....	56
9.8.2	Test method .....	56
9.8.3	Data processing .....	57
9.9	Vibration level test .....	57
9.10	Discharge water quality test .....	58
9.10.1	General .....	58
9.10.2	Test method .....	58
10	Test reports .....	59
10.1	General .....	59
10.2	Title page .....	59
10.3	Table of contents .....	59
10.4	Summary report .....	59
10.5	Detailed report .....	59
10.6	Full report .....	60
Annex A (normative)	Uncertainty analysis .....	61
A.1	General .....	61
A.2	Preparations .....	61
A.3	Basic assumptions .....	62

A.4	General approach .....	62
Annex B (normative)	Calculation of fuel heating value .....	64
Annex C (normative)	Reference gas .....	68
C.1	General.....	68
C.2	Reference gases for natural gas and propane gas .....	68
Annex D (informative)	Maximum acceptable instantaneous electric power output transient .....	71
Bibliography.....		72
Figure 1	– Fuel cell power system diagram .....	9
Figure 2	– Operating process chart of fuel cell power system.....	17
Figure 3	– Symbol diagram .....	20
Figure 4	– Electric and thermal power response time .....	47
Figure 5	– Example of electric and thermal power response time to attain steady-state set value.....	48
Figure 6	– Example of electric power chart at start-up.....	51
Figure 7	– Electric power chart at shutdown.....	52
Table 1	– Symbols .....	18
Table 2	– Test classification and test item.....	21
Table 3	– Test item and system status .....	32
Table 4	– Maximum permissible variations in test operating conditions .....	33
Table 5	– Vibration correction factors.....	58
Table B.1	– Heating value for component of gaseous fuel.....	64
Table C.1	– Reference gas for natural gas .....	69
Table C.2	– Reference gas for propane gas .....	69

generated by EVS

## INTRODUCTION

This part of IEC 62282 describes how to measure the performance of stationary fuel cell power systems for residential, commercial, agricultural and industrial applications.

This standard describes type tests and their test methods only. In this standard, no routine tests are required or identified, and no performance targets are set.

The following fuel cell types have been considered:

- alkaline fuel cells (AFC);
- phosphoric acid fuel cells (PAFC);
- polymer electrolyte fuel cells (PEFC);
- molten carbonate fuel cells (MCFC);
- solid oxide fuel cells (SOFC).

This document is a preview generated by EVS

## FUEL CELL TECHNOLOGIES –

### Part 3-200: Stationary fuel cell power systems – Performance test methods

#### 1 Scope

This part of IEC 62282 covers operational and environmental aspects of the stationary fuel cell power systems performance. The test methods apply as follows:

- power output under specified operating and transient conditions;
- electrical and heat recovery efficiency under specified operating conditions;
- environmental characteristics; for example, exhaust gas emissions, noise, etc. under specified operating and transient conditions.

This standard does not provide coverage for electromagnetic compatibility (EMC).

This standard does not apply to small stationary fuel cell power systems with electric power output of less than 10 kW which are dealt with IEC 62282-3-201.

Fuel cell power systems may have different subsystems depending upon types of fuel cell and applications, and they have different streams of material and energy into and out of them. However, a common system diagram and boundary has been defined for evaluation of the fuel cell power system (see Figure 1).

The following conditions are considered in order to determine the system boundary of the fuel cell power system:

- all energy recovery systems are included within the system boundary;
- all kinds of electric energy storage devices are considered outside the system boundary;
- calculation of the heating value of the input fuel (such as natural gas, propane gas and pure hydrogen gas, etc.) is based on the conditions of the fuel at the boundary of the fuel cell power system.