

**Information technology - Automatic identification and data capture techniques - Bar code print quality test specification - Two-dimensional symbols**

This document is a preview generated by EVS

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO/IEC 15415:2005 sisaldab Euroopa standardi EN ISO/IEC 15415:2005 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 25.11.2005 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN ISO/IEC 15415:2005 consists of the English text of the European standard EN ISO/IEC 15415:2005.

This standard is ratified with the order of Estonian Centre for Standardisation dated 25.11.2005 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

ICS 35.040

### Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:  
Aru 10 Tallinn 10317 Eesti; [www.evs.ee](http://www.evs.ee); Telefon: 605 5050; E-post: [info@evs.ee](mailto:info@evs.ee)

### Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:  
Aru str 10 Tallinn 10317 Estonia; [www.evs.ee](http://www.evs.ee); Phone: 605 5050; E-mail: [info@evs.ee](mailto:info@evs.ee)

ICS 35.040

English Version

Information technology - Automatic identification and data  
capture techniques - Bar code print quality test specification -  
Two-dimensional symbols (ISO/IEC 15415:2004)

Technologies de l'information - Techniques automatiques  
d'identification et de capture des données - Spécification de  
test de qualité d'impression des symboles de code à barres  
- Symboles bi-dimensionnels (ISO/IEC 15415:2004)

Informationstechnik - Automatische Identifikation und  
Datenerfassungsverfahren - Testspezifikation für  
Strichcode-Druckqualität - 2D-Symbole (ISO/IEC  
15415:2004)

This European Standard was approved by CEN on 26 August 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

## Foreword

The text of ISO/IEC 15415:2004 has been prepared by Technical Committee ISO/IEC/JTC 1 "Information technology" of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken over as EN ISO/IEC 15415:2005 by Technical Committee CEN/TC 225 "AIDC technologies", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2006, and conflicting national standards shall be withdrawn at the latest by March 2006.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

### Endorsement notice

The text of ISO/IEC 15415:2004 has been approved by CEN as EN ISO/IEC 15415:2005 without any modifications.

---

---

**Information technology — Automatic  
identification and data capture  
techniques — Bar code print quality test  
specification — Two-dimensional  
symbols**

*Technologies de l'information — Techniques automatiques  
d'identification et de capture des données — Spécification de test de  
qualité d'impression des symboles de code à barres — Symboles  
bi-dimensionnels*

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword .....	iv
Introduction .....	v
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions .....</b>	<b>2</b>
<b>4 Symbols (and abbreviated terms) .....</b>	<b>3</b>
<b>5 Quality grading .....</b>	<b>3</b>
5.1 General .....	3
5.2 Expression of quality grades .....	3
5.3 Overall Symbol Grade .....	4
5.4 Reporting of symbol grade .....	4
<b>6 Measurement methodology for two-dimensional multi-row bar code symbols .....</b>	<b>5</b>
6.1 General .....	5
6.2 Symbologies with cross-row scanning ability .....	5
6.3 Symbologies requiring row-by-row scanning .....	10
<b>7 Measurement methodology for two-dimensional matrix symbols .....</b>	<b>10</b>
7.1 Overview of methodology .....	10
7.2 Obtaining the test images .....	11
7.3 Reference reflectivity measurements .....	12
7.4 Number of scans .....	15
7.5 Basis of scan grading .....	15
7.6 Grading procedure .....	15
7.7 Additional reflectance check over extended area .....	16
7.8 Image assessment parameters and grading .....	16
7.9 Scan grading .....	21
7.10 Overall Symbol Grade .....	21
7.11 Print growth .....	22
<b>8 Measurement methodologies for composite symbologies .....</b>	<b>22</b>
<b>9 Substrate characteristics .....</b>	<b>22</b>
<b>Annex A (normative) Symbology-specific parameters and values for symbol grading .....</b>	<b>23</b>
<b>Annex B (informative) Symbol grading flowchart for two-dimensional matrix symbols .....</b>	<b>38</b>
<b>Annex C (informative) Interpreting the scan and symbol grades .....</b>	<b>39</b>
<b>Annex D (informative) Guidance on selection of grading parameters in application specifications .....</b>	<b>41</b>
<b>Annex E (informative) Substrate characteristics .....</b>	<b>46</b>
<b>Annex F (informative) Parameter grade overlay applied to two-dimensional symbologies .....</b>	<b>48</b>
<b>Bibliography .....</b>	<b>49</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15415 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*.

## Introduction

The technology of bar coding is based on the recognition of patterns encoded, in bars and spaces or in a matrix of modules of defined dimensions, according to rules defining the translation of characters into such patterns, known as the symbology specification. Symbology specifications may be categorized into those for linear symbols, on the one hand, and two-dimensional symbols on the other; the latter may in turn be subdivided into «multi-row bar code symbols» sometimes referred to as «stacked bar code symbols», and «two-dimensional matrix symbols». In addition there is a hybrid group of symbologies known as «composite symbologies»; these symbols consist of two components carrying a single message or related data, one of which is usually a linear symbol and the other a two-dimensional symbol positioned in a defined relationship with the linear symbol.

Multi-row bar code symbols are constructed graphically as a series of rows of symbol characters, representing data and overhead components, placed in a defined vertical arrangement to form a (normally) rectangular symbol, which contains a single data message. Each symbol character has the characteristics of a linear bar code symbol character and each row has those of a linear bar code symbol; each row, therefore, may be read by linear symbol scanning techniques, but the data from all the rows in the symbol must be read before the message can be transferred to the application software.

Two-dimensional matrix symbols are normally square or rectangular arrangements of dark and light modules, the centres of which are placed at the intersections of a grid of two (sometimes more) axes; the coordinates of each module need to be known in order to determine its significance, and the symbol must therefore be analysed two-dimensionally before it can be decoded. Dot codes are a subset of matrix codes in which the individual modules do not directly touch their neighbours but are separated from them by a clear space.

Unless the context requires otherwise, the term “symbol” in this International Standard may refer to either type of symbology.

The bar code symbol must be produced in such a way as to be reliably decoded at the point of use, if it is to fulfil its basic objective as a machine-readable data carrier.

Manufacturers of bar code equipment and the producers and users of bar code symbols therefore require publicly available standard test specifications for the objective assessment of the quality of bar code symbols (a process known as verification), to which they can refer when developing equipment and application standards or determining the quality of the symbols. Such test specifications form the basis for the development of measuring equipment for process control and quality assurance purposes during symbol production as well as afterwards.

The performance of measuring equipment for the verification of symbols (verifiers) is the subject of a separate International Standard (ISO/IEC 15426, Parts 1 and 2).

This International Standard is intended to achieve comparable results to the linear bar code symbol quality standard ISO/IEC 15416, the general principles of which it has followed. It should be read in conjunction with the symbology specification applicable to the bar code symbol being tested, which provides symbology-specific detail necessary for its application. Two-dimensional multi-row bar code symbols are verified according to the ISO/IEC 15416 methodology, with the modifications described in Clause 6; different parameters and methodologies are applicable to two-dimensional matrix symbols.

There are currently many methods of assessing bar code quality at different stages of symbol production. The methodologies described in this specification are not intended as a replacement for any current process control methods. They provide symbol producers and their trading partners with universally standardized means for communicating about the quality of multi-row bar code and two-dimensional matrix symbols after they have been printed. The procedures described in this International Standard must necessarily be augmented by the reference decode algorithm and other measurement details within the applicable

symbology specification, and they may also be altered or overridden as appropriate by governing symbology or application specifications.

Alternative methods of quality assessment may be agreed between parties or as part of an application specification.

This document is a preview generated by EVS

# Information technology — Automatic identification and data capture techniques — Bar code print quality test specification — Two-dimensional symbols

## 1 Scope

This part of ISO/IEC 15415

- specifies two methodologies for the measurement of specific attributes of two-dimensional bar code symbols, one of these being applicable to multi-row bar code symbologies and the other to two-dimensional matrix symbologies;
- defines methods for evaluating and grading these measurements and deriving an overall assessment of symbol quality;
- gives information on possible causes of deviation from optimum grades to assist users in taking appropriate corrective action.

This International Standard applies to those two-dimensional symbologies for which a reference decode algorithm has been defined, but its methodologies can be applied partially or wholly to other similar symbologies.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2859-1, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 3951, *Sampling procedures and charts for inspection by variables for percent nonconforming*

ISO 7724-2, *Paints and varnishes — Colorimetry — Part 2: Colour measurement*

ISO/IEC 15416, *Information technology — Automatic identification and data capture techniques — Bar code print quality test specification — Linear symbols*

EN 1556, *Bar Coding — Terminology*

NOTE The Bibliography lists official and industry standards containing specifications of symbologies to which (*inter alia*) this International Standard is applicable.