

SEINALE KINNITATAVAD URINAALID.
FUNKTSIONAALSED NÕUDED JA KATSEMEETODID

Wall-hung urinals - Functional requirements and test methods

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 13407:2015 sisaldab Euroopa standardi EN 13407:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 13407:2015 consists of the English text of the European standard EN 13407:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.07.2015.	Date of Availability of the European standard is 22.07.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.140.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Wall-hung urinals - Functional requirements and test methods

Urinoirs muraux - Prescriptions fonctionnelles et méthodes
d'essaiWandhängende Urinale - Funktionsanforderungen und
Prüfverfahren

This European Standard was approved by CEN on 5 June 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Principles of design	6
4.1 General	6
4.2 Flushing volume and flow rate	6
5 Classification	6
6 Functional requirements and test methods for class 1 products	7
6.1 Depth of water seal	7
6.2 Flushing requirements	7
6.3 Water absorption	8
6.4 Load resistance	8
6.5 Durability of class 1 products	8
6.6 Test methods	8
7 Functional requirements and test methods for class 2 products	11
7.1 Depth of water seal	11
7.2 Cleanability	12
7.3 Load resistance	12
7.4 Durability of class 2 products	12
7.5 Test methods	12
8 Dangerous substances	12
9 Marking	12
10 Assessment and verification of constancy of performance – AVCP	14
10.1 General	14
10.2 Type testing	15
10.3 Factory production control (FPC)	16
Annex A (normative) Test rig for urinals intended to be flushed by a flush valve	18
Annex B (normative) Test rig for urinals intended to be flushed by a manually operated flushing cistern	20
Annex C (normative) Test rig for urinals intended to be flushed by an automatic flushing cistern with valve-less outlet device	24
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation	26
Bibliography	34

European foreword

This document (EN 13407:2015) has been prepared by Technical Committee CEN/TC 163 "Sanitary appliances", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2016 and conflicting national standards shall be withdrawn at the latest by April 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13407:2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the EU Construction Products Regulation.

For relationship with EU Construction Products Regulation, see informative Annex ZA, which is an integral part of this document.

Since the latest version of EN 13407, the most significant technical changes are the following:

- a) the introduction of term "product type";
- b) the introduction of the clause "Dangerous substances";
- c) the modification of the marking of products;
- d) the replacement of clause "Evaluation of conformity" by "Assessment and verification of constancy of performance – AVCP" and replacement of Annex ZA by a new one in accordance with provisions of Regulation 305/2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies constructional and performance requirements together with test methods for wall-hung urinals made of vitreous china or stainless steel that are used for personal hygiene.

This European Standard does not apply to slab and stall urinals nor to waterless urinals.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 80, *Wall-hung urinals — Connecting dimensions*

EN 274-1, *Waste fittings for sanitary appliances — Part 1: Requirements*

EN 12056-2, *Gravity drainage systems inside buildings — Part 2: Sanitary pipework, layout and calculation*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 wall-hung urinal
sanitary appliance comprising a bowl to be fixed to a wall, for receiving urine and water used for flushing and directing both into a drainage system

Note 1 to entry: See Figure 1:




Figure 1 — Wall-hung urinal

3.2 slab urinal
sanitary appliance comprising a floor channel and a slab or sheet fixed to a wall, for receiving urine and water used for flushing and directing both into a drainage system

Note 1 to entry: See Figure 2:




Figure 2 — Slab urinal