

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Converter transformers –  
Part 3: Application guide**

**Transformateurs de conversion –  
Partie 3: Guide d'application**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2015 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### **IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### **Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Converter transformers –  
Part 3: Application guide**

**Transformateurs de conversion –  
Partie 3: Guide d'application**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.180

ISBN 978-2-8322-2233-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
0.1 General.....	8
0.2 Rating data (Clause 5) .....	8
0.3 Winding configurations (Clause 6) .....	8
0.4 Tappings and impedances (Clause 7) .....	8
0.5 Insulation aspects and dielectric tests (Clause 8) .....	9
0.6 Losses (Clause 9) .....	9
0.7 Core and sound aspects (Clause 10) .....	9
0.8 Transformer specification (Clause 11).....	9
0.9 Short circuit considerations (Clause 12).....	9
0.10 Components (Clause 13).....	10
0.11 Maintenance (Clause 14).....	10
0.12 Monitoring and on-site investigations (Clause 15) .....	10
0.13 Additional sources of information .....	10
1 Scope.....	11
2 Normative references.....	11
3 Terms and definitions .....	11
4 Symbols and abbreviations .....	11
5 Rating data.....	12
6 Winding configurations.....	13
6.1 General.....	13
6.2 Industrial applications .....	15
6.2.1 Rectifier .....	15
6.2.2 Voltage regulation .....	16
6.2.3 Autotransformer design .....	17
6.3 HVDC applications .....	22
6.3.1 Different types of transformer arrangement.....	22
6.3.2 Winding arrangements .....	23
6.3.3 Consideration of impedance – mutual impedance .....	24
7 Tappings and impedances – HVDC applications .....	25
7.1 Value of impedance.....	25
7.2 Variability of impedance .....	25
8 Insulation aspects and dielectric tests .....	26
8.1 Hybrid insulation systems.....	26
8.1.1 General .....	26
8.1.2 Hybrid insulation for converter transformers.....	27
8.2 Dielectric tests .....	28
8.2.1 General .....	28
8.2.2 Dielectric safety margins in long term d.c. and polarity reversal testing .....	30
8.2.3 Comments on the dielectric test procedures.....	31
9 Losses .....	33
9.1 General.....	33
9.1.1 General considerations .....	33
9.1.2 Losses and frequency .....	34

9.1.3	Current sharing, losses and hot spot in high current windings .....	35
9.1.4	Current harmonics .....	35
9.1.5	Transformers with three or more windings wound on the same core limb .....	36
9.1.6	Dual frequency testing of HVDC transformers .....	41
9.1.7	Transformers with more than one active part in the same tank .....	43
9.1.8	Transformers connected to a voltage source converter .....	44
9.2	Thermal tests .....	44
9.2.1	General .....	44
9.2.2	Calculation of test currents and losses for industrial transformers .....	44
9.2.3	Calculation of losses and test currents for HVDC transformers .....	44
9.2.4	Considerations on the hot spot and limits of the thermal tests .....	45
9.2.5	Considerations on temperature rise test of industrial transformers .....	45
9.2.6	Tank hot spots in industrial transformers .....	46
10	Core and sound aspects .....	46
10.1	Core .....	46
10.1.1	Constructional features .....	46
10.1.2	Effect of harmonics on transformer active part cores .....	47
10.1.3	DC bias voltage effect on main active part cores .....	47
10.1.4	Summary about cores .....	48
10.2	Sound .....	48
10.2.1	General .....	48
10.2.2	Fundamental considerations .....	49
11	Transformer specification .....	50
11.1	General .....	50
11.2	Technical specification versus functional specifications .....	51
11.2.1	General .....	51
11.2.2	Technical specifications .....	51
11.2.3	Functional specifications .....	51
11.3	HVDC transformer specifications .....	51
11.4	Notes and comments on specification items to be provided individually by purchaser and supplier .....	52
11.5	Information to be provided by the purchaser or by the system designer .....	52
11.5.1	General description .....	52
11.5.2	System data .....	52
11.5.3	Environmental data .....	53
11.5.4	Performance requirements .....	53
11.5.5	Testing requirements .....	55
11.5.6	Sequence of factory tests .....	57
11.5.7	Site tests .....	57
11.5.8	Design and construction requirements .....	58
11.5.9	Auxiliary equipment .....	58
11.5.10	Availability and measures to minimize service downtime .....	60
11.6	Information to be provided by the supplier .....	60
11.6.1	General .....	60
11.6.2	General description .....	60
11.6.3	Performance data .....	60
11.6.4	Supplementary data .....	61
11.7	Quality assurance and test program .....	63
11.8	Availability and measures to minimize service downtime .....	63

12	Short circuit considerations .....	63
13	Components .....	67
13.1	On-load tap-changers .....	67
13.1.1	General .....	67
13.1.2	Converters for industrial applications .....	67
13.1.3	Converter for HVDC applications .....	68
13.2	Valve-side bushings .....	68
13.2.1	General .....	68
13.2.2	Station layout .....	69
13.2.3	Technical considerations .....	69
13.2.4	Bushing types .....	69
13.2.5	Testing .....	69
14	Maintenance .....	71
14.1	General .....	71
14.2	Oil .....	72
14.2.1	General .....	72
14.2.2	Oil quality and transformer quality indicators .....	73
14.3	Insulation quality .....	73
14.3.1	General .....	73
14.3.2	Oil sampling requirements .....	74
14.3.3	Oil tests .....	75
14.3.4	Oil handling, storage and treatment .....	76
14.3.5	Oil preservation systems .....	76
14.4	Tap-changers .....	77
14.5	Accessories and fittings .....	79
15	Monitoring .....	79
15.1	General .....	79
15.2	Transformer condition assessment in service .....	80
15.3	Types of monitor .....	80
15.3.1	General .....	80
15.3.2	Oil condition monitoring .....	80
15.3.3	Off-line condition assessment .....	81
15.3.4	On and off-line monitors .....	81
15.3.5	Expert systems .....	83
15.3.6	Fingerprinting .....	83
15.4	Monitoring summary .....	84
16	Design review of converter transformers .....	84
16.1	General .....	84
16.2	Scheduling and confidentiality .....	85
16.3	Subject for design review .....	86
16.3.1	General .....	86
16.3.2	System information .....	86
16.3.3	Environmental Information .....	87
16.3.4	Transformer specific requirements .....	87
	Bibliography .....	91

Figure 1 – Bridge connection for six-pulse arrangement..... 14

Figure 2 – Bridge connection for twelve-pulse arrangement .....	14
Figure 3 – Transformer connections star-delta and star-star or alternatively, delta-delta and delta-star to give a 30 electrical degree separation between the valve-side voltages.....	14
Figure 4 – 15° phase shifting is preferably realized by extended delta or zigzag connection.....	15
Figure 5 – Double-star connection.....	15
Figure 6 – Typical connection of transducers.....	16
Figure 7 – Autotransformer concept for open phases with coarse and fine regulation steps .....	17
Figure 8 – Conventional autotransformer concept for closed phases with coarse and fine regulation steps .....	18
Figure 9 – Conventional autotransformer concept for closed phases with multi coarse regulation .....	19
Figure 10 – Booster autotransformer concept for closed phases with coarse and fine regulation steps.....	20
Figure 11 – Autotransformer concept for open phases with coarse and fine regulation steps .....	21
Figure 12 – Transformer concept for closed phases with coarse and fine regulation steps .....	22
Figure 13 – Two basic arrangements of the individual windings of a two-winding transformer.....	23
Figure 14 – Mutual impedance .....	25
Figure 15 – Typical impedance pattern.....	26
Figure 16 – Components of a typical industrial converter transformer insulating system.....	27
Figure 17 – Insulation system, equivalent R-C circuit.....	29
Figure 18 – Voltage distribution before and immediately after polarity reversal .....	30
Figure 19 – a.c./d.c. conversion – Simplified sketch.....	32
Figure 20 – Leakage fields for a three-winding transformer with closely coupled valve windings.....	38
Figure 21 – Leakage fields for a three-winding transformer with decoupled valve windings.....	39
Figure 22 – Leakage fields for a three winding transformer with loosely coupled double concentric valve windings .....	40
Figure 23 – Leakage fields for a three winding transformer with loosely coupled double-tier valve windings.....	41
Figure 24 – Short-circuit fault conditions in rectifier bridge .....	64
Figure 25 – Arrangement of valve bushings.....	70
Figure 26 – Examples of a.c., d.c. and combined electric field dispositions adjacent to HVDC bushings and associated electric insulation systems .....	71
Table 1 – Arrangements of two windings .....	24
Table 2 – Data for calculation of load losses with harmonic currents .....	43
Table 3 – Monitoring types .....	82

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONVERTER TRANSFORMERS –****Part 3: Application guide**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61378-3 has been prepared by IEC technical committee 14: Power transformers.

This second edition cancels and replaces the first edition published in 2006 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) revision of clause on losses to reflect the changes introduced by the second edition of IEC 61378-1;
- b) addition of a new clause about design review of converter transformer for both industrial and HVDC applications;
- c) addition of content for transformer connected to voltage source converters;
- d) reference to the work of CIGRE JWG A2/B4.28 on HVDC transformers.

The text of this standard is based on the following documents:

FDIS	Report on voting
14/803/FDIS	14/808/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61378 series, published under the general title *Converter transformers*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

### 0.1 General

IEC 61378 series is written in three parts:

- Part 1 applies to transformers associated with general "Industrial" converter uses. (Copper making, aluminium smelting and the electrolysis of certain gases).
- Part 2 applies to transformers required for HVDC applications.
- Part 3 is this application guide which contains the topic headings described in 0.2 to 0.13.

The scope of IEC 61378-1 is limited to application of power converters of any power rating. Typical applications are: thyristor rectifiers for electrolysis; diode rectifiers for electrolysis; thyristor rectifiers for large drives; thyristor rectifiers for scrap melting furnaces, and diode rectifiers feeding inverters for variable speed drives. The standard also covers the regulating unit utilized in such application as step down regulating transformers or autotransformers. The valve winding highest voltage for equipment is limited to 36 kV.

IEC 61378-2 covers converter transformers used in "HVDC Applications". There are two types of HVDC power transmission systems known generically as "back to back" and "transmission" schemes. The operation and evaluation of transformers operating within these two systems are covered by Part 2 and the present part of IEC 61378.

Neither IEC 61378-1:2011 nor IEC 61378-2:2001, explicitly include in their scope transformers connected to voltage source converters (VSC). Because VSC applications are becoming more and more common, some guidance is provided in this standard.

### 0.2 Rating data (Clause 5)

In both IEC 61378-1 and IEC 61378-2, the method of rating converter transformers is different to that used historically. In the traditional method, the r.m.s. value of current was used in defining the nameplate rating of the transformer. IEC 61378 has introduced a fundamental change in the method of defining the rating of transformers. The concept of using the fundamental components of voltage and current as the basis for the transformer nameplate rating is explained. The nameplate rating derived from these fundamental components becomes the basis for the guaranteed impedances and losses.

### 0.3 Winding configurations (Clause 6)

There are a large number of winding connections and configurations that are specific to converter transformers for both industrial and HVDC applications. They have been developed over many years. The operating characteristics of the various rectifier connections are mostly covered in IEC 60146 series. In the present part of IEC 61378, the connections are discussed in so far as they affect the construction and some operational aspects of the transformer.

The use of regulating schemes is common in industrial applications. The present part of IEC 61378 covers the principles for a number of these schemes.

### 0.4 Tappings and impedances (Clause 7)

The impedance of transformers for HVDC applications requires special attention and design solutions. The requirements primarily concern the limitation of the impedance variability over the whole tapping range, the limitation of the impedance difference between transformers and in some applications, the impedance difference between star and delta windings. This standard discusses these requirements and their practical aspects.

In general, the tapping range in converter transformers is wider than in conventional transformers. The impact of the wider tapping range on the transformer and the tap-changer is discussed in this standard.

### **0.5 Insulation aspects and dielectric tests (Clause 8)**

Two aspects are covered in Clause 8. First, the increasing use of “hybrid” insulation systems in transformers for industrial applications. Secondly, the ability of transformer insulation structures of HVDC transformers when tested with d.c. voltage and in service.

The basic principles, the methods of testing and the test voltage levels used for both a.c. and d.c. testing are discussed. The safety margins associated with the proposed testing regime are also reviewed.

### **0.6 Losses (Clause 9)**

The present part of IEC 61378 details the derivation of the principles, testing and calculation methods used that take into account the effects of non-sinusoidal load currents on converter transformers of all types.

The principles of testing at two frequencies for HVDC applications are detailed along with a worked example of the calculation. The losses derived from these tests and calculations are used as the base for specifying the test losses and currents to be used in establishing the oil and winding gradients during the thermal testing.

### **0.7 Core and sound aspects (Clause 10)**

The effects of voltage harmonics and a d.c.-bias circulating-current on the performance and construction of the core are discussed and summarized.

The causes of sound and the differences that may be expected between conventional factory sound measurements and those to be expected and experienced at site are reviewed.

The latest methods of assessment of sound associated with converter transformers are discussed.

### **0.8 Transformer specification (Clause 11)**

Transformers for converters differ significantly from power transformers with respect to the transformer specification. An outline of the details required in any specification is included as part of the guide for both technical and functional types of specification.

Some guidance as to what should be specified by the purchaser and what should be expected from the manufacturer during the tender and order process is given.

### **0.9 Short circuit considerations (Clause 12)**

In conventional power transformers, the calculation of the short circuit currents within the windings are dependent solely on the impedance and resistance components of the transformer and supply to which it is connected.

In the case of transformers used to supply converter applications, there are fault conditions within the converter that need to be considered where the peak value of the fault currents may be higher than those derived for conventional power transformers. These conditions are detailed in the present part of IEC 61378.

### **0.10 Components (Clause 13)**

In the design of transformers for both industrial and HVDC converter applications, the choice and operation of the on-load tap-changer is crucial. The present part of IEC 61378 outlines some of the principles governing the use of tap-changers in these applications.

In the HVDC application, the choice and integration of the valve-side bushings into the overall design is of vital importance.

The general requirements and recommendations for the construction, integration of the bushings with the transformer and testing are detailed. An IEC standard specifically for HVDC bushing is in preparation and the recommendations in the present part of IEC 61378 draws upon the requirements of the new standard.

### **0.11 Maintenance (Clause 14)**

Statistics suggest that the HVDC transformers require maintenance to a high standard. Those items that require particular attention are on-load tap-changers and valve-side bushings. Attention is drawn in this standard to maintenance requirements.

### **0.12 Monitoring and on-site investigations (Clause 15)**

Transformer monitoring is recommended if on-site problems are to be minimized and in this respect, condition monitoring is discussed. The present part of IEC 61378 also presents recommendations for the procedure and practices to be followed in the event of a failure at site. These recommendations are made so that vital evidence and data are not destroyed or contaminated at the initial stages of the investigation.

The use of condition monitoring for this application is also discussed in Clause 15.

### **0.13 Additional sources of information**

The preparation of the present part of IEC 61378, specifically for IEC 61378-2 HVDC converter applications, was significantly influenced by the working papers on various topics of CIGRE Joint Working Group 12/14.10.

## CONVERTER TRANSFORMERS –

### Part 3: Application guide

#### 1 Scope

This part of IEC 61378 provides information to users about specific topics related to industrial and HVDC converter transformers with design, construction, testing and operating conditions differing from conventional transformers used in power systems. In addition, it is the aim of the present part of IEC 61378 to provide manufacturers with the technical background that forms the basis for the principles used within IEC 61378-1 and IEC 61378-2.

It is intended that this part of IEC 61378 is used to supplement and not replace or supersede the application guide for power transformers, IEC 60076-8, since many of the general principles contained within it are equally applicable to converter transformers.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60076-1:2011, *Power transformers – Part 1: General*

IEC 60076-5:2006, *Power transformers – Part 5: Ability to withstand short circuit*

IEC 60076-14:2013 *Power transformers – Part 14: Liquid-immersed power transformers using high-temperature insulation materials*

IEC 60296, *Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear*

IEC 60422, *Mineral insulating oils in electrical equipment – Supervision and maintenance guidance*

IEC 61378-1:2011, *Converter transformers – Part 1: Transformers for industrial applications*

IEC 61378-2:2001, *Converter transformers – Part 2: Transformers for HVDC applications*

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61378-1 and IEC 61378-2 apply.

#### 4 Symbols and abbreviations

Symbol	Meaning	Units
$I_1$	r.m.s. value of the fundamental component of the rated line side current	A
$I_x$	r.m.s. value of the load loss test current at frequency $f_x$	A