

**Korstnad. Plastikust lõõrivooderdisega korstnad.
Nõuded ja katsemeetodid**

**Chimneys - System chimneys with plastic flue liners -
Requirements and test methods**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14471:2013 sisaldab Euroopa standardi EN 14471:2013 inglisekeelset teksti.	This Estonian standard EVS-EN 14471:2013 consists of the English text of the European standard EN 14471:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 20.11.2013.	Date of Availability of the European standard is 20.11.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.060.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Chimneys - System chimneys with plastic flue liners - Requirements and test methods

Conduits de fumée - Système de conduits de fumée avec
conduits intérieurs en plastique - Prescriptions et méthodes
d'essai

Abgasanlagen - Systemabgasanlagen mit
Kunststoffinnenrohren - Anforderungen und Prüfungen

This European Standard was approved by CEN on 14 September 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	6
Introduction.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions.....	9
4 Classification and designation.....	14
4.1 General.....	14
4.2 Temperature classes.....	14
4.3 Pressure classes.....	15
4.4 Sootfire resistance classes.....	15
4.5 Condensate resistance classes.....	15
4.6 Corrosion resistance classes.....	15
4.7 Thermal resistance.....	16
4.8 Distance to combustible material.....	16
4.9 Location.....	16
4.10 Reaction to fire.....	16
4.11 Outer wall classes.....	17
4.12 Designation.....	17
5 Dimensions and tolerances.....	17
6 Performance requirements.....	18
6.1 General.....	18
6.2 Resistance to the combination of mechanical and thermal load.....	18
6.2.1 General.....	18
6.2.2 Mechanical behaviour and stability.....	18
6.3 Components subject to wind load.....	19
6.4 Fire resistance.....	20
6.5 Hygiene, health and environment.....	20
6.5.1 Gas tightness.....	20
6.5.2 Recycling.....	20
6.6 Safety in use.....	20
6.6.1 Thermal performance.....	20
6.6.2 Thermal resistance.....	21
6.6.3 Resistance against condensate.....	21
6.6.4 Rainwater penetration resistance for insulated chimneys for external installation.....	21
6.6.5 Flow resistance.....	21
6.6.6 Terminals.....	21
6.7 Materials, durability.....	22
6.7.1 General.....	22
6.7.2 Characterization.....	22
6.7.3 Long-term resistance to thermal load.....	22
6.7.4 Long-term resistance to condensate exposure.....	23
6.7.5 Resistance to wet/dry cycling.....	24
6.7.6 Resistance against weathering.....	25
6.7.7 Geometrical stability.....	25
6.7.8 Reaction to fire.....	25
6.7.9 Freeze-thaw resistance.....	26
6.7.10 Seals and sealants.....	26
7 Test methods.....	26
7.1 General.....	26

7.2	Resistance to the combination of mechanical and thermal load	26
7.2.1	Test sample	26
7.2.2	Test performance	27
7.2.3	Test environment.....	27
7.3	Components subject to wind load.....	28
7.4	Fire resistance	28
7.5	Hygiene, health and environment.....	28
7.5.1	Gas tightness	28
7.5.2	Recycling.....	28
7.6	Safety in use	28
7.6.1	Thermal performance.....	28
7.6.2	Thermal resistance.....	29
7.6.3	Resistance against condensate.....	29
7.6.4	Rainwater penetration resistance for insulated chimneys for external installation.....	29
7.6.5	Flow resistance.....	29
7.6.6	Terminals.....	30
7.7	Materials	30
7.7.1	General	30
7.7.2	Characterization	30
7.7.3	Long-term resistance to thermal load	30
7.7.4	Long-term resistance to condensate exposure	31
7.7.5	Resistance to wet/dry cycling.....	32
7.7.6	Resistance against weathering.....	32
7.7.7	Geometrical stability	33
7.7.8	Reaction to fire	33
7.7.9	Freeze-thaw resistance	33
7.7.10	Seals and sealants	33
8	Dangerous substances	33
9	Product information	33
9.1	General	33
9.2	Minimum information to be included in the manufacturer's instructions.....	33
9.2.1	Information for the installer.....	33
9.2.2	Information for the user.....	34
9.3	Additional information to be included in the manufacturer's instructions:.....	34
9.3.1	Information for the installer.....	34
9.3.2	Information for the user.....	35
9.3.3	Additional information for terminals	35
10	Assessment and Verification of the Constancy of Performance (AVCP).....	36
10.1	General	36
10.2	Product type determinations.....	36
10.3	Further type testing.....	36
10.4	Continuous surveillance of FPC	36
10.5	Factory production control (FPC).....	37
10.5.1	General	37
10.5.2	Equipment	38
10.5.3	Raw materials and components	38
10.5.4	Product testing and evaluation.....	39
11	Marking and labelling.....	39
11.1	Marking chimney components.....	39
11.2	Chimney plate	40
Annex A	(normative) Test methods for characterization.....	45
Annex B	(informative) Examples of characterization.....	47
Annex C	(normative) Test methods to determine the effect to long-term thermal load, long-term condensate exposure, wet/dry cycling and resistance to UV.....	48
Annex D	(normative) Simplified calculation of thermal resistance for circular flues.....	49

Annex E (informative) Method for applying an evenly distributed load (horizontal)	51
Annex F (informative) Resistance to UV	52
Annex G (normative) Terminals	53
G.1 Characteristics of a terminal	53
G.1.1 General	53
G.1.2 Types of terminals	53
G.1.3 Wind direction characteristics	53
G.2 Requirements	54
G.2.1 General	54
G.2.2 Flow resistance of terminals Type I, II and III	54
G.2.3 Aerodynamic properties of terminals Type II and III	54
G.2.4 Rain water ingress	55
G.2.5 Icing behaviour	55
G.3 Characteristics of the terminal	55
G.3.1 Flow resistance	55
G.3.2 Aerodynamic properties	56
G.3.3 Rainwater ingress	58
G.3.4 Icing behaviour	58
Annex H (normative) Test methods for flow resistance	59
H.1 For terminal Type I, II and III, test method for flow resistance	59
H.1.1 Test apparatus	59
H.1.2 Test sample	59
H.1.3 Measurement parameters	59
H.1.4 Test condition	60
H.1.5 Test procedure	60
H.1.6 Test result	60
Annex I (normative) Test methods for wind effects on pressure	63
I.1 For terminal Type II, test method for wind velocity pressure	63
I.1.1 Test apparatus	63
I.1.2 Test sample	63
I.1.3 Measurement parameters	63
I.1.4 Test condition	64
I.1.5 Test procedure	64
I.1.6 Test result	64
I.2 For a terminal Type III, test method for wind velocity pressure	64
I.2.1 Test apparatus	64
I.2.2 Test sample	65
I.2.3 Measurement parameters	65
I.2.4 Test condition	66
I.2.5 Test procedure	66
I.2.6 Test result	66
Annex J (normative) Test methods for wind effects on recirculation	67
J.1 For terminal Type III, test method for recirculation	67
J.1.1 Test apparatus	67
J.1.2 Test sample	67
J.1.3 Measurement parameters	67
J.1.4 Test condition	68
J.1.5 Test procedure	68
J.1.6 Test result	68
Annex K (normative) Test method for rain water ingress	69
K.1 For terminal Type Ib, II and III, test method without wind	69
K.1.1 Test apparatus	69
K.1.2 Test sample	69
K.1.3 Measurement parameters	69
K.1.4 Test condition	69
K.1.5 Test procedure	70

K.1.6	Test result.....	70
K.2	For terminal Type Ib, II and III, test method with wind.....	71
K.2.1	Test apparatus	71
K.2.2	Test sample.....	72
K.2.3	Measurement parameters	72
K.2.4	Test condition.....	72
K.2.5	Test procedure.....	72
K.2.6	Test result.....	73
Annex L	(normative) Test method of icing effects	75
L.1	For terminal Type II and III, test method for icing behaviour.....	75
L.1.1	Test apparatus	75
L.1.2	Test sample.....	75
L.1.3	Measurement parameters	75
L.1.4	Test condition.....	76
L.1.5	Test procedure.....	76
L.1.6	Test result.....	76
Annex ZA	(informative) Clauses of this European Standard addressing the provisions of the EU	
	Construction Products Regulation.....	78
ZA.1	Scope and relevant characteristics	78
ZA.2	Procedure for AVCP of system chimneys with plastic flue liners and terminals.....	80
ZA.2.1	Systems of AVCP.....	80
ZA.2.2	Declaration of performance (DoP)	87
ZA.2.2.1	General	87
ZA.2.2.2	Content	87
ZA.2.2.3	Example of DoP	89
ZA.3	CE marking and labelling.....	91
	Bibliography.....	95

Foreword

This document (EN 14471:2013) has been prepared by Technical Committee CEN/TC 166 “Chimneys”, the secretariat of which is held by ASI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2014, and conflicting national standards shall be withdrawn at the latest by May 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14471:2005.

The main modifications compared to EN 14471:2005 are the following:

- the Normative References were updated;
- additions were made in Clause 3 (Terms and definitions);
- Clause 4 was revised;
- the requirements in Clause 5 were completely revised;
- all annexes were revised and some annexes were added.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The objective of this European Standard is to evaluate the behaviour of system chimneys with plastic flue liners.

A system chimney with a plastic flue liner may be a single wall chimney (only the plastic flue liner) or may be a double wall chimney or a flue liner with enclosure or with outer wall. The system chimney according to this standard can consist of a plastic liner only (e.g. single wall) or a system with plastic inner liner (e.g. concentric or with outer wall). The system chimney is defined by the manufacturer, whereas the requirements for the installation are defined by the national regulations of the member states.

This document is a preview generated by EVS

1 Scope

This European Standard specifies the performance requirements and test methods for system chimneys with plastic flue liners used to convey the products of combustion from appliances to the outside atmosphere under dry and wet conditions. It also specifies the requirements for marking, manufacturer's instructions and evaluation of conformity.

This European Standard describes chimney components from which system chimneys can be assembled.

This European Standard is not applicable to chimneys with sootfire resistance classification class G.

This European Standard is not applicable for chimneys with the following classification:

- corrosion resistance class 2 concerning natural wood¹⁾;
- corrosion resistance class 3;
- pressure class N2.

This European Standard is applicable to chimneys designed so that no condensate accumulation can occur, e.g. with a minimum inclination of 3° to the horizontal.

This European Standard is not applicable

- for system chimneys with plastic coated flue liners;
- to structurally independent (free-standing or self-supporting) chimneys.

Chimneys with components which need further processing during the installation to reach the final material properties are no system chimneys and therefore also not covered by this standard.

This European Standard does not cover the requirements for horizontal terminals (as defined for C1 installation types in CEN/TR 1749) regarding aerodynamic behaviour, rainwater ingress and icing behaviour.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1443:2003, *Chimneys — General requirements*

EN 13216-1:2004, *Chimneys — Test methods for system chimneys — Part 1: General test methods*

EN 13384-1:2002+A2:2008, *Chimneys — Thermal and fluid dynamic calculation methods — Part 1: Chimneys serving one appliance*

EN 13501-1:2007+A1:2009, *Fire classification of construction products and building elements — Part 1: Classification using test data from reaction to fire tests*

EN 13501-2, *Fire classification of construction products and building elements — Part 2: Classification using data from fire resistance tests, excluding ventilation services*

EN 13823, *Reaction to fire tests for building products — Building products excluding floorings exposed to the thermal attack by a single burning item*

1) There is no sufficient knowledge on data for flue gas condensate from appliances fired with natural wood.

EN 14241-1, *Chimneys — Elastomeric seals and elastomeric sealants — Material requirements and test methods — Part 1: Seals in flue liners*

EN 14297, *Chimneys — Freeze-thaw resistance test method for chimney products*

EN 60529, *Degrees of protection provided by enclosures (IP code) (IEC 60529)*

EN ISO 75-1, *Plastics — Determination of temperature of deflection under load — Part 1: General test method (ISO 75-1)*

EN ISO 178, *Plastics — Determination of flexural properties (ISO 178)*

EN ISO 179-1, *Plastics — Determination of Charpy impact properties — Part 1: Non-instrumented impact test (ISO 179-1)*

EN ISO 306, *Plastics — Thermoplastic materials — Determination of Vicat softening temperature (VST) (ISO 306)*

EN ISO 527-1, *Plastics — Determination of tensile properties — Part 1: General principles (ISO 527-1)*

EN ISO 527-2, *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics (ISO 527-2)*

EN ISO 1043-1, *Plastics — Symbols and abbreviated terms — Part 1: Basic polymers and their special characteristics (ISO 1043-1)*

EN ISO 1133-1, *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 1: Standard method (ISO 1133-1)*

EN ISO 1133-2, *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 2: Method for materials sensitive to time-temperature history and/or moisture (ISO 1133-2)*

EN ISO 1183-1, *Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method (ISO 1183-1)*

EN ISO 8256, *Plastics — Determination of tensile-impact strength (ISO 8256)*

EN ISO 9969, *Thermoplastics pipes — Determination of ring stiffness (ISO 9969)*

EN ISO 11925-2, *Reaction to fire tests — Ignitability of products subjected to direct impingement of flame — Part 2: Single-flame source test (ISO 11925-2)*

EN ISO 11357-3, *Plastics — Differential scanning calorimetry (DSC) — Part 3: Determination of temperature and enthalpy of melting and crystallization (ISO 11357-3)*

EN ISO 14021, *Environmental labels and declarations — Self-declared environmental claims (Type II environmental labelling) (ISO 14021)*

ISO 2859-1, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1443:2003, EN 13216-1:2004 and the following apply.