

Leather - Determination of degradability by
micro-organisms (ISO 20136:2017)

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 20136:2017 sisaldab Euroopa standardi EN ISO 20136:2017 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 20136:2017 consists of the English text of the European standard EN ISO 20136:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.03.2017.	Date of Availability of the European standard is 22.03.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 59.140.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 20136

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 59.140.30

English Version

Leather - Determination of degradability by micro-organisms (ISO 20136:2017)

Cuir - Détermination de la dégradabilité par les micro-organismes (ISO 20136:2017)

Leder - Bestimmung der Abbaubarkeit durch Mikroorganismen (ISO 20136:2017)

This European Standard was approved by CEN on 14 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 20136:2017) has been prepared by Technical Committee IULTCS “International Union of Leather Technologists and Chemists Societies” in collaboration with Technical Committee CEN/TC 289 “Leather” the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2017, and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20136:2017 has been approved by CEN as EN ISO 20136:2017 without any modification.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	2
5 Principle	2
5.1 Method A: assessment of biodegradation by manual titration.....	2
5.2 Method B: assessment of biodegradation by infrared detection.....	2
6 Chemicals	3
7 Apparatus and materials	4
8 Procedure	6
8.1 Collection and preparation of the inoculum.....	6
8.2 Preparation of the test material and reference material.....	6
8.3 Test conditions and incubation period.....	6
8.4 Test equipment.....	6
8.4.1 Equipment for the assessment of biodegradation by manual titration (equipment A).....	6
8.4.2 Equipment for the assessment of biodegradation by IR detection (equipment B).....	7
8.5 End of the test.....	7
9 Quantification	8
9.1 Equipment for the assessment of biodegradation by manual titration (equipment A).....	8
9.1.1 Determination of the organic carbon content.....	8
9.1.2 Determination of the amount of carbon dioxide produced (Method A).....	8
9.1.3 Correcting for normality of HCl.....	8
9.1.4 Percentage of biodegradation from carbon dioxide evolved.....	8
9.2 Equipment for the assessment of biodegradation by IR detection (Method B).....	8
9.2.1 Determination of the organic carbon content.....	8
9.2.2 Determination of the amount of carbon dioxide (CO ₂ produced).....	9
9.2.3 Percentage of biodegradation from CO ₂ data.....	9
10 Expression of results	10
11 Validity of results	10
12 Test report	10
Annex A (informative) Determination of the degree and rate of degradation of the material	11
Annex B (informative) Quantitative determination of leather biodegradation	16
Bibliography	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

This document was prepared by the Chemical Tests Commission of the International Union of Leather Technologists and Chemists Societies (IUC Commission, IULTCS) in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 289, *Leather*, the secretariat of which is held by UNI, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

IULTCS, originally formed in 1897, is a world-wide organization of professional leather societies to further the advancement of leather science and technology. IULTCS has three Commissions, which are responsible for establishing international method for the sampling and testing of leather. ISO recognizes IULTCS as an international standardizing body for the preparation of test methods for leather.

Introduction

One of the big problems faced by the footwear industry is waste treatment. Although this waste, especially in the case of leather, is not considered hazardous by current legislation, it is however produced in large quantities which present a problem for municipal landfill sites.

The aim of the tanning process is to avoid skin putrefaction and increase the resistance of the obtained leather. For this purpose, chemical and biological agents are used which are involved in the denaturation and hardening of the main stromal protein, collagen, thus also producing physicochemical changes in the skin.

There is a wide range of different agents used for leather tanning, which can be based on organic products, vegetable extracts or inorganic products, mostly metals.

The most used tanning agent in the footwear industry is Chromium (III), which gives the skin desirable characteristics, such as elasticity, easy buffing and a good breathability and vapour permeability. However, the traditional tanning industry, and especially chrome tanning, generates wastes that pose an environmental threat. Also, chrome-tanned hides and skins have too long a lifespan, much larger than the useful life of the final products. Therefore, the use of additives that are less harmful to the environment and which generate products that have a certain ease of degradation, once the material has achieved its purpose, would be preferred, thus minimising waste products.

Within this sector, the development of fast biodegradability quantification methods for leather that has been treated with alternative tanning agents is needed in order to predict whether these materials are more biodegradable than their predecessors. The methodology described in this document attempts to allow the completion of this form of analysis in a test time of no more than 35 days.

Leather — Determination of degradability by micro-organisms

1 Scope

This document specifies a test method to determine the degree and rate of aerobic biodegradation of hides and skins of different animal origin, whether they are tanned or not, through the indirect determination of CO₂ produced by the degradation of collagen.

The test material is exposed to an inoculum (activated sludge from tannery wastewater) in an aqueous medium.

The conditions established in this document correspond to optimum laboratory conditions to achieve the maximum level of biodegradation. However, they may not necessarily correspond to the optimum conditions or maximum level of biodegradation in the natural medium.

In general, the experimental procedure covers the determination of the degradation degree and rate of the material under controlled conditions, which allows the analysis of the evolved carbon dioxide produced throughout the test. For this purpose, the testing equipment complies with strict requirements with regard to flow, temperature and agitation control.

This method applies to the following materials:

- natural polymers of animal stroma (animal tissue/skins),
- animal hides and skins tanned (leather) using organic or inorganic tanning agents,
- leathers that, under testing conditions, do not inhibit the activity of microorganisms present in the inoculum.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

filter pore no. 1

diffuser with pore size from 100 microns to 160 microns

Note 1 to entry: This measurement is standard.

3.2

inoculum

activated sludge from tannery wastewater