

Korekergetoonist sarrustatud valmisselemendid

Prefabricated reinforced components of lightweight aggregate concrete with open structure

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 1520:2004 sisaldab Euroopa standardi EN 1520:2002 + AC:2003 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 18.02.2003 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 20.11.2002.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 1520:2004 consists of the English text of the European standard EN 1520:2002 + AC:2003.

This standard is ratified with the order of Estonian Centre for Standardisation dated 18.02.2003 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 20.11.2002.

The standard is available from Estonian standardisation organisation.

ICS 91.100.30

Võtmesõnad: betoon, elemendid, omadused

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

ICS 91.100.30

English version

Prefabricated reinforced components of lightweight aggregate concrete with open structure

Produits préfabriqués armés en béton de granulats légers à structure ouverte

Vorgefertigte bewehrte Bauteile aus haufwerksporigem Leichtbeton

This European Standard was approved by CEN on 16 October 2002.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Foreword.....	7
1 Scope	8
2 Normative references	8
3 Definitions, symbols and abbreviations	10
3.1 Terms and definitions	10
3.2 Symbols	11
3.2.1 General symbols	11
3.2.2 Subscripts	12
3.2.3 Symbols used in this European Standard	12
3.3 Abbreviations	16
3.4 Units	17
4 Properties and requirements of materials	17
4.1 Constituents	17
4.1.1 General	17
4.1.2 Release of dangerous substances	17
4.2 Reinforcing steel	17
4.2.1 General	17
4.2.2 Ultimate tensile strength and tensile yield strength	17
4.3 Lightweight aggregate concrete parameters	18
4.3.1 Dry density	18
4.3.2 Characteristic strength values	19
4.3.3 Compressive strength	19
4.3.4 Flexural strength	22
4.3.5 Stress-strain diagram	22
4.3.6 Modulus of elasticity	22
4.3.7 Poisson's ratio	22
4.3.8 Coefficient of thermal expansion	22
4.3.9 Drying shrinkage	23
4.3.10 Creep	23
4.3.11 Thermal conductivity	24
4.3.12 Water vapour permeability	27
5 Properties and requirements of components	27
5.1 General	27
5.1.1 Mechanical resistance	27
5.1.2 Acoustic properties	27
5.1.3 Reaction to fire and resistance to fire	28
5.1.4 Thermal resistance	28
5.1.5 Water permeability	28
5.2 Types of components	28
5.2.1 General	28
5.2.2 Roof and floor components	29
5.2.3 Wall components	29
5.2.4 Beams and piers	30
5.2.5 Other prefabricated components	30
5.3 Detailing, technical requirements, and declared properties	30
5.3.1 Detailing	30
5.3.2 Dimensions and tolerances	30
5.3.3 Mass of the components	30
5.3.4 Deflections	31
5.3.5 Strength of joints	31
5.3.6 Environmental classes	31
5.3.7 Minimum requirements	31
5.4 Additional requirements for roof and floor components and beams	31

5.4.1	Minimum dimensions	31
5.4.2	Reinforcement.....	31
5.5	Additional requirements for loadbearing wall components with no vertical load.....	35
5.5.1	General.....	35
5.5.2	Minimum dimensions	35
5.5.3	Structural reinforcement.....	35
5.6	Additional requirements for loadbearing wall components with vertical loads	36
5.6.1	General.....	36
5.6.2	Minimum dimensions	36
5.6.3	Maximum slenderness	36
5.6.4	Reinforcement.....	37
5.6.5	Chases	37
5.7	Additional requirements for non-loadbearing wall components for partitions.....	37
5.7.1	Impact resistance.....	37
5.7.2	Minimum dimensions	37
5.7.3	Reinforcement.....	38
5.8	Durability	38
5.8.1	General.....	38
5.8.2	Environmental classes.....	38
5.8.3	Corrosion protection of reinforcement.....	38
6	Evaluation of conformity.....	39
6.1	Introduction	39
6.2	Initial type-testing of the component.....	40
6.3	Factory production control.....	40
6.3.1	General.....	40
6.3.2	Process control.....	41
6.3.3	Finished products.....	41
6.4	Initial inspection of the factory and the factory production control	41
6.4.1	Information to be supplied.....	41
6.4.2	Inspection	42
6.4.3	Reports	42
6.5	Surveillance, assessment and approval of the factory production control	42
6.5.1	Inspection tasks.....	42
6.5.2	Frequency of inspections	42
6.5.3	Reports	42
6.6	Actions to be taken in the event of non-conformity.....	43
7	Basis for evaluation.....	49
7.1	Evaluation methods.....	49
7.2	Limit states	49
7.3	Actions.....	49
8	Marking, labelling and designation.....	50
8.1	Standard designation	50
8.2	Additional information on accompanying documents	51
Annex A	(normative) Evaluation by calculation.....	52
A.1	General.....	52
A.2	Partial safety factors.....	52
A.3	Ultimate limit state - Design for bending and combined bending and axial compression	52
A.3.1	Design assumptions.....	52
A.3.2	Stress-strain diagram for LAC.....	53
A.3.3	Stress-strain diagram for reinforcing steel.....	54
A.4	Ultimate limit state - Design for shear	56
A.4.1	Shear design for components under predominantly transverse load, e.g. roof and floor components and beams.....	56
A.4.2	Shear design for components under predominantly centric or eccentric axial compression forces, e.g. walls and piers	57
A.5	Ultimate limit state - Design for centric and eccentric axial compression forces	57
A.6	Serviceability limit states.....	58
A.6.1	Serviceability limit state of cracking.....	58
A.6.2	Serviceability limit state of deformation.....	59
A.7	Components requirements	59
A.7.1	Roof and floor components.....	59

A.7.2	Wall components with no vertical load	61
A.7.3	Wall components with vertical loads	61
A.7.4	Components for noise barriers	63
Annex B	(normative) Evaluation by testing	64
B.1	General	64
B.2	Safety evaluation	64
B.2.1	General	64
B.2.2	Brittle and ductile failure	64
B.2.3	Partial safety factors	65
B.3	Ultimate limit states	65
B.3.1	General	65
B.3.2	Transversely loaded components	65
B.3.3	Longitudinally loaded components	67
B.3.4	Simultaneously transversely and longitudinally loaded components	68
B.4	Serviceability limit states	69
B.4.1	Elastic deformations	69
B.4.2	Time dependent deformations	69
Annex C	(informative) Partial safety factors (Example)	70
C.1	Ultimate limit states (ULS)	70
C.2	Serviceability limit states (SLS)	70
Annex ZA	(informative) Provisions for the CE marking of prefabricated reinforced components of lightweight aggregate concrete with open structure under the EC Construction Product Directive	71
Bibliography	85
Figures		
Figure 1	— Determination of dry thermal conductivity λ_{10dry}	25
Figure 2	— Examples of solid slab (a), hollow core slab (b) and multilayer slab (c) (with respect to transverse reinforcement, see 5.4.2)	33
Figure 3	— Anchorage of smooth reinforcing bars	34
Figure 4	— Anchorage of ribbed reinforcing bars	34
Figure 5	— Limits of slenderness ratio S of loadbearing walls and piers	37
Figure A.1	— Bi-linear stress-strain diagram for LAC in compression for cross-sectional of design	54
Figure A.2	— Design stress-strain diagram for reinforcing steel	55
Figure A.3	— Strain diagrams in the ultimate limit state	55
Figure A.4	— Distribution of concentrated load	60
Figure B.1	— Definition of shear span l_s	66
Figure B.2	— Simplified N/M interaction diagram of the cross-section, representing results of three test series	69
Tables		
Table 1	— Tolerances on declared mean value of dry density of LAC	19
Table 2	— Density classes of LAC	19
Table 3	— Determination of the characteristic strength f_k and required minimum strength f_{min}	19
Table 4	— Statistical coefficient K_n for determination of characteristic strength	20

Table 5 — Reduction factors for compressive strength of cores with equal length and diameter or of cubes with different sizes	20
Table 6 — Conversion factors for conversion of test results of moulded test specimens to the strength of reference test specimens (drilled cores with 100 mm diameter and equal length or 100 mm cubes)	21
Table 7 — Strength classes and strength requirements for LAC	21
Table 8 — Basic drying shrinkage ε_{so} of normal weight concrete	23
Table 9 — Coefficient η_3 for evaluation of final drying shrinkage of LAC	23
Table 10 — Final creep coefficient $\varphi_0(\infty, t_0)$ of normal weight concrete	24
Table 11 — Coefficient η_4 for evaluation of the final creep coefficient of LAC	24
Table 12 — Dry thermal conductivity λ_{10dry} of LAC for 50% and 90% of production, with a confidence level $\gamma = 90\%$ (compiled according to EN 1745)	26
Table 13 — Basic values for moisture content and moisture conversion coefficient of LAC (compiled according to EN 12524)	27
Table 14 — Types of components	29
Table 15 — Maximum permissible deviation from squareness in the plane of components	30
Table 16 — Limits of reinforcement in roof and floor components in the case of evaluation by calculation (plain steel, with $f_{yk} \leq 220$ MPa)	Error! Bookmark not defined.
Table 17 — Minimum concrete cover if corrosion protection is achieved by embedding the bars in concrete with closed structure	39
Table 18 — Initial type-testing of the components	44
Table 19 — Factory production control, testing of the finished product, LAC components for structural uses	45
Table 20 — Factory production control, testing of the finished product, LAC components for non-loadbearing uses	47
Table A.1 — Required dimensions of beams without verification of loadbearing capacity	62
Table C.1 — Partial safety factors γ_M for material properties	70
Table C.2 — Partial safety factors γ_{comp} for components	70
Table ZA.1a — Harmonised clauses for loadbearing wall components	72
Table ZA.1b — Harmonised clauses for retaining wall components	73
Table ZA.1c — Harmonised clauses for roof components	74
Table ZA.1d — Harmonised clauses for floor components	75
Table ZA.1e — Harmonised clauses for linear components	76
Table ZA.1f — Harmonised clauses for non-loadbearing wall components	77
Table ZA.1g — Harmonised clauses for cladding components	78
Table ZA.1h — Harmonised clauses for small box culvert components	79

Table ZA.2a — Systems of attestation of conformity.....	80
Table ZA.2b — Assignment of evaluation of conformity tasks (for structural components).....	80
Table ZA.2c — Assignment of evaluation of conformity tasks (for non structural or light structural components).....	81

This document is a preview generated by EVS

Foreword

This document EN 1520:2002 has been prepared by Technical Committee CEN /TC 177, "Prefabricated reinforced components of autoclaved aerated concrete or lightweight aggregate concrete with open structure", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2003, and conflicting national standards shall be withdrawn at the latest by August 2004.

This European Standard has been prepared under mandate M100 given to CEN by the European Commission and the European Free Trade Association and supports essential requirements of Directives 89/106/EEC.

For relationship with EU Directives, see informative annex ZA, which is an integral part of this standard.

Regulatory classes are only given for "Reaction to fire" and "Resistance to fire". All other classes used in this European Standard, i. e. density classes and strength classes, are technical classes.

Annexes A and B are normative.

Annex C is informative.

This document includes a Bibliography.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard : Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard is for prefabricated reinforced components of lightweight aggregate concrete with open structure intended to be used in building constructions

a) for structural elements:

- loadbearing wall components (solid, hollow core or multilayer);
- retaining wall components (solid) with or without surcharge loading;
- roof components (solid, hollow core or multilayer);
- floor components (solid, hollow core or multilayer);
- linear components (beams or piers).

b) for non-structural elements:

- non-loadbearing wall components (e.g. for partition walls);
- cladding components (without fixtures) intended to be used for external facades of buildings;
- small box culverts used to form channels for the enclosure of services;
- components for noise barriers.

Depending on the type and intended use of elements for which the components are utilised, the components can be applied - in addition to their loadbearing and encasing function - for purposes of fire resistance, sound insulation and thermal insulation in the relevant clauses of this European Standard.

Components covered by this standard are only intended to be subjected to predominantly non-dynamic actions, unless special measures are introduced in the relevant clauses of this European standard.

The term "reinforced" relates to reinforcement used for both structural and non-structural purposes.

This European Standard does not cover:

- rules for the application of these components in structures;
- joints (except their strength);
- fixtures;
- finishes for external components, such as tiling.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 206-1:2000, *Concrete – Part 1: Specification, performance, production and conformity*.

EN 990, *Test methods for verification of corrosion protection of reinforcement in autoclaved aerated concrete and lightweight aggregate concrete with open structure*.

- EN 991, *Determination of the dimension of prefabricated reinforced components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure.*
- EN 992, *Determination of the dry density of lightweight aggregate concrete with open structure.*
- EN 1352, *Determination of static modulus of elasticity under compression of autoclaved aerated concrete or lightweight aggregate concrete with open structure.*
- EN 1354, *Determination of compressive strength of lightweight aggregate concrete with open structure.*
- EN 1355:1996, *Determination of creep strains under compression of autoclaved aerated concrete or lightweight aggregate concrete with open structure.*
- EN 1356, *Performance test for prefabricated reinforced components of autoclaved aerated concrete or lightweight aggregate concrete with open structure under transverse load.*
- EN 1364-1, *Fire resistance tests for non-loadbearing elements – Part 1: Walls.*
- EN 1365-1, *Fire resistance tests for loadbearing elements – Part 1: Walls.*
- EN 1365-2, *Fire resistance tests for loadbearing elements – Part 2: Floors and roofs.*
- EN 1365-3, *Fire resistance tests for loadbearing elements – Part 3: Beams.*
- EN 1365-4, *Fire resistance tests for loadbearing elements – Part 4: Columns.*
- EN 1521, *Determination of flexural strength of lightweight aggregate concrete with open structure.*
- EN 1739, *Determination of shear strength for in-plane forces of joints between prefabricated components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure.*
- EN 1740, *Performance test for prefabricated reinforced components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure under predominantly longitudinal load (vertical components).*
- EN 1741, *Determination of shear strength for out-of-plane forces of joints between prefabricated components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure.*
- EN 1745, *Masonry and masonry products – Methods for determining design thermal values.*
- EN 1793-1, *Road traffic noise reducing devices – Test method for determining the acoustic performance – Part 1: Intrinsic Characteristics of sound absorption.*
- EN 1793-2, *Road traffic noise reducing devices – Test method for determining the acoustic performance – Part 2: Intrinsic characteristics of airborne sound insulation.*
- EN 10002-1, *Metallic materials – Tensile testing – Part 1: Method of test at ambient temperature.*
- EN 10025, *Hot rolled products of non-alloy structural steels – Technical delivery conditions.*
- prEN 10080-1, *Steel for the reinforcement of concrete – Weldable reinforcing steel – Part 1: General requirements.*
- EN 12354-1, *Building acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 1: Airborne sound insulation between rooms.*
- EN 12354-2, *Building acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 2: Impact sound insulation between rooms.*
- EN 12524, *Building materials and products - Hygrothermal properties - Tabulated design values.*

EN 1520:2002 (E)

EN 12664, *Thermal performance of building materials and products – Determination of thermal resistance by means of guarded hot plate and heat flow meter methods – Dry and moist products of medium and low thermal resistance.*

EN 12667 *Thermal performance of building materials and products - Determination of thermal resistance by means of guarded hot plate and heat flow meter methods - Products of high and medium thermal resistance.*

EN 12939, *Thermal performance of building materials and products – Determination of thermal resistance by means of guarded hot plate and heat flow meter methods – Thick products of high and medium thermal resistance.*

EN 13055-1, *Lightweight aggregates – Part 1: Lightweight aggregates for concrete, mortar and grout.*

EN 13501-1, *Fire classification of construction products and building elements – Part 1: Classification using test data from reaction to fire tests.*

prEN 13501-2, *Fire classification of construction products and building elements – Part 2: Classification using data from fire resistance tests (excluding products for use in ventilation systems).*

EN 20354, *Acoustics – Measurement of sound absorption in a reverberation room (ISO 354:1985).*

EN ISO 140-3, *Acoustics - Measurement of sound insulation in buildings and of building elements - Part 3: Laboratory measurements of airborne sound insulation of building elements (ISO 140-3:1995).*

EN ISO 140-6, *Acoustics – Measurement of sound insulation in buildings and of building elements – Part 6: Laboratory measurements of impact sound insulation of floors (ISO 140-6:1998).*

EN ISO 717-1, *Acoustics – Rating of sound insulation in buildings and of building elements – Part 1: Airborne sound insulation (ISO 717-1:1996).*

EN ISO 717-2, *Acoustics – Rating of sound insulation in buildings and of building elements – Part 2: Impact sound insulation (ISO 717-2:1996).*

EN ISO 6946, *Building components and building elements – Thermal resistance and thermal transmittance – Calculation method (ISO 6946:1996).*

EN ISO 10456, *Building materials and products - Procedures for determining declared and design thermal values (ISO 10456:1999).*

EN ISO 12572, *Hygrothermal performance of building materials and products – Determination of water vapour transmission properties (ISO 12572:2001).*

ISO 1000, *SI units and recommendations for the use of their multiples and of certain other units.*

ISO 1000 AMD 1, *SI units and recommendations for the use of their multiples and of certain other units - Part Amendment 1.*

3 Definitions, symbols and abbreviations

3.1 Terms and definitions

For the purposes of this European Standard the following terms and definitions apply.

3.1.1

lightweight aggregate (LWA)

aggregate consisting of grains with a porous structure and with a particle density of not more than 2 000 kg/m³ or a loose bulk density of not more than 1 200 kg/m³