

Extended application of results from fire resistance tests - Non-loadbearing walls - Part 5: Metal sandwich panel construction

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 15254-5:2009 sisaldab Euroopa standardi EN 15254-5:2009 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.12.2009 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 04.11.2009.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 15254-5:2009 consists of the English text of the European standard EN 15254-5:2009.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.12.2009 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 04.11.2009.

The standard is available from Estonian standardisation organisation.

ICS 13.220.50, 91.060.10

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute Estonian Standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs.ee

ICS 13.220.50; 91.060.10

English Version

Extended application of results from fire resistance tests - Non-loadbearing walls - Part 5: Metal sandwich panel construction

Application étendue des résultats d'essais de résistance au feu - Murs non porteurs - Partie 5 : Panneaux sandwichés métalliques pour la construction

Erweiterter Anwendungsbereich der Ergebnisse von Feuerwiderstandsprüfungen - Nichttragende Wände - Teil 5: Sandwichelemente in Metallbauweise

This European Standard was approved by CEN on 5 October 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions, symbols and abbreviations	4
3.1 Terms and definitions	4
3.2 Symbols and abbreviations	5
4 Establishing the field of extended application	6
4.1 General	6
4.2 Assumptions in the extended application	6
4.3 Assumed structural behaviour of a sandwich panel in fire	7
5 Rules for extended applications of the tested product	7
5.1 General	7
5.2 Variations in the materials of the product	9
5.2.1 General	9
5.2.2 Variations in the metal sheets	10
5.2.3 Variations in the adhesive	11
5.2.4 Variations in the core material	11
5.3 Variations in the construction	12
5.3.1 Variations in span length	12
5.3.2 Variations in the panel thickness	13
5.3.3 Variations in the joint construction	13
5.3.4 Variations in the boundary conditions and fixing system	13
5.3.5 Length and height of wall construction	13
5.4 Interaction between the factor influences	13
5.5 Support structure	14
5.6 Heating conditions	14
6 Small scale tests and calculation methods	14
6.1 Small scale tests	14
6.2 Calculation methods	14
6.2.1 General	14
6.2.2 Calculation of strength properties	14
6.3 Additional measurements to be carried out in the reference test	15
7 Report of the extended application analysis	15
Annex A (informative) Typical behaviour of a metal faced sandwich panel wall when exposed to fire	16
Annex B (normative) Evaluation of extension of span length	17
Bibliography	20

Foreword

This document (EN 15254-5:2009) has been prepared by Technical Committee CEN/TC 127 "Fire safety in buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2010, and conflicting national standards shall be withdrawn at the latest by May 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

This standard is currently composed of the following parts:

- EN 15254-2, *Extended application of results from fire resistance tests — Non-loadbearing walls — Part 2: Masonry and Gypsum Blocks*
- EN 15254-4, *Extended application of results from fire resistance tests — Non-loadbearing walls — Part 4: Glazed constructions*
- EN 15254-5, *Extended application of results from fire resistance tests — Non-loadbearing walls — Part 5: Metal sandwich panel construction*
- prEN 15254-7, *Extended application of results from fire resistance tests — Non-loadbearing walls — Part 7: Non-load bearing sandwich panels — Ceilings*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This part of EN 15254 defines rules for extended applications, provides guidance, and, where appropriate, defines procedures, for variations of certain parameters and factors associated with the design of internal and external non-loadbearing walls constructed of metal sandwich panels and that have been tested in accordance with EN 1364-1.

EN 15254-5 applies for self-supporting, double skin metal faced sandwich panels having an insulating core bonded to both facings as defined in EN 14509.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1363-1:1999, *Fire resistance tests — Part 1: General requirements*

EN 1364-1:1999, *Fire resistance tests for non-loadbearing elements — Part 1: Walls*

EN 13501-2, *Fire classification of construction products and building elements — Part 2: Classification using data from fire resistance tests, excluding ventilation services*

EN 14509, *Self-supporting double skin metal faced insulating panels — Factory made products — Specifications*

EN 1993-1-2, *Eurocode 3: Design of steel structures — Part 1-2: General rules — Structural fire design*

3 Terms and definitions, symbols and abbreviations

3.1 Terms and definitions

For the purposes of this document the terms and definitions given in EN 14509:2006, EN 1364-1:1999 and EN 1363-1:1999 together with the following apply.

3.1.1

direct field of application of test results

outcome of a process (involving the application of defined rules) whereby a test result is deemed to be equally valid for variations in one or more of the product properties and/or intended end-use applications

3.1.2

extended field of application of test results

outcome of a process (involving the application of defined rules that may incorporate calculation procedures) that predicts, for a variation of a product property and/or its intended end-use application(s), a test result on the basis of one or more test results to the same test standard

3.1.3

factor

one of the possible variations that may be applied to a parameter

3.1.4

factor influence

one of the potential causes of a change in the fire resistance due to a factor