

Solid recovered fuels - Methods for the determination of the content of major elements (Al, Ca, Fe, K, Mg, Na, P, Si, Ti)

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 15410:2011 sisaldab Euroopa standardi EN 15410:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.09.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 07.09.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 15410:2011 consists of the English text of the European standard EN 15410:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.09.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 07.09.2011.

The standard is available from Estonian standardisation organisation.

ICS 75.160.10

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

English Version

Solid recovered fuels - Methods for the determination of the content of major elements (Al, Ca, Fe, K, Mg, Na, P, Si, Ti)

Combustibles solides de récupération - Pour la détermination de la teneur en éléments majeurs (Al, Ca, Fe, K, Mg, Na, P, Si et Ti)

Feste Sekundärbrennstoffe - Verfahren zur Bestimmung des Gehaltes an Hauptbestandteilen (Al, Ca, Fe, K, Mg, Na, P, Si, Ti)

This European Standard was approved by CEN on 15 July 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Safety remarks	6
5 Principle	6
6 Apparatus	7
7 Reagents	8
8 Procedure	8
8.1 Sample conservation and pre-treatment	8
8.2 Sample preparation	8
9 Digestion procedure	9
9.1 Method A	9
9.2 Method B	9
9.3 Method C (informative)	9
10 Analysis of the digestion solutions	9
10.1 Preparation of the solution for analysis	9
10.2 Analytical step	10
10.3 XRF analysis on ashed samples – sample preparation	10
11 Expression of results	10
12 Quality control	11
13 Performance characteristics	11
14 Test report	11
Annex A (normative) Guidelines - Characteristics of the laboratory sample for chemical analysis of SRF	12
Annex B (informative) Performance data	14
Annex C (informative) Major results of ruggedness testing	23
Bibliography	27

Foreword

This document (EN 15410:2011) has been prepared by Technical Committee CEN/TC 343 "Solid Recovered Fuels", the secretariat of which is held by SFS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2012, and conflicting national standards shall be withdrawn at the latest by March 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 15410:2006.

This document differs from CEN/TS 15410:2006 only editorially.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

Accurate determination of trace element content in solid recovered fuels is important for environmental and technical reasons both in the production and combustion stage. The determination of major elements such as Al, Ca, Fe, Mg, P, K, Si, Na and Ti can be helpful to predict the melting behaviour and slagging of the ash. After digestion of the solid recovered fuels using different methods, a number of analytical techniques can be used for the quantification of the trace element content. They include Inductively Coupled Plasma with optical or mass detection, Flame Atomic Spectroscopy, Graphite Furnace Atomic Absorption Spectrometry and X-ray fluorescence spectrometry. X-ray fluorescence allows the simultaneous determination of these elements after ashing of solid recovered fuel (SRF). Direct analysis of the SRF material is not possible by XRF due to the sample inhomogeneity and because suitable certified reference materials for calibration are not available.

1 Scope

This European Standard specifies three methods of digestion for solid recovered fuels:

- a) microwave assisted digestion with hydrofluoric, nitric and hydrochloric acid mixture;
- b) hot water bath digestion of with hydrofluoric, nitric and hydrochloric acid mixture, after ashing of the SRFs sample;
- c) oven digestion with nitric, perchloric and hydrofluoric acid mixture.

Instrumental determination of Si, Al, K, Na, Ca, Mg, Fe, P, and Ti is performed by Inductively Coupled Plasma Spectrometry with optical detection or other suitable spectroscopic techniques such as Flame Atomic Spectroscopy.

The effectiveness of the digestion can be verified by qualitative X-ray fluorescence (XRF) analysis on the remaining residue. If necessary, an alternative digestion method (among those proposed) shall be used.

XRF can be used for the analysis of Si, Al, K, Na, Ca, Mg, Fe, P, Ti, after ashing (550 °C) of the sample: other elements can be analysed by XRF provided that the concentration levels are above the instrumental detection limits of the XRF instrumentation and after proper preliminary testing.

Method a) is recommended for general use, but the amount of the test portion can be very low in case of high concentration of organic matter. Method b) is recommended for SRFs with high organic matter concentration that can be difficult to digest with the other methods.

Method c) is recommended for SRFs samples for which the other methods leave a significant insoluble residue.

All the listed methods are suitable for the determination of Si, provided that closed containers are used for sample dissolution. XRF is highly recommended for Si, P and Ti analysis.

Alternative digestion methods can be applied if their performance is proved to be comparable with those of the methods mentioned in a) to c) (see Annex C).

2 Normative references

The following referenced documents are indispensable for the application of this European Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13656, *Characterization of waste — Microwave assisted digestion with hydrofluoric (HF), nitric (HNO₃) and hydrochloric (HCl) acid mixture for subsequent determination of elements*

EN 15357:2011, *Solid recovered fuels — Terminology, definitions and descriptions*

EN 15403, *Solid recovered fuels — Determination of ash content*

EN 15413, *Solid recovered fuels — Methods for the preparation of the test sample from the laboratory sample*

EN 15414-3, *Solid recovered fuels — Determination of moisture content using the oven dry method — Part 3: Moisture in general analysis sample*

EN ISO 3696:1995, *Water for analytical laboratory use — Specification and test methods (ISO 3696:1987)*

EN ISO 11885, *Water quality — Determination of selected elements by inductively coupled plasma optical emission spectrometry (ICP-OES) (ISO 11885:2007)*

EN ISO 12020, *Water quality — Determination of aluminium — Atomic absorption spectrometric methods (ISO 12020:1997)*

EN ISO 15586, *Water quality — Determination of trace elements using atomic absorption spectrometry with graphite furnace (ISO 15586:2003)*

ISO 9964 (all parts), *Water quality — Determination of sodium and potassium*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15357:2011 and the following apply.

3.1 digestion

mineralization of the organic matter of a sample and dissolution of its mineral part, more or less completely, when reacted with a reagent mixture

3.2 microwave unit

whole microwave digestion system (oven and associated equipment)

4 Safety remarks

The safety in handling of potentially hazardous materials is dealt with by the relevant national and European regulations, which every laboratory should refer to.

In addition the following information is given:

- Only experienced personnel can use the microwave apparatus, following the operating instructions described in the manufacturer manual;
- Most of the reagents used within this European Standard are strongly corrosive and toxic. Safety precautions are absolutely necessary due to strong corrosive reagents, high temperature and high pressure;
- All procedures have to be performed in a hood or in closed force-ventilated equipment. By the use of strong oxidising reagents the formation of explosive organic intermediates is possible especially when dealing with samples with a high organic content. Do not open pressurised vessels before they have cooled down. Avoid contact with the chemicals and the gaseous reaction products;
- The X-ray fluorescence spectrometers on the market are generally approved fully protected apparatus. This means that the user is not subjected to any radiation when operating the apparatus. All the apparatus are subject to specific official approval and acceptance conditions;
- The person responsible for managing or supervising the operation of X-ray equipment shall provide evidence of his knowledge of radiation protection according to national regulations.

5 Principle

The test portion is digested using one of the proposed methods with a suitable acid mixture. The digested sample is then analysed by inductively coupled plasma atomic emission spectroscopy.