

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Passive filter units for electromagnetic interference suppression –  
Part 3: Passive filter units for which safety tests are appropriate**

**Filtres passifs d'antiparasitage –  
Partie 3: Filtres passifs pour lesquels des essais de sécurité sont appropriés**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2015 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### **IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### **Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Passive filter units for electromagnetic interference suppression –  
Part 3: Passive filter units for which safety tests are appropriate**

**Filtres passifs d'antiparasitage –  
Partie 3: Filtres passifs pour lesquels des essais de sécurité sont appropriés**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 31.160

ISBN 978-2-8322-2807-4

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	7
1 General.....	9
1.1 Scope.....	9
1.2 Normative references.....	9
1.3 Information to be given in a detail specification.....	11
1.3.1 General.....	11
1.3.2 Outline drawing and dimensions.....	11
1.3.3 Mounting.....	11
1.3.4 Ratings and characteristics.....	12
1.3.5 Marking.....	12
1.4 Terms and definitions.....	12
1.5 Marking.....	17
1.5.1 General.....	17
1.5.2 Coding.....	18
1.5.3 Marking details.....	18
1.5.4 Marking of filters.....	18
1.5.5 Marking of packaging.....	18
1.5.6 Additional marking.....	18
1.6 Components.....	18
1.7 Overcurrent protective devices.....	18
1.8 Wiring and Insulation.....	19
1.8.1 General.....	19
1.8.2 Sleeving, tubing and wire insulation.....	19
1.8.3 Properties of insulation material.....	19
1.9 Protective Bonding Conductors.....	19
1.10 Corrosion.....	20
2 Preferred ratings and characteristics.....	20
2.1 Preferred characteristics.....	20
2.1.1 General.....	20
2.1.2 Preferred climatic categories.....	20
2.2 Preferred values of ratings.....	20
2.2.1 Rated voltage ( $U_R$ ).....	20
2.2.2 Rated temperature.....	20
2.2.3 Passive flammability.....	20
3 Test plan for safety tests.....	21
3.1 Structurally similar filters.....	21
3.2 Safety approval procedure.....	21
3.2.1 General.....	21
3.2.2 Sampling.....	21
3.2.3 Tests.....	22
3.3 Requalification tests.....	22
4 Test and measurement procedures.....	24
4.1 General.....	24
4.1.1 General.....	24
4.1.2 Standard atmospheric conditions.....	24
4.1.3 Standard atmospheric conditions for testing.....	24
4.1.4 Recovery conditions.....	25

4.1.5	Referee conditions .....	25
4.1.6	Reference conditions .....	25
4.1.7	Drying.....	26
4.2	Visual examination and check of dimensions .....	26
4.2.1	Visual examination.....	26
4.2.2	Dimensions (gauging) .....	26
4.2.3	Dimensions (detail) .....	26
4.2.4	Creepage distances and clearances .....	26
4.3	Inductance measurement .....	29
4.3.1	General .....	29
4.3.2	Measuring conditions .....	29
4.4	Earth inductors incorporated in filters.....	29
4.5	Capacitance.....	29
4.5.1	General .....	29
4.5.2	Measuring conditions .....	29
4.6	Insertion loss .....	30
4.7	Insulation resistance .....	30
4.7.1	General .....	30
4.7.2	Measuring voltage.....	30
4.7.3	Application of measuring voltage .....	31
4.7.4	Mean time to measuring .....	32
4.7.5	Temperature correction factor .....	32
4.7.6	Information to be given in a detail specification .....	32
4.7.7	Requirements .....	34
4.8	Voltage proof .....	35
4.8.1	General .....	35
4.8.2	Test procedure.....	35
4.8.3	Applied voltage .....	35
4.8.4	Tests .....	36
4.8.5	Requirements .....	37
4.8.6	Repetition of the voltage proof test .....	37
4.8.7	Information to be given in a detail specification .....	37
4.8.8	Requirements .....	37
4.9	DC line resistance or voltage drop at rated current.....	37
4.9.1	General .....	37
4.9.2	DC line resistance.....	37
4.9.3	Voltage drop at rated current.....	37
4.10	Discharge resistance.....	38
4.10.1	General .....	38
4.10.2	Resistor Test .....	38
4.11	Robustness of terminations .....	39
4.11.1	General .....	39
4.11.2	Test Ua1 – Tensile.....	39
4.11.3	Test Ub – Bending .....	39
4.11.4	Test Uc – Torsion.....	39
4.11.5	Test Ud – Torque .....	39
4.11.6	Visual examination.....	41
4.12	Resistance to soldering heat .....	41
4.12.1	Applicability of the test .....	41

4.12.2	Pre-measurement .....	41
4.12.3	Test conditions .....	41
4.12.4	Test severity .....	41
4.12.5	Intermediate inspection, measurements and requirements .....	41
4.13	Solderability (for performance only) .....	41
4.13.1	General .....	41
4.13.2	Test method.....	42
4.13.3	Test conditions .....	42
4.13.4	Requirements .....	42
4.13.5	Final measurements and requirements .....	42
4.14	Rapid change of temperature (for performance only).....	42
4.14.1	Pre-measurements.....	42
4.14.2	Test method.....	43
4.14.3	Final inspection.....	43
4.15	Vibration (for performance only) .....	43
4.15.1	Pre-measurements.....	43
4.15.2	Test method.....	43
4.15.3	Test conditions .....	43
4.15.4	Intermediate inspection .....	43
4.15.5	Final Inspection .....	43
4.16	Shock (for performance only).....	43
4.16.1	Pre measurements .....	43
4.16.2	Test method.....	44
4.16.3	Test conditions .....	44
4.16.4	Final Inspection .....	44
4.17	Container sealing (for performance only) .....	44
4.17.1	General .....	44
4.17.2	Test conditions .....	44
4.17.3	Requirements .....	44
4.18	Climatic sequence.....	44
4.18.1	General .....	44
4.18.2	Initial measurements.....	44
4.18.3	Dry heat.....	45
4.18.4	Damp heat, cyclic.....	45
4.18.5	Cold.....	45
4.18.6	Low air pressure .....	45
4.18.7	Damp heat, cyclic, remaining cycles .....	46
4.18.8	Final inspection, measurements and requirements.....	46
4.19	Damp heat, steady state.....	46
4.19.1	Pre-measurements.....	46
4.19.2	Test method.....	46
4.19.3	Test conditions .....	46
4.19.4	Final inspection, measurements and requirements.....	47
4.20	Temperature rise.....	47
4.20.1	General .....	47
4.20.2	Test method.....	47
4.20.3	Test description .....	48
4.20.4	Requirements .....	49
4.21	Current overload .....	50

4.21.1	Pre-measurements.....	50
4.21.2	Test method.....	50
4.21.3	Final inspection, measurements and requirements.....	50
4.22	Leakage current.....	50
4.23	Protective conductor resistance.....	50
4.24	Impulse voltage.....	51
4.24.1	General.....	51
4.24.2	Initial measurements.....	51
4.24.3	Test conditions.....	51
4.24.4	Requirements.....	51
4.25	Endurance.....	52
4.25.1	General.....	52
4.25.2	General test conditions.....	52
4.25.3	Test conditions – current test.....	52
4.25.4	Test conditions – voltage test, terminations/case.....	53
4.25.5	Test conditions – voltage test between terminations.....	53
4.25.6	Test conditions – combined voltage/current tests.....	54
4.25.7	Final inspection, measurements and requirements.....	54
4.26	Charge and discharge (for performance only).....	54
4.26.1	General.....	54
4.26.2	Test circuits and wave forms.....	54
4.26.3	Information given in detail specification.....	56
4.26.4	Initial measurements.....	56
4.26.5	Test conditions.....	57
4.26.6	Final measurements and requirements.....	57
4.27	Passive flammability.....	57
4.27.1	General.....	57
4.27.2	Test method.....	57
4.28	Active flammability.....	58
4.29	Solvent resistance of the marking.....	58
4.29.1	General.....	58
4.29.2	Test description.....	58
4.29.3	Requirements after test.....	59
4.30	Component solvent resistance (for performance only).....	59
4.30.1	General.....	59
4.30.2	Initial measurements.....	59
4.30.3	Test description.....	59
4.30.4	Final measurements.....	59
Annex A (informative)	Calculation of leakage current.....	60
A.1	General.....	60
A.2	Calculation of leakage current for 1-line filters.....	60
A.3	Calculation of leakage current for 2-line filters.....	61
A.4	Calculation of leakage current for 3-line filters.....	61
A.5	Calculation of leakage current for 4-line filters.....	63
Annex B (normative)	Test schedule for safety requirements only.....	64
Annex C (normative)	Circuit for the impulse voltage test.....	67
Annex D (normative)	Circuit for the endurance test.....	69
Annex E (normative)	Declaration of design.....	70

Annex F (informative) Safety and performance tests qualification approval – Assessment level DZ .....	71
Annex P (informative) Additional components and material standards .....	73
Bibliography .....	74
Figure 1 – Asymmetrical and symmetrical test circuit .....	17
Figure 2 – Examples for the application of Tests A and B of Table 9 .....	33
Figure 3 – Examples for the application of Test C of Table 9 .....	34
Figure 4 – Impulse wave form .....	51
Figure 5 – Relay circuit .....	55
Figure 6 – Thyristor circuit .....	55
Figure 7 – Voltage and current waveforms .....	56
Figure A.1 – Leakage current for 1-line filters .....	60
Figure A.2 – Leakage current for 2-line filters .....	61
Figure A.3 – Leakage current for 3-line filters .....	62
Figure A.4 – Leakage current for 4-line filters .....	63
Figure C.1 – Impulse voltage test circuit .....	67
Figure D.1 – Endurance test circuit .....	69
Table 1 – Classification of Class X capacitors .....	13
Table 2 – Classification of Class Y capacitors .....	14
Table 3 – Tests concerning safety requirements only .....	23
Table 4 – Lot-by-lot test – Safety tests only approval .....	24
Table 5 – Standard atmospheric conditions .....	25
Table 6 – Creepage distances .....	28
Table 7 – Clearance .....	29
Table 8 – DC voltage for insulation resistance .....	31
Table 9 – Measuring points .....	33
Table 10 – Insulation resistance – Safety tests only .....	34
Table 11 – Insulation resistance – Safety and performance tests .....	35
Table 12 – Voltage proof (filter connected to mains) .....	36
Table 13 – Voltage proof (filter not connected to mains; e.g. d.c. filters) .....	36
Table 14 – Force for wire terminations .....	39
Table 15 – Torque .....	40
Table 16 – Preferred severity .....	44
Table 17 – Number of cycles .....	46
Table 18 – Maximum temperatures .....	49
Table 19 – Measurements and requirements after charge and discharge .....	57
Table 20 – Categories of flammability .....	58
Table B.1 – Test schedule for safety requirements only (1 of 3) .....	64
Table C.1 – Values of $C_X$ , $C_T$ , $R_P$ , $R_S$ , $C_P$ .....	67
Table C.2 – Values and tolerances of $C_X$ , $t_r$ , $t_d$ .....	68
Table F.1 – Sampling plan – Assessment level DZ (1 of 2) .....	71

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

### Part 3: Passive filter units for which safety tests are appropriate

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60939-3 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2387/FDIS	40/2398A/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60939 series, published under the general title *Passive filter units for electromagnetic interference suppression*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

This document is a preview generated by EVS

## PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

### Part 3: Passive filter units for which safety tests are appropriate

#### 1 General

##### 1.1 Scope

This specification covers passive filters used to attenuate unwanted radio-frequency signals (such as noise or interference) generated from electromagnetic sources.

Both single and multi-channel filters within one enclosure or which are built on a printed circuit board forming a compact entity are included within the scope of this specification.

Filters constructed of capacitive elements where the inductance is inherent in the construction of the filter are within the scope of this specification. Similarly, filters constructed of inductive elements where the capacitance is inherent in the construction of the filter are also within the scope of this specification. It is up to the manufacturer to state whether a given component is to be designed as a capacitor, an inductor or a filter. Filters can include also other components like resistors and/or varistors or similar components

This specification applies to passive filter units for electromagnetic interference suppression for which safety tests are appropriate. This implies that filters specified according to this specification will either be connected to mains supplies, when compliance with the mandatory tests of Table 3 is necessary, or used in other circuit positions where the equipment specification prescribes that some or all of these safety tests are required.

This specification applies to passive filter units, which will be connected to an a.c. mains or other supply (d.c. or a.c.) with a nominal voltage not exceeding 1 000 V a.c., with a nominal frequency not exceeding 400 Hz, or 1 500 V d.c.

NOTE For a.c. use, IEC 60384-14 applies to capacitors which will be connected to a.c. mains with a nominal frequency not exceeding 100 Hz.

This specification covers appliance filters (US) but does not cover facility filters, cord-connected filters or direct plug-in filters. These other filters will be covered by another sectional specification.

##### 1.2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 These documents are referenced, in whole, in part or as alternative requirements to the requirements contained in this standard. Their use is specified, where necessary, for the application of the requirements of this standard.

NOTE 2 The list below is a summary of all standards that are referred to within this standard. Appearance of a standard in the list does not mean that the standard or parts of it are applicable. Only those parts that are specifically referenced in this standard are applicable.

IEC 60027-1, *Letters symbols to be used in electrical technology – Part 1: General*

IEC 60050 (all parts), *International electrotechnical vocabulary*

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-17, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-45:1980, *Basic environmental testing procedures – Part 2-45: Tests – Test XA and guidance: Immersion in cleaning solvents*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60294, *Measurement of the dimensions of a cylindrical component with axial terminations*

IEC 60384-14:2013, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage system – Part 1: Principles, requirements and tests*

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60938-1:2006, *Fixed inductors for electromagnetic interference suppression – Part 1: Generic specification*

IEC 60938-2, *Fixed inductors for electromagnetic interference suppression – Part 2: Sectional specification*

IEC 60939-1, *Passive filter units for electromagnetic interference suppression – Part 1: Generic specification*

IEC 60940, *Guidance information on the application of capacitors, resistors, inductors and complete filter units for electromagnetic interference suppression*

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

ISO 80000-1, *Quantities and units – Part 1: General*

CISPR 17, *Methods of measurement of the suppression characteristics of passive EMC filtering devices*

### **1.3 Information to be given in a detail specification**

#### **1.3.1 General**

The detail specifications shall be derived from the relevant blank detail specification.

Detail specifications shall not specify requirements inferior to those of this specification or blank detail specification. When more severe requirements are included, they shall be listed in the detail specification, and indicated in the test schedules, for example by an asterisk.

The information outlined in 1.3.2 to 1.3.5 shall be given in each detail specification and the values quoted shall preferably be selected from the appropriate clause of this specification.

#### **1.3.2 Outline drawing and dimensions**

There shall be an illustration of the filter as an aid to easy recognition and for comparison of the filter with others. Dimensions and their associated tolerances, which affect interchangeability and mounting, shall be given in the detail specification. All dimensions shall preferably be stated in millimetres.

Normally, the numerical values shall be given for the length of the body, the width and height of the body and the wire spacing, or for cylindrical types, the body diameter and the length and diameter of the terminations. When necessary, for example when a range of filters is covered by a single detail specification, their dimensions and their associated tolerances shall be placed in a table following the drawing.

In addition, the detail specification shall state such other dimensional information as will adequately describe the filter outline.

Information given in 1.3.2 may, for convenience, be presented in tabular form.

#### **1.3.3 Mounting**

The detail specification shall specify the method of mounting recommended for normal use and the method which is mandatory for the application of the vibration, bump, shock and endurance tests. The design of the filter may be such that special mounting fixtures or heat sinks are required in its use. In this case, the detail specification shall describe the mounting fixtures and they shall be used in the application of the vibration, bump or shock tests. The specified heat sink shall be used in the application of the endurance test. If recommendations for mounting for "normal" use are made, they shall be included in the detail specification under "Additional information (not for inspection purposes)". If they are included, a warning can be given that the full vibration, bump and shock performance may not be available if mounting methods other than those specified in the detail specification are used.