

JOOKIDE KOMMERTSKÜLMIKUD. KLASSIFIKATSIOON,
NÕUDED JA KATSETINGIMUSED

Commercial beverage coolers - Classification,
requirements and test conditions

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16902:2016 sisaldab Euroopa standardi EN 16902:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 16902:2016 consists of the English text of the European standard EN 16902:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 14.12.2016.	Date of Availability of the European standard is 14.12.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 97.040.30, 97.130.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Commercial beverage coolers - Classification, requirements and test conditions

Appareils de réfrigération de boissons à usage
commercial - Classification, exigences et méthodes
d'essai

Gewerbliche Getränkekühler - Klassifikation,
Anforderungen und Prüfbedingungen

This European Standard was approved by CEN on 9 October 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	7
3.1 Types of commercial beverage cooler	7
3.2 Parts of commercial beverage cooler	8
3.3 Physical aspects and dimensions	9
3.4 Definitions relating to performance characteristics.....	10
3.5 Definition related to test environment	12
4 Symbols.....	13
5 Classification and requirements.....	13
5.1 Classification according to temperature	13
Table 1 — Classification according to temperature	14
5.2 Construction.....	14
5.2.1 General.....	14
5.2.2 Materials.....	14
5.2.3 Thermal insulation.....	15
5.2.4 Refrigerating system.....	15
5.2.5 Electrical components.....	16
6 Tests.....	16
6.1 General.....	16
Table 2 — Test summary.....	16
6.2 Tests outside test room.....	17
6.2.1 General.....	17
6.2.2 Seal test for doors and lids.....	17
6.2.3 Test on durability of door and lid	17
Figure 1 — Durability of lids and doors	18
6.2.4 Linear dimensions, areas and volumes.....	18
6.3 Tests inside test room	18
6.3.1 General.....	18
6.3.2 Test room condition.....	19
Table 3 — Test room climate classes and half reload test.....	20
Figure 2 — Climate measuring point for horizontal commercial beverage cooler	20
Figure 3 — Climate measuring point for semi vertical commercial beverage cooler	21
Figure 4 — Climate measuring point for vertical open commercial beverage cooler.....	22
Figure 5 — Climate measuring point for vertical closed commercial beverage cooler	22
6.3.3 M-can	23
6.3.4 Preparation of test commercial beverage cooler and general test procedures.....	23
Figure 6 — Cabinet location within test room	24
Figure 7 — Air movement	25

6.3.5 Loading the commercial beverage cooler.....	26
Figure 8 — Commercial beverage cooler sectional view	26
Figure 9 — Commercial beverage cooler front view: loading phase 1	27
Figure 10 — Commercial beverage cooler front view: loading phase 2.....	27
Figure 11 — Commercial beverage cooler front view glass door merchandiser shelf.....	28
Figure 12 — Commercial beverage cooler: single-door merchandiser bottom shelf top view	28
Figure 13 — Commercial beverage cooler: double-door merchandiser bottom shelf top view	28
Figure 14 — Commercial beverage cooler: double-door merchandiser second and fourth shelves top view	29
Figure 15 — Commercial beverage cooler: triple-door merchandiser bottom shelf top view.....	29
Figure 16 — Commercial beverage cooler: triple-door merchandiser second and fourth shelves top view	30
Figure 17 — Horizontal commercial beverage cooler: single-door front view	30
Figure 18 — Horizontal commercial beverage cooler top view.....	31
Figure 19 — Horizontal commercial beverage cooler double door top view	31
Figure 20 — Horizontal commercial beverage cooler triple door top view.....	31
Figure 21 — Horizontal commercial beverage cooler double door, with less than 8 cans across, top view	32
Figure 22 — Round barrel commercial beverage cooler top view	32
Figure 23 — Round barrel commercial beverage cooler front view.....	33
6.3.6 Running in period.....	33
6.3.7 Stable conditions.....	33
6.3.8 Lighting and night-covers.....	34
Figure 24 — Beverage coolers with lighting and night-cover test procedure	34
6.3.9 Power supply.....	34
6.3.10 Testing several commercial beverage coolers in the same room	34
6.3.11 Temperature test.....	35
Figure 25 — Relevant temperature curves of M-cans	36
Figure 26 — Arithmetic mean temperature of M-cans (curve <i>d</i>)	36
Table 4 — Door or night cover opening time related to the cooler total capacity	38
Figure 27 — Commercial beverage cooler fitted with energy management device (EMD) test procedure	40
Figure 28 — EMD test	41
6.3.12 Water vapour condensation test.....	41
Figure 29 — Condensation code	42
6.3.13 Electrical energy consumption test.....	42
6.3.14 Calculation of specific energy consumption (SEC).....	43
6.4 Test report	43
Table 5 — Details of the cabinet under test, test conditions and preparation for test	43
Table 6 — Results of electrical energy consumption test	45
Table 7 — Results of other tests	45

7	Marking.....	45
7.1	Load limit	45
	Figure 30 — Load limit markings	46
	Figure 31 — Dimensions of load limit line	46
	Figure 32 — Different positions for the load limit	46
7.2	Marking plate.....	47
7.3	Information to be supplied by the manufacturer.....	47
	Annex A (informative) Commercial beverage cooler family	48
	Table A.1 — Commercial beverage cooler family	48
	Annex B (normative) Net volume calculation	49
B.1	General.....	49
B.2	Calculation of net volume.....	49
	Figure B.1 — Net volume calculation	49
	Annex C (normative) Equivalent volume calculation.....	50
C.1	General.....	50
C.2	Calculation of equivalent volume.....	50
C.3	Gross volume measurements.....	50
	Annex D (normative) TDA calculation.....	52
D.1	General.....	52
D.2	Measurement of TDA in a refrigerated display cabinet - Calculation of TDA.....	52
	Figure D.1 — Vertical, multi-deck and semi-vertical cabinets.....	53
	Figure D.2 — Combined, glass door top, open bottom, cabinet.....	54
	Figure D.3 — Horizontal, open, island cabinets	55
	Figure D.4 — Vertical, glass door, cabinet.....	56
	Annex E (informative) Test for absence of odour and taste	57
E.1	Preparation and testing.....	57
E.1.1	Ambient temperature.....	57
E.1.2	Cleaning	57
E.1.3	Thermostat setting	57
E.1.4	Samples.....	57
E.1.5	Test period.....	57
E.2	Examination of samples.....	58
E.2.1	Conditions.....	58
E.2.2	Evaluation	58
	Annex F (normative) Performance and energy rating of commercial beverage cooler	59
F.1	Scope	59
F.2	Standard rating conditions for commercial beverage cooler	59

F.3	Specific energy consumption (SEC) for commercial beverage coolers	59
Annex ZA (informative)	Relationship between this European Standard and the ecodesign requirements of Commission DRAFT Ecodesign Regulation DG ENER LOT12 aimed to be covered	60
Table ZA.1	— Correspondence between this European Standard and Commission Draft Ecodesign Regulation DG ENER LOT12 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for refrigerated commercial display cabinets and Commission's standardization request 'M/495'	60
Bibliography		61

European foreword

This document (EN 16902:2016) has been prepared by Technical Committee CEN/TC 44 “Commercial and Professional Refrigerating Appliances and Systems, Performance and Energy Consumption”, the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2017, and conflicting national standards shall be withdrawn at the latest by June 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2009/125/EC.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

The scope of this European Standard is to define the classification for commercial beverage coolers and to specify their requirements and test methods. This European Standard is applicable to integral refrigeration systems. This European Standard is not applicable to remote and secondary system cabinets.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 817, *Refrigerants — Designation and safety classification*

ISO 5149-2, *Refrigerating systems and heat pumps — Safety and environmental requirements — Part 2: Design, construction, testing, marking and documentation*

EN 60335-1, *Household and similar electrical appliances — Safety — Part 1: General requirements (IEC 60335-1)*

EN 60335-2-89, *Household and similar electrical appliances - Safety - Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor (IEC 60335-2-89)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 Types of commercial beverage cooler

3.1.1

commercial beverage cooler

refrigerated cabinets to sell and/or display pre-packaged beverage products that are non-perishable, designed to chill products loaded at ambient temperature to the defined storage temperature class within a specified time and for which the customer is allowed direct access to the products

Note 1 to entry: In the next Annex A there is the designation of the commercial beverage cooler family.

Note 2 to entry: The customer is an organization or person that receives a product; customer can be internal or external to the organization.

EXAMPLE Consumer, client, end-user, retailer, beneficiary and purchaser.

3.1.2

vertical commercial beverage cooler

beverage cooler with overall height greater than 1,5 m

3.1.3

semi-vertical commercial refrigerated beverage cooler

vertical beverage cooler for which the overall height does not exceed 1,5 m and having either a vertical or inclined display opening