

This document is a preview generated by EVS

Workplace atmospheres - Electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours - Part 1: General requirements and test methods

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN 45544-1:2015 sisaldab Euroopa standardi EN 45544-1:2015 ingliskeelset teksti. | This Estonian standard EVS-EN 45544-1:2015 consists of the English text of the European standard EN 45544-1:2015. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 16.01.2015. | Date of Availability of the European standard is 16.01.2015. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.040.30, 13.320

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Workplace atmospheres - Electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours - Part 1: General requirements and test methods

Atmosphères des lieux de travail - Appareillage électrique utilisé pour la détection directe des vapeurs et gaz toxiques et le mesurage direct de leur concentration - Partie 1: Exigences générales et méthodes d'essai

Arbeitsplatzatmosphäre - Elektrische Geräte für die direkte Detektion und direkte Konzentrationsmessung toxischer Gase und Dämpfe - Teil 1: Allgemeine Anforderungen und Prüfverfahren

This European Standard was approved by CENELEC on 24 November 2014. CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

| | |
|---|----|
| Foreword | 4 |
| Introduction..... | 5 |
| 1 Scope..... | 6 |
| 2 Normative references..... | 6 |
| 3 Terms and definitions | 7 |
| 4 General requirements | 14 |
| 4.1 Introduction..... | 14 |
| 4.2 Construction | 14 |
| 4.2.1 General | 14 |
| 4.2.2 Indicating devices | 14 |
| 4.2.3 Alarm output functions | 16 |
| 4.3 Fault signals..... | 16 |
| 4.4 Adjustments..... | 16 |
| 4.5 Battery-powered apparatus..... | 17 |
| 4.6 Gas detection transmitter for use with separate control units..... | 17 |
| 4.7 Separate control units for use with gas detection transmitters..... | 17 |
| 4.8 Apparatus using software and/or digital technologies | 17 |
| 4.9 Labelling and marking | 17 |
| 4.9.1 General | 17 |
| 4.9.2 Identification of the gas to be detected..... | 18 |
| 4.10 Instruction manual | 18 |
| 5 Test methods | 21 |
| 5.1 General requirements for tests | 21 |
| 5.2 Samples and sequence of tests..... | 21 |
| 5.2.1 Test samples | 21 |
| 5.2.2 Sequence..... | 21 |
| 5.2.3 Gas detection transmitters..... | 21 |
| 5.2.4 Separate control units..... | 21 |
| 5.2.5 Test of compliance with general requirements | 22 |
| 5.2.6 Apparatus with selectable range | 22 |
| 5.2.7 Preparation of apparatus before each particular test..... | 22 |
| 5.2.8 Mask for calibration and test..... | 23 |
| 5.3 Normal conditions for test..... | 23 |
| 5.3.1 General | 23 |
| 5.3.2 Test gas(es)..... | 24 |
| 5.3.3 Flow rate for test gases | 24 |
| 5.3.4 Power supply | 24 |
| 5.3.5 Temperature..... | 24 |
| 5.3.6 Pressure | 24 |
| 5.3.7 Humidity | 24 |
| 5.3.8 Stabilization | 25 |
| 5.3.9 Orientation | 25 |
| 5.3.10 Communications options | 25 |
| 5.3.11 Gas detection apparatus as part of systems..... | 25 |

| | | |
|---|---|-----------|
| 5.4 | Tests | 25 |
| 5.4.1 | General | 25 |
| 5.4.2 | Unpowered storage | 26 |
| 5.4.3 | Measurement of deviations | 26 |
| 5.4.4 | Mechanical tests | 27 |
| 5.4.5 | Environmental tests | 28 |
| 5.4.6 | Performance tests | 30 |
| 5.4.7 | Electrical tests | 34 |
| 5.4.8 | Stability | 35 |
| 5.4.9 | Verification of software and digital components | 35 |
| 6 | Uncertainty of measurement and lower limit of measurement..... | 35 |
| 6.1 | General | 35 |
| 6.2 | Method of calculation of uncertainty of measurement..... | 36 |
| 6.2.1 | General | 36 |
| 6.2.2 | Sources of uncertainty..... | 37 |
| 6.2.3 | Calculation of relative expanded uncertainty..... | 42 |
| 6.3 | Method of calculation of lower limit of measurement | 42 |
| 7 | Test report..... | 44 |
| Annex A (normative) Standard test gas volume fractions for EN 45544-2 apparatus | | 45 |
| Annex B (informative) Sequence of tests | | 47 |
| Annex C (informative) Example of a test chamber | | 48 |
| Annex D (informative) Table of significant changes in comparison to EN 45544-1:1999..... | | 49 |

Foreword

This document (EN 45544-1:2015) has been prepared by CEN/CENELEC Joint Working Group Continuous Measuring Instruments (JWG CMI).

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-11-24
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2017-11-24

This document supersedes EN 45544-1:1999.

Introduction

National laws and regulations based on European Directives require the assessment of the potential exposure of a worker to chemical agents in workplace atmospheres.

EN 45544, *Workplace atmospheres – Electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours*, consists of the following parts:

- *Part 1: General requirements and test methods;*
- *Part 2: Performance requirements for apparatus used for exposure measurement;*
- *Part 3: Performance requirements for apparatus used for general gas detection;*
- *Part 4: Guide for selection, installation, use and maintenance.*

EN 45544 series is based on EN 482 which specifies general performance requirements for procedures for measuring the concentration of chemical agents in workplace atmospheres. These performance requirements are intended to apply under environmental conditions present at the workplace. However, because a wide range of environmental conditions are encountered in practice, this document specifies requirements that have to be fulfilled by measuring procedures when tested under prescribed laboratory conditions.

EN 45544-2 details the performance requirements outlined in EN 482 specifically for electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours intended for exposure measurement.

EN 45544-3 details the performance requirements for general gas detection apparatus, e.g. safety warning, leak detection. The measuring range will be defined by the manufacturer. In general, the requirements for accuracy will be higher for EN 45544-2 apparatus than for EN 45544-3 apparatus.

The same apparatus may be used for applications covered by EN 45544-2 and EN 45544-3.

EN 45544 series will help manufacturers, test laboratories and users of apparatus to adopt a consistent approach to, and provide a framework for, the assessment of performance criteria. It is the manufacturer's primary responsibility to ensure that the apparatus meets the requirements laid down in this European Standard, including environmental influences, which can be expected to affect performance.

For a given measurement task, the range over which the requirements for the relative expanded uncertainty have to be met depends on the limit value. However, for most chemical agents the limit values have not been harmonized at the European level. Therefore, it was decided to use a reference value (standard test gas concentration) instead of the limit value for the performance tests. The list of standard test gas volume fractions is given in Annex A. The values chosen are equal to or close to the limit values used in different European countries but are intended to be used only for type testing apparatus without any legal implications.

Electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours generate readings in clean air (zero readings), which vary with environmental conditions and time. This standard therefore includes test methods and requirements for acceptable variations in zero readings which are additional to the general requirements of EN 482.

1 Scope

This European Standard specifies general requirements and test methods for the determination of the performance characteristics of personal, portable, transportable and fixed, continuous duty electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours in workplace atmospheres.

This European Standard is applicable to apparatus whose primary purpose is to provide an indication, alarm and/or other output function to give a warning of the presence of a toxic gas or vapour in the atmosphere and, in some cases, to initiate automatic or manual protective actions. It is applicable to apparatus in which the sensor automatically generates an electrical signal when gas is present.

This European Standard is not applicable to apparatus:

- used for the measurement of oxygen;
- used only in laboratories for analysis or measurement;
- used only for process measurement purposes;
- used in car parks or tunnels;
- used in the domestic environment;
- used in environmental air pollution monitoring;
- used for the measurement of combustible gases and vapours related to the risk of explosion.

It also does not apply to open-path (line of sight) area monitors.

For apparatus used for sensing the presence of multiple gases this standard applies only to the detection of toxic gas or vapour.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 482, *Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents*

EN 45544-2:2015, *Workplace atmospheres - Electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours - Part 2: Performance requirements for apparatus used for exposure measurement*

EN 45544-3:2015, *Workplace atmospheres - Electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours - Part 3: Performance requirements for apparatus used for general gas detection*

EN 50270, *Electromagnetic compatibility - Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen*

EN 50271, *Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen - Requirements and tests for apparatus using software and/or digital technologies*

EN 60068-2-6, *Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal) (IEC 60068-2-6)*

EN 60079-0, *Explosive atmospheres - Equipment - General requirements (IEC 60079-0)*

EN ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories (ISO/IEC 17025)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

toxic gas

general term for any gas or vapour that can be harmful to human health toxic. The term “gas” is used for both gases and vapours

3.2

clean air

air that is free of gases or vapours which the sensor is sensitive to or which influence the performance of the sensor

3.3

ambient air

normal atmosphere surrounding the apparatus

3.4

poisons

substances that lead to temporary or permanent change of performance, particularly loss of sensitivity, of the sensing element

3.5

standard test gas

test gas with a composition specified for each apparatus and gas to be used for all tests unless otherwise stated

3.6

mask for calibration and test

device that can be attached to the apparatus to present a test gas to the sensor in a reproducible manner

3.7

volume fraction (V/V)

quotient of the volume of a specified component and the sum of the volumes of all components of a gas mixture before mixing

Note 1 to entry The volume fraction and volume concentration take the same value if, at the same state conditions, the sum of the component volumes before mixing and the volume of the mixture are equal. However, because the mixing of two or more gases at the same state conditions is usually accompanied by a slight contraction or, less frequently, a slight expansion, this is not generally the case.