

**Heitmed püsiallikatest. PCDD/PCDF ja dioksiinilaadsete PCB-de massikontsentratsiooni määramine. Osa 4: Dioksiinilaadsetest PCB-dest proovivõtt ja analüüsimine**

Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 4: Sampling and analysis of dioxin-like PCBs

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 1948-4:2010 sisaldab Euroopa standardi EN 1948-4:2010 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.11.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 06.10.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 1948-4:2010 consists of the English text of the European standard EN 1948-4:2010.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.11.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 06.10.2010.

The standard is available from Estonian standardisation organisation.

ICS 13.040.40

### Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:  
Aru 10 Tallinn 10317 Eesti; [www.evs.ee](http://www.evs.ee); Telefon: 605 5050; E-post: [info@evs.ee](mailto:info@evs.ee)

### Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:  
Aru str 10 Tallinn 10317 Estonia; [www.evs.ee](http://www.evs.ee); Phone: 605 5050; E-mail: [info@evs.ee](mailto:info@evs.ee)

English Version

Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 4: Sampling and analysis of dioxin-like PCBs

Émissions de sources fixes - Détermination de la concentration massique en PCDD/PCDF et PCB de type dioxine - Partie 4: Prélèvement et analyse des PCB de type dioxine

Emissionen aus stationären Quellen - Bestimmung der Massenkonzentration von PCDD/PCDF und dioxin-ähnlichen PCB - Teil 4: Probenahme und Analyse dioxin-ähnlicher PCB

This European Standard was approved by CEN on 28 August 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# Contents

Page

Foreword.....	4
Introduction .....	5
1 Scope .....	6
2 Normative references .....	7
3 Terms and definitions .....	7
4 Symbols and abbreviations .....	10
4.1 General.....	10
4.2 Polychlorinated biphenyls .....	10
5 Principle of the measurement procedure.....	11
6 Device, materials and $^{13}\text{C}_{12}$ -labelled standards .....	12
6.1 Device and materials .....	12
6.2 $^{13}\text{C}_{12}$ -labelled standards .....	12
7 Safety measures .....	13
8 Measurement procedure .....	13
8.1 Sampling .....	13
8.2 Extraction .....	13
8.3 Clean-up.....	14
8.4 Final concentration of the sample extracts .....	14
8.5 Addition of recovery standards.....	15
8.6 Principle of identification and quantification.....	15
8.7 Calibration of the HRGC/HRMS .....	15
8.8 Quantification of HRGC/HRMS results .....	17
8.8.1 Quantification of the sample .....	17
8.8.2 Calculation of the recovery rates of the extraction standards .....	18
8.8.3 Calculation of the recovery rates of the sampling standards .....	19
8.9 Calculation of the measurement results .....	19
8.10 Analytical report.....	20
9 Method validation .....	21
9.1 General.....	21
9.2 Validation of sampling .....	21
9.3 Validation of Analytical Extraction and Clean-up.....	22
9.3.1 Extraction .....	22
9.3.2 Clean-up.....	22
10 Quality control requirements for the measurement.....	22
10.1 Use of a validated method .....	22
10.2 Use of $^{13}\text{C}_{12}$ -labelled standards .....	22
10.3 Minimum requirements for sampling.....	23
10.4 Minimum requirements for extraction and clean-up.....	23
10.5 Minimum requirements for identification of PCB congeners .....	24
10.6 Minimum requirements for quantification.....	25
11 Quality assurance criteria for extraction/clean-up/quantification procedure blanks.....	25
11.1 Analytical blank.....	25
11.2 If the analytical blank values exceed the values mentioned above, the laboratory specific quantification limit has to be adopted (increased) correspondingly. HRGC/HRMS blank .....	26
12 Performance characteristics .....	26

<b>12.1</b>	<b>General</b> .....	<b>26</b>
<b>12.2</b>	<b>Results of the validation campaign</b> .....	<b>27</b>
<b>13</b>	<b>Interferences (informative)</b> .....	<b>28</b>
<b>Annex A</b> (informative)	<b>Toxicity and toxic equivalency</b> .....	<b>29</b>
<b>Annex B</b> (informative)	<b>Examples of extraction and clean-up procedures</b> .....	<b>30</b>
<b>Annex C</b> (informative)	<b>Evaluation of the performance characteristics</b> .....	<b>41</b>
<b>Annex D</b> (informative)	<b>Recommendations for measuring high concentrations of dioxin-like PCBs</b> .....	<b>48</b>
<b>Annex E</b> (informative)	<b>Possible interferences in dioxin-like PCB analysis</b> .....	<b>49</b>
<b>Annex F</b> (informative)	<b>Measurement of the marker PCBs 28, 52, 101, 138, 153, and 180 in addition to the 12 dioxin-like PCBs</b> .....	<b>52</b>
<b>Annex G</b> (informative)	<b>Measurement of hexachlorobenzene (HCB)</b> .....	<b>55</b>
<b>Annex H</b> (informative)	<b>Significant technical changes</b> .....	<b>56</b>
<b>Annex ZA</b> (informative)	<b>Relationship between this European Standard and the essential requirements of EU Directives</b> .....	<b>57</b>
<b>Bibliography</b>	.....	<b>58</b>

## Foreword

This document (EN 1948-4:2010) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2011, and conflicting national standards shall be withdrawn at the latest by April 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 1948-4:2007.

Annex H provides details of significant technical changes between this European Standard and the previous document CEN/TS 1948-4:2007

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

EN 1948 consists of several parts dealing with the determination of the mass concentration of PCDDs, PCDFs and PCBs in stationary source emissions:

- *Part 1: Sampling of PCDDs/PCDFs*
- *Part 2: Extraction and clean-up of PCDDs/PCDFs*
- *Part 3: Identification and quantification of PCDDs/PCDFs*
- *Part 4: Sampling and analysis of dioxin-like PCBs*

The first three parts are necessary for the performance of the PCDD/PCDF measurements. In addition this document EN 1948-4 describes the sampling, extraction and analyses of dioxin-like PCBs and requires references to EN 1948-1, -2, -3.

The precision and the performance characteristics of the measurement of PCBs were determined between 2006 and 2008 in a comparison and validation trial at both a waste incinerator and a shredder plant sponsored by the European Commission and the European Free Trade Association. The basic requirements of the determination of PCBs were first published as CEN/TS 1948-4, which served as a basis for these mandated validation measurements. This document EN 1948-4 additionally includes important guidance for sampling and analysis over a broad concentration range gained during the mandated validation measurements.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## Introduction

Polychlorinated biphenyls (PCBs) are a group of chlorinated aromatic compounds similar in structure to polychlorinated dibenzo-*p*-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) which consist of 209 individual substances (see Figure 1 for the basic structure).

PCBs have been produced intentionally over approximately 50 years until the end of the 1990s with different uses in open and closed systems, e.g. as electrical insulators or dielectric fluids in capacitors and transformers, specialised hydraulic fluids, as a plasticiser in sealing material, etc. Worldwide, more than one million tons of PCBs were produced.

PCBs as well as PCDD/PCDF are emitted from thermal and other processes. PCB can contribute to the Total WHO-TEQ as reported for Germany [1]; [2], Great Britain [3], Poland [4], Spain [5], Japan [6]; [7], Korea [8].

In 1997 a group of experts of the World Health Organisation (WHO) defined toxicity equivalent factors (TEFs) for PCDDs/PCDFs and 12 PCBs, known as dioxin-like PCBs [9, 10] (see Annex A). These 12 dioxin-like PCBs consist of four non-ortho PCBs and eight mono-ortho PCBs (no or only one chlorine atoms in 2-, 2'-, 6- and 6'-position), having a planar or mostly planar structure, see Figure 1. In the meanwhile these toxicity equivalent factors were revised (see Annex A).

This document deals with the determination of these *dioxin-like* PCBs in emissions from stationary sources. Additionally informative annexes are provided, describing the analyses of the marker PCBs and hexachlorobenzene (HCB) in the same sample (Annex F and Annex G).

Only skilled operators who are trained in handling highly toxic compounds should apply this document.




Figure 1 —Structure of PCB

## 1 Scope

This European Standard specifies sampling from stationary sources, extraction, clean-up, identification and quantification procedures of the dioxin-like PCBs. The procedure described lays down requirements to measure the PCB congeners given in Annex A (see Table A.1). It is applicable to the 12 non- and mono-ortho PCB designated by the WHO. It is optimised to measure PCB concentrations of about 0,01 ng WHO-TEQ<sub>PCB</sub>/m<sup>3</sup>.

In addition to the 12 non- and mono-ortho-PCB the present document is also applicable to measure further PCB-congeners like the "marker PCB" 28, 52, 101, 138, 153, 180 (see Annex F).

This document specifies a framework of quality control requirements for any PCB sampling, extraction, clean-up, identification and quantification methods to be applied.

As a result of their similar chemical behaviour PCBs, as shown in the validation campaign, can be sampled from stationary sources together with the PCDDs/PCDFs. Therefore, it is possible to measure PCBs together with PCDDs/PCDFs by applying EN 1948-1, -2, -3 and -4. The complete sampling procedure is described in EN 1948-1. Each of the three sampling methods of EN 1948-1 can be combined with the methods described in this document to complete the measurement procedure. EN 1948-1 is an integral part of the complete measurement procedure and is necessary for the determination of PCBs.

The analyses of the following PCB congeners is described in this European Standard and is validated in the validation campaign:

a) Non-ortho substituted PCBs

- 1) 3,3',4,4'-TeCB(77)
- 2) 3,4,4',5-TeCB (81)
- 3) 3,3',4,4',5-PeCB (126)
- 4) 3,3',4,4',5,5'-HxCB (169)

b) Mono-ortho substituted PCBs

- 1) 2,3,3',4,4'-PeCB (105)
- 2) 2,3,4,4',5-PeCB (114)
- 3) 2,3',4,4',5-PeCB (118)
- 4) 2',3,4,4',5-PeCB (123)
- 5) 2,3,3',4,4',5-HxCB (156)
- 6) 2,3,3',4,4',5'-HxCB (157)
- 7) 2,3',4,4',5,5'-HxCB (167)
- 8) 2,3,3',4,4',5,5'-HpCB (189)

c) Marker PCBs

- 1) 2,4,4'- TriCB (28)

- 2) 2,2',5,5'-TeCB (52)
- 3) 2,2',4,5,5'- PeCB (101)
- 4) 2,2',3,4,4',5'- HxCB (138)
- 5) 2,2',4,4',5,5'- HxCB (153)
- 6) 2,2',3,4,4',5,5'- HpCB (180)

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1948-1:2006, *Stationary source emissions — Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs — Part 1: Sampling of PCDDs/PCDFs*

EN 1948-2:2006, *Stationary source emissions — Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs — Part 2: Extraction and clean-up of PCDDs/PCDFs*

EN 1948-3:2006, *Stationary source emissions — Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs — Part 3: Identification and quantification of PCDDs/PCDFs*

EN 13284-1:2001, *Stationary source emissions — Determination of low range mass concentration of dust — Part 1: Manual gravimetric method*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1948-1:2006, EN 1948-2:2006, EN 1948-3:2006 and the following apply.

### 3.1

#### **analytical blank value**

value determined by a blank sample covering the complete analytical procedure including extraction, clean-up, identification and quantification including all the relevant reagents and materials

### 3.2

#### **congener**

any one of the 209 individual PCBs

### 3.3

#### **dioxin-like PCB**

#### **WHO-PCB**

non- and mono-ortho PCB with an affinity to the Ah-receptor, showing similar toxic effects as the 2,3,7,8-substituted PCDDs/PCDFs according to WHO [9]

### 3.4

#### **extraction standard**

#### **quantification standard**

<sup>13</sup>C<sub>12</sub>-labelled PCBs, added before extraction and used for calculating results