

**Eurocode 6 - Design of masonry
structures - Part 1-2: General rules -
Structural fire design**

Eurocode 6 - Design of masonry structures - Part 1-
2: General rules - Structural fire design

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| <p>Käesolev Eesti standard EVS-EN 1996-1-2:2005 sisaldab Euroopa standardi EN 1996-1-2: 2005 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 15.07.2005 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p> | <p>This Estonian standard EVS-EN 1996-1-2:2005 consists of the English text of the European standard EN 1996-1-2: 2005.</p> <p>This document is endorsed on 15.07.2005 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p> |
|---|--|

| | |
|--|--|
| <p>Käsitlusala: This Part 1-2 of EN 1996 deals with the design of masonry structures for the accidental situation of fire exposure, and is intended to be used in conjunction with EN 1996-1-1, EN 1996-2, 1996-3 and EN 1991-1-2. This part 1-2 only identifies differences from, or supplements to, normal temperature design</p> | <p>Scope: This Part 1-2 of EN 1996 deals with the design of masonry structures for the accidental situation of fire exposure, and is intended to be used in conjunction with EN 1996-1-1, EN 1996-2, 1996-3 and EN 1991-1-2. This part 1-2 only identifies differences from, or supplements to, normal temperature design</p> |
|--|--|

ICS 13.220.50, 91.010.30, 91.080.30

Võtmesõnad: applications, bricks, brickwork, buildings, components

English version

**Eurocode 6 - Design of masonry structures - Part 1-2: General
rules - Structural fire design**

Eurocode 6 - Calcul des ouvrages en maçonnerie - Partie
1-2: Règles générales - Calcul du comportement au feu

Eurocode 6 - Bemessung und Konstruktion von
Mauerwerksbauten - Teil 1-2: Allgemeine Regeln -
Tragwerksbemessung für den Brandfall

This European Standard was approved by CEN on 4 November 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

| | Page |
|--|-------------|
| Foreword..... | 4 |
| Background of the Eurocode programme..... | 4 |
| Status and field of application of Eurocodes..... | 5 |
| National Standards implementing Eurocodes..... | 6 |
| Links between Eurocodes and products harmonised technical specifications (ENs and ETAs)..... | 6 |
| Additional information specific to EN 1996-1-2..... | 7 |
| National Annex for EN 1996-1-2..... | 9 |
| Section 1. General..... | 9 |
| 1.1 Scope..... | 9 |
| 1.2 Normative references..... | 10 |
| 1.3 Assumptions..... | 11 |
| 1.4 Distinction between Principles and application Rules..... | 11 |
| 1.5 Definitions..... | 11 |
| 1.5.1 Special terms relating to fire design in general..... | 12 |
| 1.5.2 Special terms relating to calculation methods..... | 13 |
| 1.6 Symbols..... | 13 |
| Section 2. Basic principles and rules..... | 15 |
| 2.1 Performance requirement..... | 15 |
| 2.1.1 General..... | 15 |
| 2.1.2 Nominal fire exposure..... | 15 |
| 2.1.3 Parametric fire exposure..... | 16 |
| 2.2 Actions..... | 16 |
| 2.3 Design values of material properties..... | 16 |
| 2.4 Assessment methods..... | 17 |
| 2.4.1 General..... | 17 |
| 2.4.2 Member analysis..... | 18 |
| 2.4.3 Analysis of part of the structure..... | 20 |

| | |
|--|----|
| 2.4.4 Global structural analysis..... | 20 |
| Section 3. Materials | 20 |
| 3.1 Units..... | 20 |
| 3.2 Mortar | 20 |
| 3.3 Mechanical properties of masonry | 20 |
| 3.3.1 Mechanical properties of masonry at normal temperature..... | 20 |
| 3.3.2 Strength and deformation properties of masonry at elevated temperature..... | 21 |
| 3.3.2.1 General..... | 21 |
| 3.3.2.2 Unit mass | 21 |
| 3.3.3 Thermal properties..... | 21 |
| 3.3.3.1 Thermal elongation..... | 21 |
| 3.3.3.2 Specific heat capacity | 21 |
| 3.3.3.3 Thermal conductivity..... | 21 |
| Section 4. Design Procedures for obtaining fire resistance of masonry walls..... | 21 |
| 4.1 General information on the design of walls..... | 21 |
| 4.1.1 Wall types by function..... | 21 |
| 4.1.2 Cavity walls and untied walls comprising independent leaves..... | 22 |
| 4.2 Surface finishes – rendering mortar and plaster..... | 24 |
| 4.3 Additional requirements for masonry walls | 24 |
| 4.4 Assessment by testing..... | 24 |
| 4.5 Assessment by tabulated data | 25 |
| 4.6 Assessment by calculation..... | 25 |
| Section 5. Detailing..... | 25 |
| 5.1 General..... | 25 |
| 5.2 Junctions and joints | 26 |
| 5.3 Fixtures, pipes and cables..... | 26 |
| Annex A (Informative) Guidance on selection of fire resistance periods | 28 |
| Annex B (Normative) Tabulated fire resistance of masonry walls..... | 29 |
| Annex C (Informative) Simplified calculation model | 63 |
| Annex D (Informative) Advanced calculation method..... | 71 |
| Annex E (Informative) Examples of connections that meet the requirements of Section 5... | 78 |

Foreword

This document (EN 1996-1-2:2005) has been prepared by Technical Committee CEN/TC 250 "Structural Eurocodes", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2005 and conflicting national standards shall be withdrawn at the latest by March 2010.

This document supersedes ENV 1996-1-2:1995.

CEN/TC 250 is responsible for all Structural Eurocodes.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980's.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links *de facto* the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

| | | |
|---------|-------------|---|
| EN 1990 | Eurocode : | Basis of Structural Design |
| EN 1991 | Eurocode 1: | Actions on structures |
| EN 1992 | Eurocode 2: | Design of concrete structures |
| EN 1993 | Eurocode 3: | Design of steel structures |
| EN 1994 | Eurocode 4: | Design of composite steel and concrete structures |

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

| | | |
|---------|-------------|--|
| EN 1995 | Eurocode 5: | Design of timber structures |
| EN 1996 | Eurocode 6: | Design of masonry structures |
| EN 1997 | Eurocode 7: | Geotechnical design |
| EN 1998 | Eurocode 8: | Design of structures for earthquake resistance |
| EN 1999 | Eurocode 9: | Design of aluminium structures |

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that EUROCODES serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 – Mechanical resistance and stability – and Essential Requirement N°2 – Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

² According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents shall :

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary ;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc. ;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National Annex.

The National Annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, *i.e.* :

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic, etc.), e.g. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode,

and it may also contain

- decisions on the application of informative annexes,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and products harmonised technical specifications (ENs and ETAs)

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes should clearly mention which Nationally Determined Parameters have been taken into account.

This European Standard is part of EN 1996 which comprises the following parts:

EN 1996-1-1: Common rules for reinforced and unreinforced masonry structures.

EN 1996-1-2: General Rules - Structural Fire Design.

EN 1996-2: Design, Selection of materials and execution of masonry

EN 1996-3: Simplified calculation methods and simple rules for masonry structures

EN 1996-1-2 is intended to be used together with EN 1990, EN 1991-1-2, EN 1996-1-1, EN 1996-2 and EN 1996-3

⁴ see Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

Additional information specific to EN 1996-1-2

The general objectives of fire protection are to limit risks with respect to the individual and society, neighbouring property, and where required, directly exposed property, in the case of fire.

The Construction Products Directive 89/106/EEC gives the following essential requirement for the limitation of fire risks:

"The construction works must be designed and built in such a way that, in the event of an outbreak of fire

- the load bearing resistance of the construction can be assumed for a specified period of time
- the generation and spread of fire and smoke within the works are limited
- the spread of fire to neighbouring construction works is limited
- the occupants can leave the works or can be rescued by other means
- the safety of rescue teams is taken into consideration".

According to the Interpretative Document No 2 "Safety in Case of Fire" the essential requirement may be observed by following various possibilities for fire safety strategies prevailing in the Member States like conventional fire scenarios (nominal fires) or 'natural' (parametric) fire scenarios, including passive and/or active fire protection measures.

The fire parts of Structural Eurocodes deal with specific aspects of passive fire protection in terms of designing structures and parts thereof for adequate load bearing resistance that could be needed for safe evacuation of occupants and fire rescue operations and for limiting fire spread as relevant.

Required functions and levels of performance are generally specified by the national authorities - mostly in terms of a standard fire resistance rating. Where fire safety engineering for assessing passive and active measures is acceptable, requirements by authorities will be less prescriptive and may allow for alternative strategies.

This Part 1-2, together with EN 1991-1-2, Actions on structures exposed to fire, supplements EN 1996-1-1, so that the design of masonry structures can comply with normal and fire requirements.

Supplementary requirements concerning, for example

- the possible installation and maintenance of sprinkler systems
- conditions on occupancy of building or fire compartment
- the use of approved insulation and coating materials, including their maintenance

are not given in this document, as they are subject to specification by the competent authority.

A full analytical procedure for structural fire design would take into account the behaviour of the structural system at elevated temperatures, the potential heat exposure and the beneficial effects of active fire protection systems, together with the uncertainties associated with these three features and the importance of the structure (consequences of failure).

At the present time it is possible to perform a calculation procedure for determining adequate performance which incorporates some, if not all, of these parameters and to demonstrate that the structure, or its components, will give adequate performance in a real building fire. However the principal current procedure in European countries is one based on results from standard fire resistance tests. The grading system in regulations, which call for specific periods of fire resistance, takes into account (though not explicitly), the features and uncertainties described above.

Due to the limitations of the test method, further tests or analyses may be used. Nevertheless, the results of standard fire tests form the bulk of input for calculation procedures for structural fire design. This standard therefore deals principally with the design for the standard fire resistance.

Application of this Part 1-2 of Eurocode 6 with the thermal actions given in EN 1991-1-2, is illustrated in figure 0.1. For design according to this part, EN 1991-1-2 is required for the determination of temperature fields in structural elements, or when using general calculation models for the analysis of the structural response.




Figure 0.1 : Design procedures

Where simple calculation models are not available, the Eurocode fire parts give design solutions in terms of tabular data (based on tests or general calculation models), which may be used within the specified limits of validity.

National Annex for EN 1996-1-2

This standard gives alternative procedures, values and recommendations for classes, with notes indicating where national choices may have to be made. Therefore the National Standard implementing EN 1996-1-2 should include a National annex which contains all Nationally Determined Parameters to be used for the design of buildings and civil engineering works constructed in the relevant country.

National choice is allowed in EN 1996-1-2 through clauses:

- 2.2 (2) Actions;
- 2.3 (2) Design values of material properties;
- 2.4.2 (3) Member analysis;
- 3.3.3.1(1) Thermal elongation;
- 3.3.3.2 (1) Specific heat;
- 3.3.3.3 Thermal conductivity;
- 4.5(3) Value of γ_{Glo} ;
- Annex B Tabulated values of fire resistance of masonry walls;
- Annex C Values of constant c.

Section 1. General

1.1 Scope

(1)P This Part 1-2 of EN 1996 deals with the design of masonry structures for the accidental situation of fire exposure, and is intended to be used in conjunction with EN 1996-1-1, EN 1996-2, 1996-3 and EN 1991-1-2. This part 1-2 only identifies differences from, or supplements to, normal temperature design.

(2)P This Part 1-2 deals only with passive methods of fire protection. Active methods are not covered.

(3)P This Part 1-2 applies to masonry structures which, for reasons of general fire safety, are required to fulfil certain functions when exposed to fire, in terms of:

- avoiding premature collapse of the structure (load bearing function)
- limiting fire spread (flames, hot gases, excessive heat) beyond designated areas (separating function)

(4)P This Part 1-2 gives principles and application rules for designing structures for specified requirements in respect of the aforementioned functions and levels of performance.

(5)P This Part 1-2 applies to structures, or parts of structures, that are within the scope of EN 1996-1-1, EN 1996-2 and EN 1996-3 and are designed accordingly.

(6)P This Part 1-2 does not cover masonry built with Natural Stone units to EN771-6

(7)P This Part 1-2 deals with the following:

- non-loadbearing internal walls.
- non-loadbearing external walls.
- loadbearing internal walls with separating or non-separating functions.
- loadbearing external walls with separating or non-separating functions.

1.2 Normative references

This European standard incorporates by dated or undated references, provisions from other publications. These Normative references are cited at appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to, or revisions of, any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies (including amendments).

EN 771-1 Specification for masonry units - Part 1: Clay masonry units.

EN 771-2 Specification for masonry units - Part 2: Calcium silicate masonry units

EN 771-3 Specification for masonry units - Part 3: Aggregate concrete masonry units (dense and light-weight aggregates)

EN 771-4 Specification for masonry units - Part 4: Autoclaved aerated concrete masonry units

EN 771-5 Specification for masonry units - Part 5: Manufactured stone masonry units

EN 771-6 Specification for masonry units - Part 6 : Natural stone units

EN 772-13 Methods of test for masonry units - Part 13: Determination of net and gross dry density of masonry units (except for natural stone)

EN 998-1 Specification for mortar for masonry - Part 1: Rendering and plastering mortar

EN 998-2 Specification for mortar for masonry - Part 2: Masonry mortar.

EN 1363 Fire resistance

Part 1: General requirements

Part 2: Alternative and additional requirements

- EN 1364 Fire resistance tests of non-loadbearing elements.
Part 1 Walls
- EN 1365 Fire resistance tests of loadbearing elements.
Part 1 Walls
- EN 1365 Fire resistance tests of loadbearing elements.
Part 4 Columns
- EN 1366 Fire resistance tests for service installations.
Part 3 Penetration seals
- EN 1990 Basis of design for Structural Eurocodes
- EN 1991 Basis of design and actions on structures:
Part 1-1: General actions - Densities, self-weight, imposed loads for buildings
Part 1-2: Actions on structures exposed to fire;
- EN 1996 Design of masonry structures:
Part 1.1: Common rules for reinforced and unreinforced masonry structures
Part 2: Design, selection of materials and execution of masonry
Part 3: Simplified and simple rules for masonry structures
- prEN 12602 Prefabricated reinforced components of autoclaved aerated concrete
Annex C – Resistance to fire design of AAC components and structures
- EN 13279-1 Gypsum and gypsum-based building plaster - Part 1: Definitions and requirements

1.3 Assumptions

- (1) P In addition to the general assumptions of EN 1990 the following assumptions apply:
- Any passive fire protection systems taken into account in the design will be adequately maintained.
 - The choice of the relevant design fire scenario is made by appropriately qualified and experienced personnel.

1.4 Distinction between Principles and application Rules

- (1) The rules given in EN 1990 clause 1.4 apply.

1.5 Definitions

For the purposes of this Part 1-2 of EN 1996, the definitions of EN 1990 and of EN 1991-1-2 apply with the following additional definitions: